ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

QC CERTIFICATE SD15198087

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method	Au-AA23	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34			3.53	6.64	114.0	510	1.07	3.32	2.08	1.02	39.3	42.5	253	3.69	5990	4.91
CDN-CM-34			3.68	6.47	113.5	500	1.01	3.17	2.04	0.92	39.6	41.9	246	3.66	5670	4.65
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C		798														
Target Range - Lower Bound		732														
Upper Bound		836														
G307-7		7930														
Target Range - Lower Bound		7390														
Upper Bound		8350														
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08			4.35	7.37	34.5	1100	3.37	0.62	2.56	2.18	69.3	20.4	92	12.90	645	3.97
MRGeo08			4.75	7.30	35.9	1120	3.60	0.62	2.63	2.19	67.5	21.0	94	13.35	646	3.92
Target Range - Lower Bound			4.00	6.64	29.5	920	2.98	0.60	2.35	2.00	66.2	17.7	81	11.20	587	3.55
Upper Bound			4.92	8.14	36.5	1270	3.76	0.76	2.90	2.48	81.0	21.9	102	13.80	675	4.37
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08			19.35	6.53	122.5	780	2.69	9.45	2.15	18.20	61.1	94.0	85	10.95	8060	5.28
Target Range - Lower Bound			18.15	6.07	107.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85	7800	4.81
Upper Bound			22.2	7.44	131.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15	8980	5.91
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104			0.11	7.31	3.7	1310	3.72	0.42	1.01	0.25	107.0	3.2	38	3.90	75.8	1.97
OREAS-104			0.15	7.18	3.8	1310	3.53	0.44	1.04	0.26	98.9	3.2	39	3.71	86.7	1.99
Target Range - Lower Bound			0.08	6.51	2.7	1100	3.11	0.40	0.92	0.19	91.8	2.9	33	3.26	67.3	1.74
Upper Bound			0.14	7.98	3.8	1520	3.91	0.52	1.14	0.30	112.0	3.7	43	4.09	77.9	2.15
OREAS-105			0.09	7.39	3.0	710	4.20	0.46	1.06	0.14	125.0	4.5	40	2.19	113.0	2.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		15.80	0.12	0.5	0.137	2.85	18.5	10.0	3.75	460	300	0.75	4.8	256	1290	24.9
CDN-CM-34		16.20	0.12	0.5	0.132	2.77	18.8	10.4	3.59	439	291	0.73	4.8	246	1260	22.4
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
G307-7																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		18.60	0.18	3.2	0.176	3.17	33.3	32.4	1.31	557	14.30	1.98	21.7	706	1070	1090
MRGeo08		19.60	0.14	3.1	0.182	3.17	32.9	34.6	1.30	563	14.60	1.98	22.4	716	1090	1090
Target Range - Lower Bound		17.50	<0.05	2.8	0.155	2.79	31.1	29.5	1.17	497	13.65	1.76	19.0	622	930	971
Upper Bound		21.5	0.27	3.6	0.201	3.43	39.1	36.5	1.45	619	16.75	2.18	23.4	760	1160	1185
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		16.95	0.20	2.7	1.460	2.95	29.4	28.0	1.21	506	895	1.80	17.5	8820	870	7340
Target Range - Lower Bound		16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000	760	6520
Upper Bound		19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770	950	7970
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		24.4	0.23	5.4	0.083	2.39	49.3	18.5	0.35	226	8.66	3.28	23.9	9.9	1250	46.7
OREAS-104		24.2	0.16	5.1	0.074	2.32	45.5	17.4	0.34	224	8.15	3.24	23.0	8.9	1240	47.3
Target Range - Lower Bound		24.0	0.07	5.0	0.068	2.08	43.4	15.7	0.31	193	7.99	2.97	22.0	8.2	1090	42.3
Upper Bound		29.5	0.28	6.4	0.096	2.56	54.2	19.7	0.40	247	9.87	3.65	27.1	10.4	1360	52.8
OREAS-105		27.1	0.21	4.9	0.061	2.01	52.1	13.3	0.45	181	8.20	3.80	31.8	10.5	1640	152.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		87.4	0.310	3.14	5.98	16.8	5	1.8	230	0.33	0.61	2.18	0.506	1.29	0.7	172
CDN-CM-34		85.2	0.297	3.08	5.76	17.6	5	1.7	223	0.33	0.60	2.36	0.507	1.28	0.7	164
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
G307-7																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		190.5	0.010	0.31	4.42	11.8	2	3.8	307	1.49	<0.05	18.55	0.495	1.04	5.0	111
MRGeo08		179.5	0.008	0.32	4.51	11.7	2	3.8	313	1.53	<0.05	18.40	0.501	1.01	5.0	111
Target Range - Lower Bound		173.5	0.005	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.90	0.443	0.89	4.9	97
Upper Bound		212	0.013	0.35	5.39	13.7	4	4.7	339	1.81	0.14	21.9	0.553	1.25	6.2	121
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		166.0	1.360	2.84	25.1	9.2	11	12.5	249	1.24	0.14	16.40	0.405	1.56	4.3	87
Target Range - Lower Bound		164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.90	0.353	1.43	4.5	77
Upper Bound		201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.7	0.443	1.98	5.8	97
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		130.0	0.002	0.03	0.76	4.4	1	6.1	115.5	2.17	<0.05	152.5	0.154	0.52	120.0	18
OREAS-104		124.0	0.002	0.05	0.72	4.2	1	5.9	115.0	2.15	<0.05	160.0	0.152	0.52	122.5	18
Target Range - Lower Bound		117.5	<0.002	<0.01	0.53	4.0	<1	5.6	106.0	2.14	<0.05	137.0	0.135	0.44	104.0	15
Upper Bound		143.5	0.006	0.04	0.88	5.1	3	7.3	130.0	2.73	0.13	167.0	0.176	0.65	127.0	20
OREAS-105		112.5	0.003	0.07	0.51	5.0	3	6.7	95.2	3.20	<0.05	377	0.226	0.40	547	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		25.4	13.7	212	14.5	2.99	1.32	1.43	3.85	0.54	0.14	20.5	4.96	4.63	0.57	0.17
CDN-CM-34		24.6	13.8	198	12.2	2.95	1.29	1.41	3.83	0.52	0.14	20.5	4.79	4.44	0.56	0.17
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
G307-7																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		4.6	24.6	811	108.5	4.68	2.58	1.27	4.88	0.91	0.39	29.0	8.39	5.81	0.79	0.40
MRGeo08		4.7	24.4	822	109.0	4.49	2.59	1.25	4.72	0.91	0.38	27.5	8.22	5.62	0.75	0.38
Target Range - Lower Bound		4.1	23.8	722	92.2	3.99	2.25	1.12	4.60	0.79	0.32	26.5	7.02	5.24	0.67	0.32
Upper Bound		5.8	29.3	886	126.0	5.51	3.11	1.59	6.34	1.09	0.46	36.1	9.56	7.16	0.93	0.46
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		4.2	21.7	7170	92.3	4.09	2.21	1.05	4.39	0.80	0.33	27.1	6.95	5.42	0.71	0.35
Target Range - Lower Bound		3.9	21.1	6500	78.6	3.65	2.03	0.99	4.19	0.70	0.27	24.7	6.61	4.89	0.64	0.28
Upper Bound		5.4	26.0	7950	107.5	5.05	2.81	1.41	5.79	0.98	0.39	33.7	9.01	6.69	0.90	0.40
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		2.1	28.3	77	195.5	5.88	2.75	1.14	7.72	1.05	0.34	52.8	13.55	10.55	1.14	0.40
OREAS-104		2.0	27.3	81	186.0	5.94	2.75	1.15	7.61	1.07	0.33	49.5	12.45	9.74	1.09	0.38
Target Range - Lower Bound		1.8	25.2	67	166.5	5.14	2.42	0.96	7.18	0.91	0.31	42.3	10.55	8.90	0.92	0.34
Upper Bound		2.7	31.0	86	227	7.07	3.34	1.38	9.83	1.26	0.44	57.5	14.35	12.10	1.27	0.48
OREAS-105		2.3	55.9	55	173.0	11.35	6.31	1.47	12.00	2.24	0.90	74.3	16.70	16.20	1.94	1.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
STANDARDS			
AMIS0160			2.05
Target Range - Lower Bound			1.970
Upper Bound			2.11
CDN-CM-34		1.28	
CDN-CM-34		0.95	
Target Range - Lower Bound			
Upper Bound			
CDN-GS-P8C			
Target Range - Lower Bound			
Upper Bound			
G307-7			
Target Range - Lower Bound			
Upper Bound			
GBM909-14			2.17
Target Range - Lower Bound			2.11
Upper Bound			2.27
MRGeo08		2.40	
MRGeo08		2.34	
Target Range - Lower Bound		2.13	
Upper Bound		2.95	
OGGeo08			0.859
Target Range - Lower Bound			0.809
Upper Bound			0.869
OGGeo08		2.13	
Target Range - Lower Bound		1.83	
Upper Bound		2.55	
OREAS 604			2.20
Target Range - Lower Bound			
Upper Bound			
OREAS 621			0.371
Target Range - Lower Bound			
Upper Bound			
OREAS-104		2.32	
OREAS-104		2.29	
Target Range - Lower Bound		2.10	
Upper Bound		2.92	
OREAS-105		6.17	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
STANDARDS																
Target Range - Lower Bound			0.06	6.36	2.1	580	3.38	0.42	0.90	0.09	106.0	3.9	37	1.78	97.2	1.71
Upper Bound			0.10	7.80	3.2	800	4.24	0.54	1.13	0.19	130.0	5.0	47	2.28	112.5	2.11
OREAS-45d			0.15	8.37	14.0	190	0.69	0.30	0.19	0.03	38.8	31.0	555	3.92	373	14.55
OREAS-45d			0.14	8.42	14.8	190	0.74	0.29	0.19	0.03	39.6	31.1	565	4.05	391	14.60
OREAS-45d			0.17	8.15	13.7	190	0.74	0.28	0.18	0.04	38.1	30.5	541	3.86	387	14.05
Target Range - Lower Bound			0.17	7.33	12.2	140	0.65	0.27	0.16	<0.02	33.5	26.5	493	3.47	345	13.05
Upper Bound			0.23	8.98	15.4	220	0.93	0.35	0.21	0.09	40.9	32.6	605	4.35	397	16.00
BLANKS																
BLANK		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK			<0.01	<0.01	0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	0.2	<0.01
BLANK			<0.01	<0.01	0.3	<10	<0.05	<0.01	<0.01	<0.02	0.05	<0.1	<1	<0.05	0.2	<0.01
BLANK			<0.01	<0.01	0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	1.9	<0.01
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02
DUPLICATES																
ORIGINAL		7730														
DUP		7660														
Target Range - Lower Bound		7310														
Upper Bound		8080														
S122115			0.01	7.38	7.1	150	1.08	0.33	5.75	0.02	22.7	42.8	230	0.26	1.8	7.68
DUP			<0.01	7.27	6.8	140	1.16	0.31	5.68	0.02	22.6	42.6	237	0.25	1.9	7.55
Target Range - Lower Bound			<0.01	6.95	6.4	120	1.01	0.29	5.42	<0.02	21.5	40.5	221	0.19	1.6	7.22
Upper Bound			0.02	7.70	7.5	170	1.23	0.35	6.01	0.04	23.8	44.9	246	0.32	2.1	8.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
STANDARDS																
Target Range - Lower Bound		25.0	0.12	4.4	0.054	1.67	43.2	12.0	0.38	148	7.56	3.28	28.9	9.4	1390	140.0
Upper Bound		30.6	0.34	5.7	0.080	2.06	54.0	15.1	0.48	192	9.36	4.03	35.5	11.9	1730	172.0
OREAS-45d		21.9	0.12	4.0	0.099	0.42	18.1	19.4	0.22	485	2.28	0.10	15.0	236	440	20.0
OREAS-45d		21.5	0.10	3.9	0.091	0.42	18.4	20.9	0.23	488	2.44	0.10	15.2	238	440	20.6
OREAS-45d		21.0	0.08	3.8	0.087	0.42	18.5	22.6	0.22	473	2.30	0.10	14.9	230	420	23.7
Target Range - Lower Bound		19.05	0.09	3.3	0.081	0.36	14.7	19.2	0.21	436	2.20	0.08	13.0	208	370	19.1
Upper Bound		23.4	0.31	4.3	0.111	0.46	19.1	23.9	0.28	544	2.80	0.13	16.1	254	470	24.5
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.05	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		0.05	0.10	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		<0.05	0.09	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Upper Bound		0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
S122115		16.50	0.09	1.3	0.121	0.45	12.3	25.0	3.95	1050	0.25	2.94	4.7	137.0	330	3.5
DUP		16.00	0.09	1.3	0.123	0.45	12.3	26.1	3.90	1040	0.27	2.90	4.7	135.5	340	3.4
Target Range - Lower Bound		15.40	<0.05	1.1	0.111	0.42	11.2	24.1	3.72	988	0.20	2.76	4.4	129.0	310	2.8
Upper Bound		17.10	0.10	1.5	0.133	0.48	13.4	27.0	4.13	1100	0.32	3.08	5.0	143.5	360	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
STANDARDS																
Target Range - Lower Bound		100.5	<0.002	<0.01	0.28	4.7	<1	6.1	83.9	3.12	<0.05	324	0.191	0.33	462	23
Upper Bound		123.0	0.006	0.05	0.57	5.9	4	7.9	103.0	3.93	0.13	396	0.244	0.49	565	30
OREAS-45d		43.9	<0.002	0.05	0.89	53.8	4	2.4	33.1	1.02	0.10	15.20	0.778	0.24	2.6	230
OREAS-45d		45.8	<0.002	0.05	0.89	54.3	3	2.4	33.7	1.05	0.12	15.40	0.770	0.24	2.7	238
OREAS-45d		42.3	<0.002	0.08	0.83	53.1	3	2.3	32.8	1.03	0.10	15.90	0.756	0.23	2.6	225
Target Range - Lower Bound		37.8	<0.002	0.03	0.64	44.3	<1	2.2	28.0	0.87	<0.05	13.50	0.691	0.20	2.3	211
Upper Bound		46.4	0.007	0.07	1.00	54.3	5	3.2	34.6	1.17	0.23	16.50	0.855	0.34	3.0	260
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.002	<0.01	0.09	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Target Range - Lower Bound		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Upper Bound		0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
S122115		19.5	<0.002	<0.01	1.47	34.7	1	1.5	193.0	0.24	<0.05	0.95	0.450	0.07	1.6	182
DUP		20.1	<0.002	<0.01	1.41	34.5	1	1.5	188.0	0.23	<0.05	0.97	0.448	0.07	1.6	177
Target Range - Lower Bound		18.7	<0.002	<0.01	1.28	32.8	<1	1.2	181.0	0.17	<0.05	0.90	0.422	0.04	1.4	170
Upper Bound		20.9	0.004	0.02	1.60	36.4	2	1.8	200	0.30	0.10	1.02	0.476	0.10	1.8	189

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
STANDARDS																
Target Range - Lower Bound		2.0	50.7	43	145.0	9.06	5.17	1.27	10.10	1.75	0.72	56.9	13.50	13.00	1.54	0.81
Upper Bound		2.9	62.2	57	197.5	12.35	7.07	1.80	13.80	2.39	1.00	77.2	18.30	17.70	2.11	1.12
OREAS-45d		1.5	12.3	44	145.0	2.18	1.24	0.60	2.30	0.43	0.22	15.1	3.92	3.10	0.38	0.22
OREAS-45d		1.6	10.5	45	149.0	2.16	1.26	0.60	2.29	0.43	0.21	14.6	4.08	3.02	0.37	0.20
OREAS-45d		1.5	10.8	45	146.0	2.16	1.21	0.59	2.24	0.44	0.21	13.6	3.77	2.76	0.36	0.27
Target Range - Lower Bound		1.3	8.5	39	119.5											
Upper Bound		2.0	10.6	52	162.5											
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Upper Bound		0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
S122115		1.6	19.0	103	50.3	3.23	1.96	0.98	2.99	0.69	0.29	12.2	2.84	2.83	0.50	0.30
DUP		1.6	18.9	101	49.5	3.12	1.91	0.97	2.94	0.68	0.30	12.2	2.83	2.82	0.49	0.30
Target Range - Lower Bound		1.4	17.9	95	46.9	2.89	1.76	0.87	2.69	0.62	0.26	11.2	2.59	2.58	0.45	0.27
Upper Bound		1.8	20.0	109	52.9	3.46	2.11	1.08	3.24	0.75	0.33	13.2	3.08	3.07	0.54	0.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
STANDARDS			
Target Range - Lower Bound		5.08	
Upper Bound		6.95	
OREAS-45d		1.48	
OREAS-45d		1.63	
OREAS-45d		1.25	
Target Range - Lower Bound			
Upper Bound			
BLANKS			
BLANK			
Target Range - Lower Bound			
Upper Bound			
BLANK			<0.001
Target Range - Lower Bound			<0.001
Upper Bound			0.002
BLANK		<0.03	
BLANK		<0.03	
BLANK		<0.03	
Target Range - Lower Bound		<0.03	
Upper Bound		0.06	
DUPLICATES			
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			
S122115		1.86	
DUP		1.83	
Target Range - Lower Bound		1.68	
Upper Bound		2.01	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
DUPLICATES																
R319925		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
R319932			<0.01	6.22	4.5	120	2.86	0.09	0.74	<0.02	150.5	2.4	15	2.22	3.2	2.94
DUP			<0.01	6.31	4.3	130	2.60	0.09	0.75	<0.02	150.0	2.5	18	2.25	6.4	2.98
Target Range - Lower Bound			<0.01	5.94	4.0	110	2.54	0.08	0.70	<0.02	142.5	2.2	15	2.07	4.4	2.80
Upper Bound			0.02	6.59	4.8	140	2.92	0.10	0.79	0.04	158.0	2.7	18	2.40	5.2	3.12
S122187			10.50	0.39	219	10	0.10	5.38	0.10	14.05	3.78	477	39	0.27	>10000	34.8
DUP			10.70	0.39	227	10	0.11	5.38	0.10	14.05	3.89	473	37	0.28	>10000	34.8
Target Range - Lower Bound			10.05	0.36	212	<10	<0.05	5.10	0.09	13.35	3.63	451	35	0.21	9650	33.1
Upper Bound			11.15	0.42	234	20	0.16	5.66	0.12	14.75	4.04	499	41	0.34	>10000	36.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
		DUPLICATES														
R319925																
DUP																
Target Range - Lower Bound																
Upper Bound																
R319932		24.5	0.21	10.8	0.066	1.11	75.0	6.5	0.17	84	1.23	3.55	49.2	5.4	40	2.3
DUP		24.9	0.18	11.1	0.058	1.11	76.7	5.8	0.17	85	1.35	3.60	49.4	5.4	40	2.3
Target Range - Lower Bound		23.4	0.14	10.3	0.054	1.04	71.6	5.6	0.15	75	1.18	3.39	46.7	4.9	30	1.7
Upper Bound		26.0	0.25	11.6	0.070	1.18	80.1	6.7	0.19	94	1.40	3.76	51.9	5.9	50	2.9
S122187		2.22	0.22	0.1	1.325	0.02	2.0	2.7	0.18	91	31.5	0.06	0.5	36.6	150	369
DUP		2.26	0.23	0.1	1.340	0.02	2.1	2.9	0.18	89	31.8	0.07	0.5	37.6	160	365
Target Range - Lower Bound		2.08	0.16	<0.1	1.260	<0.01	1.4	2.5	0.16	81	30.0	0.05	0.4	35.0	140	348
Upper Bound		2.40	0.29	0.2	1.405	0.03	2.7	3.1	0.20	100	33.3	0.08	0.6	39.2	170	386

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
DUPLICATES																
R319925																
DUP																
Target Range - Lower Bound																
Upper Bound																
R319932		34.7	<0.002	<0.01	0.32	1.4	3	3.4	40.6	2.82	<0.05	30.3	0.098	0.15	5.5	20
DUP		35.4	<0.002	0.01	0.32	1.4	3	3.6	41.4	2.82	<0.05	30.9	0.097	0.15	5.6	21
Target Range - Lower Bound		33.2	<0.002	<0.01	0.25	1.2	2	3.1	38.8	2.63	<0.05	29.1	0.088	0.12	5.2	18
Upper Bound		36.9	0.004	0.02	0.39	1.6	4	3.9	43.3	3.01	0.10	32.1	0.107	0.18	5.9	23
S122187		0.9	0.051	>10.0	19.35	0.6	61	3.8	6.8	<0.05	1.89	0.95	0.013	3.32	4.0	43
DUP		0.9	0.056	>10.0	19.45	0.6	62	4.6	6.9	<0.05	2.12	1.02	0.013	3.25	4.0	44
Target Range - Lower Bound		0.8	0.049	9.49	17.90	0.5	57	3.8	6.3	<0.05	1.85	0.93	0.007	3.02	3.7	40
Upper Bound		1.0	0.058	10.00	20.9	0.7	66	4.6	7.4	0.10	2.16	1.04	0.019	3.55	4.3	47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
		DUPLICATES														
R319925																
DUP																
Target Range - Lower Bound																
Upper Bound																
R319932		1.0	53.5	7	371	9.51	6.21	1.30	9.56	2.03	1.20	59.0	16.25	11.00	1.54	1.04
DUP		1.0	53.6	9	374	9.55	6.36	1.32	9.79	2.47	1.23	59.9	16.35	11.15	1.57	1.08
Target Range - Lower Bound		0.8	50.8	6	353	8.77	5.78	1.18	8.90	2.07	1.11	54.9	15.05	10.20	1.43	0.97
Upper Bound		1.2	56.3	10	392	10.30	6.79	1.44	10.45	2.43	1.32	64.0	17.55	11.95	1.68	1.15
S122187		3.4	1.6	4170	4.9	0.29	0.16	0.11	0.36	0.06	0.02	1.7	0.46	0.38	0.05	0.02
DUP		3.4	1.8	4150	5.1	0.33	0.18	0.11	0.36	0.06	0.03	1.8	0.47	0.42	0.06	0.03
Target Range - Lower Bound		3.0	1.5	3950	4.3	0.24	0.13	0.07	0.28	0.05	<0.01	1.5	0.40	0.34	0.04	<0.01
Upper Bound		3.8	1.9	4370	5.8	0.38	0.21	0.15	0.44	0.07	0.04	2.0	0.53	0.46	0.07	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
		DUPLICATES	
R319925			
DUP			
Target Range - Lower Bound			
Upper Bound			
R319932		7.03	
DUP		7.20	
Target Range - Lower Bound		6.55	
Upper Bound		7.68	
S122187		0.14	2.49
DUP		0.16	2.45
Target Range - Lower Bound		0.11	2.41
Upper Bound		0.19	2.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198087

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62