ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

CERTIFICATE SD15198088

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198088

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
R319955 A		0.88	<5	0.01	5.97	7.3	40	1.39	0.21	7.54	0.19	16.60	24.7	105	2.89	30.7
R319955 B		<0.02	<5	0.01	5.97	7.5	40	1.36	0.20	7.37	0.20	16.45	24.1	101	2.84	27.2
R319956		0.51	<5	0.09	5.84	6.0	60	6.18	0.07	0.96	0.12	32.0	1.3	15	1.88	18.6
R319957		0.80	<5	0.21	6.08	6.2	70	6.44	0.13	1.45	0.24	75.1	2.8	16	1.49	10.8
R319958		1.14	<5	0.01	6.24	5.0	70	1.90	0.34	2.95	0.04	19.60	23.9	153	41.1	26.0
R319959		0.70	<5	0.01	6.98	7.0	220	0.98	0.10	6.02	0.04	25.3	39.4	98	5.34	15.1
R319960		0.68	<5	0.02	7.91	7.5	370	1.36	0.16	5.17	0.04	23.8	48.6	160	7.45	25.2
R319961		0.96	<5	0.01	7.37	12.9	190	1.27	0.28	5.93	0.07	23.2	37.1	261	3.86	15.0
R319962		0.38	<5	0.03	3.26	1.6	250	0.52	0.03	1.34	0.07	19.95	5.6	49	0.58	13.7
R319963		0.73	<5	0.02	6.92	11.6	300	0.90	0.23	5.68	0.07	13.15	33.6	300	13.15	17.2
R319964		1.39	<5	<0.01	7.94	7.9	390	0.56	0.11	5.53	0.04	21.2	44.9	130	6.65	5.2
R319965		0.94	<5	0.01	5.80	5.5	110	0.81	0.16	6.70	0.07	13.35	24.2	139	10.60	15.3
R319966		1.12	<5	<0.01	7.49	5.3	290	1.08	0.14	6.55	0.04	17.80	45.6	365	6.19	6.1
R319967		0.71	<5	0.01	7.76	7.4	240	0.71	0.12	6.25	0.03	13.70	39.8	316	7.78	6.4
R319968		0.77	<5	<0.01	7.40	5.2	420	0.65	0.15	6.87	0.04	11.55	34.1	269	18.90	7.1
R319969		0.75	<5	0.02	8.29	7.9	180	0.67	0.15	7.02	0.05	24.9	34.1	206	14.00	7.6
R319970		<0.02	425	10.10	0.39	223	10	0.08	5.29	0.11	14.10	3.57	478	38	0.28	>10000
R319971		1.54	<5	0.02	6.47	7.4	110	1.37	0.34	6.55	0.06	18.85	35.8	185	6.01	16.8
R319972		0.84	<5	0.02	6.32	7.1	40	0.80	0.22	4.77	0.05	10.35	34.6	147	2.54	16.4
R319973		1.36	<5	0.01	7.73	5.3	220	0.61	0.12	6.65	0.05	15.80	37.6	269	10.10	8.3
R319974		0.68	<5	0.01	6.87	7.3	190	1.19	0.35	6.57	0.04	21.1	31.6	175	5.46	30.0
R319975		1.27	<5	0.01	5.18	8.5	30	0.63	0.21	15.95	0.13	19.75	11.5	86	3.73	11.3
R319976		2.47	<5	0.02	6.99	12.0	30	0.98	0.33	10.15	0.07	15.85	31.3	131	4.34	23.7
R319977		1.27	<5	0.04	5.04	8.6	30	1.16	0.30	8.55	0.03	7.03	31.6	100	3.91	35.3
R319978		0.60	<5	0.01	5.85	5.6	100	1.77	0.26	5.12	0.06	19.25	30.3	85	4.31	54.2
R319979		0.87	<5	0.02	6.89	7.9	50	0.63	0.14	8.46	0.10	28.5	23.8	85	3.37	10.6
R319980		<0.02	428	10.00	0.39	221	10	0.08	5.27	0.11	13.85	3.61	469	38	0.26	>10000
R319981		1.13	<5	0.06	6.33	5.6	30	1.32	0.11	7.01	0.06	18.75	22.2	50	2.92	62.2
R319982		1.21	<5	0.14	6.48	6.5	40	0.86	0.16	9.73	0.08	16.40	19.5	37	2.19	60.5
R319983		1.75	<5	0.02	6.62	6.8	40	1.03	0.08	5.08	0.03	22.1	36.2	60	5.32	19.1
R319984		0.62	<5	0.06	5.77	6.4	20	1.19	0.21	7.76	0.06	28.0	31.0	37	1.98	29.9
R319985		0.86	<5	<0.01	7.72	9.4	80	1.69	0.16	7.16	0.04	18.30	42.8	57	6.90	56.2
R319986		1.26	<5	0.02	7.00	7.0	130	0.67	0.09	6.74	0.02	18.65	41.4	59	4.93	13.2
R319987		1.49	7	0.04	7.62	30.2	20	0.88	0.85	9.50	0.07	13.15	46.7	82	1.15	15.4
R319988		0.56	<5	0.02	4.54	3.1	10	0.90	0.20	16.40	0.25	4.65	13.5	24	1.78	17.4
R319989		0.56	<5	0.04	4.21	3.9	10	0.94	0.22	16.10	0.21	4.47	14.7	26	1.68	21.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198088

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10
R319955 A		4.85	13.05	0.09	1.3	0.067	0.63	8.8	45.4	2.58	352	0.63	0.75	4.3	104.5	320
R319955 B		4.77	13.10	0.07	1.2	0.065	0.64	8.7	43.4	2.56	350	0.52	0.75	4.2	103.0	320
R319956		0.94	16.65	0.14	7.6	0.011	0.54	11.6	8.7	0.14	92	1.60	3.32	182.5	6.2	10
R319957		0.91	21.2	0.18	7.8	0.040	0.54	29.5	10.7	0.32	159	1.21	3.53	185.5	10.5	20
R319958		5.05	12.00	0.11	0.8	0.058	1.01	9.5	50.9	3.18	363	0.35	2.21	4.4	96.5	300
R319959		5.49	13.85	0.12	2.0	0.065	0.94	11.9	50.0	4.43	686	0.28	1.75	6.3	118.5	550
R319960		8.06	16.20	0.11	2.3	0.067	1.54	10.7	51.5	5.39	686	0.38	2.16	7.5	190.5	610
R319961		7.04	15.35	0.09	1.3	0.072	1.04	11.9	39.6	4.62	727	0.32	1.91	4.8	167.0	410
R319962		1.97	6.87	0.09	1.4	0.017	0.82	10.4	5.1	0.58	288	0.17	1.27	2.8	17.7	190
R319963		7.14	14.70	0.09	1.1	0.049	1.28	6.2	28.6	4.17	601	0.28	1.47	3.9	145.0	360
R319964		6.77	16.50	0.10	2.2	0.062	1.33	9.9	49.9	5.57	684	0.30	1.85	7.1	167.0	580
R319965		4.85	10.65	0.07	1.0	0.067	0.56	6.7	23.7	2.40	577	0.36	1.44	3.7	104.5	360
R319966		8.20	14.05	0.11	1.3	0.087	1.54	9.0	28.5	5.33	977	0.29	1.58	4.7	204	430
R319967		6.62	14.35	0.11	1.1	0.062	1.07	6.2	28.0	4.75	701	0.25	1.41	3.8	192.5	320
R319968		7.06	12.00	0.10	1.0	0.069	1.58	5.3	18.0	3.80	696	0.26	2.15	3.3	144.0	300
R319969		6.63	15.60	0.11	1.8	0.104	0.89	12.6	23.8	4.04	761	0.33	2.17	5.8	143.0	510
R319970		34.9	2.12	0.23	0.1	1.335	0.02	1.8	2.1	0.18	90	29.9	0.07	0.4	35.3	150
R319971		6.19	14.05	<0.05	1.4	0.051	1.18	9.3	56.1	4.73	535	0.27	1.58	4.9	148.5	390
R319972		5.10	12.05	0.05	1.3	0.049	0.68	5.1	31.5	4.11	448	0.31	2.39	4.6	163.0	430
R319973		7.58	14.00	0.09	1.2	0.049	1.27	7.3	34.1	4.73	726	0.26	1.83	4.6	159.0	470
R319974		6.16	11.95	0.10	1.2	0.055	1.23	11.2	40.2	3.46	561	0.31	1.63	4.1	129.5	390
R319975		4.22	10.15	0.07	0.7	0.108	0.42	9.2	19.2	1.16	434	0.27	0.66	2.9	59.5	230
R319976		5.72	13.80	0.06	1.0	0.127	0.63	8.0	36.6	2.43	473	0.33	0.51	4.2	162.5	390
R319977		5.30	10.20	0.06	0.8	0.045	0.45	3.5	48.5	1.99	335	0.30	0.66	3.4	147.5	320
R319978		4.63	13.15	0.09	1.1	0.048	0.66	9.5	56.9	3.27	423	0.33	0.89	4.2	135.0	270
R319979		4.81	12.75	0.08	2.0	0.078	0.55	13.5	26.5	2.39	532	0.37	0.79	7.9	129.5	360
R319980		34.3	2.12	0.24	0.1	1.335	0.02	1.8	2.2	0.18	90	29.7	0.07	0.4	34.6	150
R319981		4.84	13.60	0.06	2.2	0.044	0.19	7.1	36.4	2.78	295	0.32	1.37	5.5	89.0	570
R319982		4.70	12.30	<0.05	1.8	0.039	0.18	6.6	18.1	1.57	272	0.32	0.85	4.5	71.6	460
R319983		5.56	15.30	0.07	2.0	0.045	0.44	9.8	50.7	4.22	451	0.24	1.43	5.4	112.5	590
R319984		5.13	12.85	0.08	1.4	0.045	0.17	13.6	36.1	2.70	381	0.29	0.80	3.6	83.2	310
R319985		7.24	18.20	0.09	2.0	0.043	0.64	7.5	47.4	5.18	680	0.23	0.73	5.6	133.0	620
R319986		9.11	13.55	0.08	2.0	0.066	0.78	7.8	21.5	4.03	618	0.30	1.91	5.3	126.5	650
R319987		11.60	29.5	0.10	1.6	0.128	0.18	4.6	38.2	4.04	801	1.05	0.50	3.5	139.0	510
R319988		3.35	8.82	<0.05	0.7	0.022	0.09	2.0	23.2	1.04	196	0.21	0.24	1.9	34.5	120
R319989		3.89	8.93	<0.05	0.9	0.027	0.09	1.9	22.0	1.19	198	0.28	0.32	2.3	37.8	200

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198088

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
R319955 A		3.6	17.8	<0.002	0.01	0.60	22.6	1	1.4	176.0	0.23	<0.05	1.03	0.364	0.05	1.4
R319955 B		3.4	17.6	<0.002	<0.01	0.58	21.9	1	1.6	173.0	0.23	<0.05	1.02	0.361	0.05	1.3
R319956		3.9	41.1	<0.002	<0.01	0.40	0.4	4	2.3	135.0	15.65	<0.05	19.90	0.033	0.16	7.1
R319957		4.4	40.1	<0.002	<0.01	0.63	0.8	4	2.6	122.5	14.70	<0.05	19.75	0.037	0.14	7.0
R319958		2.8	26.9	<0.002	<0.01	0.66	22.0	1	1.8	111.0	0.22	<0.05	0.71	0.308	0.08	1.2
R319959		2.6	52.1	<0.002	<0.01	0.43	26.8	1	1.2	192.5	0.37	<0.05	1.81	0.497	0.21	0.9
R319960		3.3	55.8	<0.002	<0.01	0.57	37.1	1	1.1	207	0.43	<0.05	1.94	0.689	0.32	1.2
R319961		7.1	37.3	<0.002	<0.01	1.28	33.8	1	0.7	221	0.25	<0.05	1.00	0.457	0.17	1.0
R319962		6.7	25.5	<0.002	<0.01	0.21	6.8	<1	0.5	169.5	0.19	<0.05	2.09	0.200	0.12	0.6
R319963		6.3	66.6	<0.002	<0.01	1.37	33.1	1	0.7	198.0	0.20	<0.05	0.63	0.419	0.29	0.7
R319964		2.9	51.4	<0.002	<0.01	0.66	34.9	1	0.7	270	0.43	<0.05	1.85	0.593	0.33	0.6
R319965		2.0	17.7	<0.002	<0.01	0.47	21.7	1	0.6	148.5	0.21	<0.05	0.67	0.366	0.07	0.9
R319966		2.3	59.5	<0.002	<0.01	0.64	40.6	1	0.6	230	0.24	<0.05	0.87	0.495	0.24	0.7
R319967		2.4	47.8	<0.002	<0.01	0.97	33.3	1	0.7	195.0	0.20	<0.05	0.63	0.429	0.24	0.4
R319968		2.0	76.9	<0.002	<0.01	0.83	31.8	1	0.8	210	0.17	<0.05	0.44	0.493	0.38	0.5
R319969		3.5	44.8	<0.002	0.01	1.01	31.7	1	0.9	278	0.33	<0.05	1.29	0.545	0.19	0.6
R319970		381	0.8	0.050	>10.0	19.90	0.6	62	3.9	6.6	<0.05	1.80	0.85	0.012	3.25	4.1
R319971		3.4	30.4	<0.002	<0.01	0.77	29.4	1	0.8	146.0	0.27	<0.05	0.97	0.417	0.09	1.3
R319972		2.7	19.7	<0.002	<0.01	0.71	25.8	1	0.7	93.6	0.25	<0.05	0.82	0.400	0.08	1.3
R319973		2.2	61.0	<0.002	<0.01	0.69	32.2	1	0.7	209	0.25	<0.05	0.77	0.457	0.24	0.7
R319974		3.2	45.5	<0.002	<0.01	0.94	29.2	<1	1.0	172.0	0.24	<0.05	1.18	0.435	0.18	1.6
R319975		2.3	14.6	<0.002	<0.01	0.99	18.2	1	0.9	174.0	0.16	<0.05	0.61	0.254	0.04	1.0
R319976		2.9	15.0	<0.002	<0.01	1.75	26.0	1	0.9	201	0.21	<0.05	0.70	0.367	0.04	1.1
R319977		2.8	18.1	<0.002	<0.01	1.06	20.3	1	0.8	104.0	0.18	<0.05	0.52	0.306	0.06	1.9
R319978		3.9	36.7	<0.002	<0.01	0.64	24.0	1	0.9	129.0	0.23	<0.05	1.33	0.282	0.14	1.0
R319979		2.8	24.1	<0.002	0.01	0.80	23.4	1	1.1	208	0.46	<0.05	2.42	0.368	0.07	1.1
R319980		374	0.8	0.048	>10.0	19.75	0.5	61	3.9	6.5	<0.05	1.77	0.87	0.010	3.21	4.1
R319981		2.8	10.3	<0.002	<0.01	1.12	20.5	<1	5.1	128.0	0.30	<0.05	0.98	0.452	0.03	1.9
R319982		3.1	9.4	<0.002	<0.01	1.32	16.8	<1	3.9	162.5	0.25	<0.05	0.79	0.373	0.04	1.3
R319983		2.7	26.6	<0.002	<0.01	0.76	23.0	1	1.9	148.0	0.30	<0.05	0.84	0.494	0.09	1.5
R319984		2.1	8.6	<0.002	<0.01	0.96	14.0	1	2.2	144.0	0.20	<0.05	0.79	0.304	0.03	1.8
R319985		3.0	42.7	<0.002	<0.01	0.89	24.3	1	1.8	145.5	0.31	<0.05	0.98	0.522	0.17	1.5
R319986		2.0	53.5	<0.002	<0.01	0.79	22.8	1	3.5	193.5	0.29	<0.05	0.89	0.467	0.19	1.1
R319987		11.6	5.2	<0.002	<0.01	7.91	21.0	1	3.9	784	0.23	<0.05	0.71	0.408	<0.02	1.3
R319988		1.8	6.5	<0.002	<0.01	0.46	6.5	1	2.1	113.5	0.11	<0.05	0.42	0.158	0.02	1.6
R319989		1.9	5.9	<0.002	<0.01	0.56	7.7	1	2.4	104.0	0.13	<0.05	0.39	0.180	0.02	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198088

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
R319955 A		123	0.7	14.8	25	48.7	2.40	1.56	0.67	2.17	0.53	0.24	8.2	2.06	2.02	0.37
R319955 B		123	0.7	14.7	24	48.0	2.38	1.53	0.67	2.11	0.53	0.23	8.1	1.99	1.94	0.36
R319956		8	1.4	107.5	14	147.5	15.45	11.05	0.08	8.86	3.57	1.61	17.1	4.12	5.98	2.03
R319957		8	1.3	106.0	17	149.0	16.70	10.60	0.25	13.15	3.58	1.57	38.5	10.50	11.95	2.53
R319958		121	0.7	14.7	34	29.7	2.26	1.37	0.57	2.17	0.49	0.19	9.7	2.31	2.15	0.36
R319959		155	0.6	22.1	42	80.3	3.61	2.13	1.13	3.46	0.77	0.29	13.4	3.07	3.29	0.59
R319960		247	1.1	23.2	50	92.6	3.88	2.53	0.93	3.48	0.87	0.38	12.8	2.93	3.09	0.60
R319961		190	0.9	19.6	56	46.2	3.38	1.99	1.03	3.22	0.72	0.29	12.5	2.88	2.92	0.54
R319962		58	0.1	7.2	27	52.7	1.33	0.75	0.46	1.44	0.27	0.12	9.8	2.52	1.76	0.22
R319963		187	1.0	14.0	39	39.0	2.23	1.39	0.58	1.96	0.49	0.21	7.1	1.63	1.73	0.33
R319964		228	0.8	19.3	49	83.1	3.31	2.01	0.90	3.02	0.71	0.31	11.7	2.66	2.69	0.52
R319965		118	0.5	14.3	31	34.3	2.27	1.47	0.68	2.03	0.50	0.21	7.4	1.68	1.70	0.35
R319966		225	0.6	19.4	55	46.3	3.13	2.06	0.81	2.86	0.68	0.31	10.2	2.25	2.43	0.49
R319967		193	0.7	15.3	46	36.5	2.50	1.58	0.59	2.24	0.55	0.24	7.9	1.76	1.93	0.38
R319968		199	0.5	14.7	42	33.0	2.39	1.53	0.62	2.02	0.54	0.22	6.4	1.39	1.63	0.36
R319969		191	0.7	24.1	41	65.7	4.05	2.46	1.36	3.77	0.87	0.34	13.6	3.07	3.25	0.65
R319970		43	3.4	1.7	4190	4.9	0.31	0.17	0.10	0.36	0.07	0.02	1.8	0.45	0.38	0.06
R319971		161	0.9	16.3	42	50.9	2.76	1.65	0.83	2.52	0.60	0.27	9.5	2.34	2.30	0.42
R319972		116	1.0	13.0	36	49.1	2.06	1.43	0.52	1.67	0.48	0.23	5.5	1.32	1.37	0.31
R319973		194	0.7	15.7	49	45.3	2.52	1.62	0.60	2.18	0.54	0.25	8.6	1.94	1.97	0.37
R319974		152	0.8	15.5	38	44.7	2.48	1.53	0.73	2.45	0.54	0.23	10.8	2.54	2.36	0.40
R319975		82	0.6	13.5	15	26.7	2.34	1.31	0.80	2.33	0.49	0.18	9.2	2.14	2.15	0.38
R319976		121	0.7	15.8	26	34.5	2.61	1.65	0.79	2.33	0.57	0.24	8.9	2.02	2.09	0.40
R319977		102	1.1	9.4	29	27.6	1.37	1.00	0.30	1.09	0.32	0.15	3.9	0.90	0.90	0.19
R319978		101	0.5	16.2	28	43.0	2.75	1.68	0.76	2.59	0.61	0.25	10.1	2.39	2.34	0.44
R319979		111	0.6	19.8	23	74.2	3.51	2.08	0.95	3.25	0.74	0.31	14.9	3.61	3.24	0.55
R319980		42	3.3	1.6	4120	4.8	0.29	0.16	0.10	0.35	0.06	0.02	1.8	0.45	0.40	0.05
R319981		123	1.0	16.3	29	85.5	2.88	1.79	0.95	2.83	0.61	0.27	11.6	2.67	2.76	0.46
R319982		100	0.9	13.5	22	69.6	2.38	1.47	0.75	2.34	0.50	0.23	9.5	2.25	2.27	0.39
R319983		135	0.6	17.6	35	79.3	2.96	1.78	0.88	2.88	0.63	0.26	12.4	2.81	2.87	0.49
R319984		86	0.6	12.5	36	53.7	2.25	1.14	0.72	2.62	0.44	0.16	13.9	3.35	2.81	0.39
R319985		143	0.6	18.3	50	75.6	2.96	1.83	0.67	2.71	0.64	0.26	10.7	2.37	2.59	0.47
R319986		102	0.5	16.2	42	78.4	2.70	1.57	0.95	2.74	0.58	0.25	11.0	2.43	2.62	0.45
R319987		112	1.1	14.3	44	64.8	2.36	1.46	0.83	2.42	0.52	0.22	9.6	1.95	2.39	0.39
R319988		42	0.4	5.6	17	29.3	0.92	0.59	0.23	0.83	0.21	0.09	2.7	0.66	0.76	0.14
R319989		47	0.6	6.7	18	34.8	1.17	0.75	0.27	0.99	0.25	0.11	2.9	0.64	0.82	0.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198088

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
R319955 A		0.23	1.46	
R319955 B		0.23	1.43	
R319956		1.78	10.65	
R319957		1.69	10.40	
R319958		0.20	1.23	
R319959		0.31	1.89	
R319960		0.39	2.37	
R319961		0.30	1.78	
R319962		0.12	0.76	
R319963		0.21	1.31	
R319964		0.32	1.96	
R319965		0.22	1.38	
R319966		0.31	1.90	
R319967		0.25	1.49	
R319968		0.24	1.44	
R319969		0.37	2.18	
R319970		0.02	0.15	2.52
R319971		0.27	1.76	
R319972		0.24	1.55	
R319973		0.25	1.52	
R319974		0.23	1.48	
R319975		0.18	1.15	
R319976		0.25	1.49	
R319977		0.16	0.96	
R319978		0.25	1.59	
R319979		0.32	2.00	
R319980		0.02	0.15	2.46
R319981		0.28	1.73	
R319982		0.23	1.41	
R319983		0.27	1.62	
R319984		0.17	1.03	
R319985		0.27	1.67	
R319986		0.24	1.44	
R319987		0.22	1.31	
R319988		0.10	0.63	
R319989		0.12	0.77	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198088

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62