ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

CERTIFICATE SD15194558

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194558

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
Q203286A		2.30	<5	0.66	7.02	4.4	170	1.33	0.14	4.45	0.20	78.0	52.5	116	4.25	3380
Q203286B		<0.02	<5	0.62	6.95	4.5	160	1.36	0.14	4.38	0.20	79.7	52.5	113	4.33	3350
Q203287		2.54	<5	2.07	7.12	5.9	80	2.81	0.43	4.55	0.05	85.1	58.9	106	8.80	1065
Q203288		1.34	<5	0.83	7.24	5.5	40	0.95	0.15	5.78	<0.02	57.0	36.5	74	0.24	430
Q203289		0.66	<5	1.09	7.37	4.6	20	1.49	1.51	6.98	3.22	57.0	47.9	88	2.18	3790
Q203290		0.73	<5	0.41	7.61	4.8	30	1.23	0.08	4.09	0.30	49.7	47.0	75	0.35	1775
Q203291		2.01	<5	0.08	6.99	7.5	260	0.54	0.06	5.35	<0.02	20.6	57.5	86	3.92	1170
Q203292		1.19	<5	0.26	7.26	12.9	310	0.46	0.27	8.12	0.03	20.2	42.0	85	0.74	1920
Q203293		0.52	<5	0.05	3.13	1.7	240	0.52	0.03	1.30	0.07	18.80	5.6	47	0.54	14.5
Q203294		2.00	8	0.10	7.14	6.6	370	1.25	0.11	5.20	0.03	78.7	48.9	115	4.15	1860
Q203295		1.03	13	0.16	7.23	13.0	710	0.63	0.13	4.64	<0.02	37.5	55.5	109	0.71	2020
Q203296		1.36	<5	0.04	7.61	8.9	130	0.51	0.08	5.31	<0.02	20.0	61.9	96	0.47	410
Q203297		1.48	<5	0.11	5.05	14.7	120	3.22	0.19	11.40	0.37	33.8	22.2	78	17.65	193.5
Q203298		0.71	<5	0.03	7.12	7.1	120	0.62	0.10	6.93	0.02	36.4	51.0	194	11.35	57.9
Q203299		1.45	<5	0.09	7.33	9.6	350	0.85	0.17	4.83	<0.02	20.7	45.6	168	6.49	390
Q203300		1.78	6	0.73	6.24	3.1	90	1.88	0.61	14.30	0.03	73.2	14.2	160	6.93	4800
Q203301		<0.02	440	9.76	0.39	215	10	0.09	5.50	0.12	14.20	3.65	458	38	0.27	>10000
Q203302		0.85	<5	0.05	4.80	11.1	80	1.97	0.24	12.55	0.37	21.0	37.2	83	3.83	91.5
Q203303		1.28	<5	0.03	6.45	4.6	170	3.43	0.53	4.81	0.13	12.60	55.2	217	15.70	37.0
Q203304		0.65	<5	<0.01	7.55	2.7	190	3.33	0.15	4.24	0.02	165.5	2.4	10	6.66	5.7
Q203305		1.08	<5	0.02	5.17	2.1	160	3.46	0.05	2.07	<0.02	129.0	6.3	11	2.95	10.7
Q203306		0.65	<5	0.01	6.85	1.9	270	4.43	0.12	2.97	<0.02	144.5	4.4	7	8.78	6.1
Q203307		0.67	<5	0.07	5.67	5.5	300	3.36	0.10	4.83	0.17	103.0	4.1	9	5.74	16.7
Q203308		1.30	<5	0.05	5.61	5.7	230	2.94	0.06	2.27	0.03	141.5	9.7	14	4.08	14.3
Q203309		1.31	<5	0.05	5.94	6.4	250	3.16	0.05	3.74	0.02	185.5	9.9	8	4.80	7.9
Q203310		0.88	<5	0.02	5.58	7.9	220	2.92	0.04	2.78	<0.02	170.5	8.7	9	5.18	9.9
Q203311		<0.02	424	9.95	0.39	214	10	0.11	5.54	0.11	14.05	3.77	458	38	0.26	>10000
Q203312		1.77	<5	0.13	5.50	11.3	290	2.96	0.04	2.49	0.03	158.5	7.0	12	4.85	32.1
Q203313		2.18	<5	0.05	5.65	12.0	280	3.08	0.04	2.24	0.03	330	3.5	10	3.69	12.5
Q203314		2.14	<5	0.04	5.71	6.6	380	2.87	0.04	1.41	<0.02	154.5	1.9	12	3.99	9.9
Q203315		2.26	<5	0.03	6.43	32.3	500	3.71	0.04	0.91	<0.02	177.5	2.0	10	5.37	15.9
Q203316		2.14	<5	0.03	5.09	7.0	370	2.72	0.04	1.78	0.02	156.5	1.5	16	3.66	14.4
Q203317		0.99	<5	0.05	5.37	8.6	360	2.55	0.05	1.84	<0.02	211	1.4	10	3.34	10.6
Q203318		0.68	<5	0.07	4.61	14.3	300	2.19	0.04	2.37	0.03	209	1.2	12	3.47	13.6
Q203319		0.94	<5	0.11	5.47	12.9	220	2.20	0.05	3.02	0.04	223	1.2	9	3.07	15.1
Q203320		1.04	<5	0.08	5.28	11.0	260	2.24	0.05	3.45	0.05	213	1.1	9	3.04	13.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194558

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
Q203286A		9.67	19.60	0.14	6.1	0.039	0.95	36.4	23.8	3.56	706	5.66	1.94	25.4	120.0	3110
Q203286B		9.57	19.70	0.14	6.2	0.039	0.93	37.3	24.0	3.51	695	4.78	1.92	25.7	117.5	3100
Q203287		9.24	21.2	0.15	6.5	0.047	1.70	40.2	44.5	3.57	687	0.84	0.68	26.5	139.5	3240
Q203288		5.37	16.90	0.09	2.9	0.075	0.27	27.4	18.6	3.04	674	0.63	3.93	13.0	101.0	290
Q203289		7.45	18.45	0.10	4.3	0.042	1.03	27.4	33.7	2.95	592	5.04	2.18	18.6	125.0	1740
Q203290		6.95	19.25	0.08	2.9	0.057	0.21	25.1	24.7	3.74	647	1.48	3.95	13.1	123.5	340
Q203291		8.61	16.60	0.09	1.4	0.071	1.04	10.5	21.9	4.81	1460	0.40	2.18	3.0	117.5	330
Q203292		8.17	18.40	0.08	1.2	0.154	1.51	10.7	11.7	3.71	1400	0.63	1.27	2.9	109.0	340
Q203293		1.91	7.19	0.05	1.5	0.018	0.79	10.3	4.7	0.57	275	0.17	1.21	2.8	15.5	170
Q203294		9.01	19.25	0.15	6.1	0.058	1.70	35.8	17.3	3.49	747	3.38	1.89	25.2	116.0	3110
Q203295		9.26	17.05	0.17	5.6	0.048	4.56	14.2	26.1	3.97	864	46.2	0.94	22.9	116.0	2760
Q203296		8.83	18.10	0.08	1.5	0.109	0.60	10.4	23.4	4.72	1380	1.21	2.63	3.4	137.5	380
Q203297		5.07	14.65	0.10	2.3	0.072	2.02	16.6	38.6	1.58	557	0.85	0.25	9.9	43.2	910
Q203298		8.13	17.65	0.09	1.0	0.069	0.93	21.4	29.1	4.82	1110	2.60	1.72	2.1	74.3	260
Q203299		7.93	16.65	0.09	4.1	0.049	1.20	6.1	31.1	4.15	868	33.4	2.88	15.9	84.8	1990
Q203300		3.73	13.85	0.14	1.3	0.102	2.54	35.7	15.7	1.16	858	0.32	0.31	3.3	40.4	530
Q203301		34.3	2.28	0.20	0.1	1.270	0.02	1.9	2.3	0.18	82	31.8	0.07	0.4	34.2	150
Q203302		6.24	14.75	0.07	3.1	0.052	0.75	12.1	44.4	2.83	719	0.76	1.43	12.7	66.3	1560
Q203303		10.65	18.25	0.10	1.0	0.083	2.95	20.9	91.6	5.06	529	0.41	0.43	4.0	76.7	280
Q203304		1.67	23.8	0.26	8.4	0.043	3.76	111.5	35.4	1.39	205	0.73	0.11	56.3	1.7	60
Q203305		1.50	14.50	0.15	6.0	0.012	1.37	72.9	32.5	1.79	161	0.79	1.04	39.5	2.9	40
Q203306		1.42	22.4	0.23	8.4	0.041	2.99	87.1	19.0	1.03	153	0.58	0.49	59.7	1.1	50
Q203307		1.31	23.0	0.22	7.7	0.058	2.92	84.1	14.2	0.64	136	0.55	0.52	55.0	2.6	20
Q203308		1.61	20.9	0.20	6.3	0.053	2.07	77.5	16.9	1.11	218	1.05	0.88	43.1	10.2	30
Q203309		1.68	25.8	0.24	7.3	0.073	2.42	117.0	17.2	0.99	256	0.71	0.85	50.2	15.9	20
Q203310		1.64	24.8	0.23	6.5	0.084	2.15	109.0	13.5	0.74	198	0.76	1.04	44.4	14.0	30
Q203311		34.7	2.27	0.21	0.2	1.260	0.02	2.0	2.5	0.18	90	31.5	0.07	0.5	34.6	150
Q203312		1.04	22.3	0.18	6.8	0.058	2.41	90.5	8.9	0.56	162	0.95	0.92	49.1	10.5	40
Q203313		0.71	21.6	0.30	6.9	0.052	2.18	170.0	4.7	0.33	118	0.77	1.50	47.5	6.1	40
Q203314		0.81	17.60	0.18	6.9	0.031	2.63	75.7	3.7	0.28	99	0.91	0.60	47.6	2.9	40
Q203315		0.99	23.4	0.20	8.2	0.028	3.43	71.8	5.5	0.34	115	0.83	0.18	59.3	2.2	40
Q203316		0.81	16.10	0.21	5.8	0.026	2.61	87.3	4.4	0.27	143	1.14	0.27	39.7	2.3	40
Q203317		0.84	18.80	0.25	6.3	0.025	2.54	125.5	3.5	0.24	127	0.74	0.65	40.9	2.6	40
Q203318		0.57	14.60	0.20	5.9	0.018	2.17	70.7	5.5	0.25	121	0.83	0.40	37.4	2.3	30
Q203319		0.56	15.30	0.32	6.3	0.025	2.16	138.5	5.2	0.17	115	0.96	1.45	43.0	2.3	30
Q203320		0.53	15.50	0.30	6.4	0.017	2.35	108.5	4.9	0.19	121	0.74	1.02	44.1	2.2	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194558

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
Q203286A		34.8	56.7	0.005	0.13	0.26	29.4	3	1.6	215	1.42	<0.05	3.08	1.500	0.25	0.9
Q203286B		33.1	57.5	0.002	0.13	0.26	29.4	3	1.5	216	1.42	<0.05	3.11	1.480	0.24	0.9
Q203287		8.9	107.5	<0.002	0.02	0.40	30.9	2	1.5	74.8	1.50	<0.05	3.30	1.540	0.45	1.0
Q203288		3.7	10.7	<0.002	0.01	0.46	32.5	2	1.7	156.0	0.91	<0.05	10.75	0.406	0.06	2.2
Q203289		23.8	67.0	0.011	0.14	0.54	29.9	3	1.4	84.2	1.09	<0.05	6.55	0.904	0.23	2.0
Q203290		7.6	8.0	<0.002	0.08	0.46	31.4	2	1.3	168.0	0.93	<0.05	9.94	0.395	0.06	1.9
Q203291		4.0	58.7	<0.002	0.10	0.33	39.2	2	0.8	195.0	0.18	<0.05	1.11	0.428	0.29	0.5
Q203292		7.6	61.0	<0.002	0.14	0.68	37.4	3	0.7	298	0.17	<0.05	0.96	0.438	0.30	0.6
Q203293		6.8	24.9	<0.002	<0.01	0.19	6.7	<1	0.5	163.0	0.20	<0.05	2.15	0.192	0.14	0.5
Q203294		9.3	89.3	0.002	0.17	0.36	29.8	3	1.6	290	1.42	<0.05	3.05	1.475	0.39	0.7
Q203295		6.5	203	0.021	0.17	0.50	28.2	3	1.3	156.0	1.29	<0.05	2.74	1.370	0.86	0.8
Q203296		3.3	24.0	<0.002	0.04	0.41	39.2	2	0.7	206	0.20	<0.05	0.99	0.478	0.13	0.4
Q203297		9.3	122.0	<0.002	<0.01	1.63	32.4	1	0.6	65.7	0.58	<0.05	0.98	0.656	0.49	3.3
Q203298		2.6	59.1	<0.002	<0.01	0.85	49.9	1	0.4	192.5	0.13	0.05	0.90	0.334	0.31	0.6
Q203299		4.5	68.7	0.020	0.01	0.70	38.5	2	1.6	191.5	0.88	0.08	2.07	1.045	0.29	2.2
Q203300		3.5	143.5	<0.002	0.11	0.61	40.6	2	0.6	83.0	0.20	<0.05	0.63	0.386	0.51	0.5
Q203301		364	0.9	0.043	>10.0	19.90	0.6	54	4.1	7.2	<0.05	1.76	0.90	0.012	3.40	3.9
Q203302		6.1	19.8	<0.002	0.05	0.81	25.4	1	3.5	91.6	0.70	0.10	1.45	0.781	0.09	5.3
Q203303		10.5	73.7	<0.002	0.01	0.96	49.7	1	0.7	60.8	0.13	0.18	0.54	0.342	0.23	2.4
Q203304		7.1	225	<0.002	<0.01	0.22	2.7	2	7.2	54.7	4.06	<0.05	46.1	0.106	0.65	4.4
Q203305		4.0	98.1	<0.002	<0.01	0.22	1.6	2	2.7	74.5	2.86	<0.05	35.3	0.071	0.32	4.9
Q203306		6.5	154.5	<0.002	<0.01	0.34	2.4	2	7.0	73.5	4.18	<0.05	45.9	0.102	0.59	6.1
Q203307		5.9	127.5	<0.002	<0.01	0.30	2.5	2	5.6	51.9	3.82	<0.05	35.8	0.093	0.65	10.3
Q203308		4.9	114.0	<0.002	<0.01	0.28	2.0	1	5.6	41.3	3.10	<0.05	37.2	0.078	0.46	10.2
Q203309		4.5	131.5	<0.002	<0.01	0.30	2.3	2	6.1	38.8	3.61	<0.05	41.8	0.086	0.55	12.9
Q203310		4.4	114.5	<0.002	<0.01	0.27	1.9	2	6.0	36.9	3.15	<0.05	38.5	0.075	0.50	9.9
Q203311		366	1.0	0.043	>10.0	20.1	0.6	55	4.2	7.1	<0.05	1.69	0.92	0.012	3.49	4.0
Q203312		4.4	123.0	<0.002	0.05	0.30	1.9	2	5.0	34.0	3.37	<0.05	37.2	0.081	0.51	8.9
Q203313		4.5	114.5	<0.002	0.01	0.25	2.0	3	4.9	47.4	3.33	<0.05	38.6	0.080	0.45	12.4
Q203314		7.8	132.5	<0.002	<0.01	0.31	1.9	2	5.8	28.4	3.26	<0.05	39.7	0.078	0.54	31.0
Q203315		10.9	178.5	<0.002	<0.01	0.48	2.4	2	6.0	20.0	3.86	<0.05	47.3	0.092	0.62	65.0
Q203316		9.2	131.5	<0.002	<0.01	0.30	1.8	2	5.5	21.1	2.86	<0.05	36.2	0.071	0.50	55.3
Q203317		7.6	120.5	<0.002	<0.01	0.27	1.9	2	6.4	27.8	2.98	<0.05	36.8	0.073	0.48	40.4
Q203318		5.9	103.5	<0.002	<0.01	0.24	1.6	2	3.9	23.7	2.83	<0.05	35.5	0.068	0.39	36.4
Q203319		5.9	89.0	<0.002	<0.01	0.34	2.2	2	4.5	36.3	3.00	<0.05	34.6	0.072	0.39	29.7
Q203320		6.1	103.0	<0.002	<0.01	0.31	1.9	2	4.2	30.7	3.21	<0.05	37.8	0.074	0.42	33.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194558

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
Q203286A		294	2.1	31.7	103	251	6.47	3.37	2.20	7.68	1.25	0.41	40.9	9.88	8.50	1.12
Q203286B		290	2.2	32.2	97	251	6.62	3.40	2.29	7.75	1.23	0.42	42.0	10.30	8.81	1.15
Q203287		315	2.9	33.7	111	262	7.02	3.54	2.31	8.35	1.36	0.44	43.5	10.90	9.06	1.23
Q203288		185	2.3	27.2	52	89.6	5.01	3.15	1.24	4.78	1.07	0.45	25.6	6.69	4.89	0.77
Q203289		220	3.1	26.9	76	170.5	5.04	2.99	1.18	5.26	1.04	0.45	26.9	6.81	5.60	0.83
Q203290		182	1.3	21.1	75	86.6	3.91	2.52	0.87	3.69	0.83	0.42	20.3	5.60	3.86	0.62
Q203291		222	1.7	19.5	87	45.5	3.46	2.35	0.92	3.04	0.76	0.35	10.3	2.52	2.47	0.52
Q203292		212	0.8	18.3	68	41.7	3.22	2.12	1.24	2.76	0.70	0.33	9.4	2.32	2.22	0.49
Q203293		55	0.1	6.7	28	51.7	1.28	0.76	0.46	1.40	0.25	0.12	9.1	2.43	1.71	0.22
Q203294		291	2.5	31.6	63	248	6.57	3.32	2.38	7.82	1.26	0.41	41.5	10.10	8.87	1.15
Q203295		272	5.9	29.0	80	228	5.43	2.98	1.50	5.92	1.09	0.42	25.7	5.55	6.26	0.91
Q203296		228	1.7	19.2	91	49.9	3.43	2.23	0.99	2.92	0.75	0.34	9.8	2.40	2.34	0.50
Q203297		191	5.6	23.8	54	91.9	4.47	2.64	1.00	4.36	0.94	0.38	17.5	4.36	4.11	0.69
Q203298		229	0.8	18.4	56	35.9	3.22	2.15	0.89	2.82	0.71	0.33	13.3	3.73	2.48	0.48
Q203299		271	5.9	28.6	64	167.0	5.47	3.27	1.32	5.45	1.14	0.47	18.0	3.62	5.00	0.87
Q203300		187	1.6	41.2	13	47.1	7.19	3.48	1.51	8.05	1.37	0.39	33.5	8.78	7.88	1.24
Q203301		43	3.6	1.8	4040	5.4	0.33	0.17	0.11	0.38	0.07	0.03	1.8	0.45	0.39	0.06
Q203302		144	6.0	34.0	60	127.0	6.12	3.94	0.91	5.46	1.31	0.56	17.6	3.74	4.85	0.93
Q203303		129	3.5	20.8	51	33.7	3.55	2.43	0.58	2.80	0.80	0.37	10.5	2.93	2.14	0.48
Q203304		11	1.9	59.7	10	215	10.20	6.62	0.60	9.87	2.20	1.03	74.2	22.7	12.20	1.59
Q203305		9	1.4	47.6	21	150.5	8.25	5.35	0.48	7.74	1.77	0.85	45.9	13.90	8.53	1.28
Q203306		11	2.1	59.1	17	209	10.70	7.21	0.57	9.33	2.32	1.18	58.2	17.70	10.35	1.61
Q203307		21	1.6	50.6	15	194.5	8.96	6.03	0.51	8.24	1.94	1.04	58.7	17.95	9.90	1.36
Q203308		26	1.4	52.8	31	156.5	9.50	6.03	0.57	8.48	2.02	0.92	49.6	14.75	8.99	1.44
Q203309		40	1.1	67.9	29	181.5	13.50	7.66	1.00	12.55	2.72	1.10	70.4	20.9	13.35	2.14
Q203310		36	1.1	55.5	25	165.0	11.40	6.37	0.92	11.00	2.24	0.94	64.8	18.85	12.15	1.83
Q203311		43	3.7	1.6	4080	5.4	0.30	0.16	0.11	0.39	0.06	0.03	1.8	0.47	0.40	0.06
Q203312		39	2.7	50.6	23	172.0	9.86	5.72	0.73	9.68	1.96	0.88	55.9	16.90	10.75	1.58
Q203313		29	1.0	62.6	12	171.0	13.25	6.39	0.94	15.60	2.41	0.91	98.5	30.4	18.30	2.40
Q203314		22	2.0	49.5	10	174.0	8.80	5.75	0.50	8.57	1.90	0.96	53.6	16.40	9.88	1.39
Q203315		35	2.5	59.9	13	205	10.30	6.89	0.55	9.33	2.24	1.13	52.3	15.45	10.50	1.58
Q203316		23	1.9	43.6	9	148.5	7.85	4.95	0.46	7.59	1.65	0.78	54.5	16.80	9.19	1.24
Q203317		25	1.9	49.4	9	158.0	9.86	5.54	0.66	10.25	1.93	0.83	75.2	22.9	12.20	1.63
Q203318		26	1.7	50.1	8	152.0	9.42	5.48	0.53	9.31	1.85	0.78	52.4	15.20	10.80	1.51
Q203319		28	1.5	54.3	7	150.5	10.45	5.98	0.63	10.85	1.86	0.90	89.3	26.9	14.15	1.77
Q203320		24	1.7	54.8	8	152.5	10.30	6.03	0.56	10.15	1.86	0.93	73.7	21.7	12.75	1.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194558

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
Q203286A		0.47	2.85	
Q203286B		0.47	2.87	
Q203287		0.49	2.99	
Q203288		0.46	3.02	
Q203289		0.45	2.88	
Q203290		0.38	2.57	
Q203291		0.35	2.29	
Q203292		0.33	2.03	
Q203293		0.11	0.76	
Q203294		0.46	2.83	
Q203295		0.43	2.72	
Q203296		0.33	2.18	
Q203297		0.40	2.49	
Q203298		0.33	2.14	
Q203299		0.48	3.08	
Q203300		0.47	2.81	
Q203301		0.03	0.17	2.41
Q203302		0.58	3.74	
Q203303		0.37	2.41	
Q203304		1.03	6.78	
Q203305		0.83	5.54	
Q203306		1.17	7.64	
Q203307		0.98	6.67	
Q203308		0.94	6.16	
Q203309		1.16	7.51	
Q203310		0.94	6.09	
Q203311		0.03	0.15	2.46
Q203312		0.86	5.75	
Q203313		0.94	5.96	
Q203314		0.93	6.13	
Q203315		1.10	7.39	
Q203316		0.79	5.10	
Q203317		0.83	5.59	
Q203318		0.83	5.34	
Q203319		0.93	6.17	
Q203320		0.97	6.33	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194558

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62