ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 4-JAN-2016
Account: SUPCOP

CERTIFICATE SD15198085

Project: SUPERIOR PROJECT

This report is for 37 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: TRACY ARMSTRONG (2ND EMAIL)
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 4-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198085

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
S122066 A		1.51	<5	0.06	3.14	12.6	50	3.61	0.31	3.05	0.03	53.9	2.6	42	12.00	123.5
S122066 B		<0.02	<5	0.09	3.06	11.2	50	3.44	0.30	2.99	0.04	54.2	2.4	37	11.90	118.5
S122067		1.53	<5	0.17	3.76	16.6	50	4.28	0.24	3.40	0.11	53.5	4.6	28	19.00	136.0
S122068		1.18	<5	0.18	4.80	44.9	50	5.52	1.49	1.91	0.10	71.2	6.7	17	25.1	136.5
S122069		0.72	<5	0.16	5.29	42.3	50	6.56	0.45	0.49	0.03	71.5	5.0	14	36.4	139.0
S122070		1.85	<5	0.15	4.36	22.7	40	5.21	0.39	3.38	<0.02	74.9	3.8	25	26.9	146.5
S122071		0.83	<5	0.15	4.23	23.6	40	5.51	0.54	1.91	0.03	69.2	3.5	17	24.9	192.5
S122072		1.23	<5	0.12	5.16	23.2	40	6.32	0.49	0.49	0.02	85.8	4.1	15	35.8	121.5
S122073		1.55	<5	0.19	3.98	17.3	40	5.34	0.52	0.47	0.03	35.6	3.0	20	31.2	141.5
S122074		0.43	<5	0.03	3.03	1.3	220	0.54	0.03	1.20	0.07	22.8	5.5	47	0.60	12.1
S122075		1.33	<5	0.31	5.70	27.5	50	7.43	0.56	1.02	<0.02	98.7	3.7	7	34.6	147.5
S122076		0.68	<5	0.64	4.49	57.7	60	6.20	8.59	1.73	0.12	74.5	13.8	10	18.00	1500
S122077		1.06	<5	0.28	5.07	44.5	50	7.00	0.77	1.20	0.02	68.0	1.8	6	15.65	60.4
S122078		2.32	<5	0.87	5.56	95.0	130	6.99	1.56	1.80	0.04	100.5	2.0	10	17.60	52.7
S122079		2.05	<5	0.03	7.61	2.7	30	1.76	0.20	5.00	0.22	38.6	50.4	126	3.08	106.5
S122080		4.60	<5	0.01	7.11	3.9	10	0.84	0.09	5.57	0.08	28.7	43.5	127	1.43	4.7
S122081		3.37	<5	0.01	6.91	4.8	<10	0.71	0.14	9.11	0.09	44.7	28.4	119	1.47	5.7
S122082		<0.02	442	10.20	0.38	219	<10	0.07	5.95	0.11	14.40	3.93	445	40	0.29	>10000
S122083		1.97	<5	0.03	5.72	1.5	1370	2.96	0.06	1.44	<0.02	144.5	3.8	14	1.25	32.3
S122084		1.71	<5	0.02	6.64	1.7	1800	3.03	0.11	0.95	<0.02	192.5	2.8	20	2.17	11.0
S122085		2.55	<5	0.05	6.32	5.3	440	3.97	0.13	2.15	<0.02	146.0	3.5	12	4.58	12.5
S122086		2.19	<5	0.02	6.82	2.2	2290	3.01	0.11	1.39	<0.02	168.5	13.8	11	0.95	4.8
S122087		2.19	<5	0.02	6.31	1.9	1380	2.67	0.14	2.25	<0.02	189.5	10.8	13	0.82	5.1
S122088		2.12	<5	0.01	6.17	2.0	2000	2.25	0.10	1.92	<0.02	167.5	13.5	17	0.64	3.8
S122089		2.36	<5	0.01	6.96	4.0	1030	3.90	0.12	0.91	<0.02	152.0	11.1	8	6.53	3.7
S122090		1.70	<5	0.01	7.03	12.0	200	0.73	0.10	4.89	0.03	21.4	36.2	179	4.00	4.7
S122091		0.73	<5	0.06	4.93	4.4	160	1.73	0.21	6.01	0.05	63.1	36.6	126	7.54	179.0
S122092		<0.02	446	10.00	0.37	212	<10	0.08	5.77	0.10	14.20	3.94	430	38	0.27	>10000
S122093		0.72	<5	0.08	4.79	2.5	180	1.84	0.16	4.55	0.12	67.0	33.5	112	11.35	377
S122094		0.68	<5	0.13	5.61	5.8	120	2.69	0.49	5.45	0.32	95.3	21.9	48	10.95	496
S122095		2.17	<5	0.08	5.14	2.3	330	2.27	0.32	1.98	0.28	32.5	1.7	6	6.47	58.8
S122096		1.92	<5	0.05	5.12	0.7	400	2.58	0.30	2.30	0.24	48.5	1.2	8	7.17	15.1
S122097		0.64	<5	0.02	5.57	2.0	1020	2.18	0.30	1.41	0.05	44.0	1.0	13	7.83	13.4
S122098		3.71	<5	<0.01	7.39	4.9	230	1.22	0.34	4.75	<0.02	19.45	39.6	105	1.30	3.2
S122099		1.03	<5	<0.01	8.19	6.1	50	1.73	0.45	5.47	<0.02	48.7	44.0	130	0.34	4.6
S122100		0.86	<5	0.22	6.11	5.1	210	2.51	0.20	2.62	<0.02	94.2	3.7	10	0.47	4.7
S122101		0.87	<5	0.20	5.98	5.8	240	2.45	0.21	2.80	0.03	95.7	2.9	12	0.49	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 4-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198085

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
S122066 A		1.07	15.10	0.13	4.7	0.087	1.64	21.2	48.8	0.34	463	1.52	0.03	117.5	2.2	10
S122066 B		1.04	14.90	0.11	4.6	0.085	1.62	20.6	48.6	0.33	448	1.07	0.03	116.0	1.5	10
S122067		1.27	19.25	0.13	6.0	0.096	2.04	19.9	32.2	0.21	535	0.62	0.04	153.5	2.4	10
S122068		1.72	26.5	0.12	8.0	0.100	2.53	29.8	23.3	0.31	372	0.64	0.04	201	4.3	10
S122069		2.04	30.1	0.12	8.9	0.089	2.82	24.9	20.1	0.33	332	0.65	0.05	220	2.8	10
S122070		1.38	23.5	0.14	6.9	0.083	2.30	31.3	30.1	0.49	535	0.98	0.04	178.0	1.7	10
S122071		1.54	23.0	0.14	7.1	0.071	2.16	26.2	32.6	0.55	360	0.65	0.04	184.0	2.4	10
S122072		1.68	28.8	0.15	8.5	0.087	2.67	28.8	21.7	0.31	251	0.66	0.05	210	2.5	10
S122073		1.37	21.3	0.10	6.6	0.069	2.08	12.6	46.3	0.30	206	0.47	0.04	166.0	2.3	10
S122074		1.87	7.09	0.05	1.2	0.015	0.79	11.9	5.0	0.51	261	0.18	1.19	3.2	15.0	170
S122075		1.66	30.9	0.16	9.1	0.091	2.97	39.1	23.4	0.37	416	0.45	0.05	228	2.0	10
S122076		0.98	23.3	0.16	7.5	0.089	2.42	28.4	32.5	0.24	307	0.59	0.04	191.0	4.9	10
S122077		1.31	25.3	0.13	8.1	0.097	2.73	22.9	23.8	0.25	277	0.44	0.03	208	1.0	10
S122078		1.89	26.3	0.18	8.7	0.124	3.09	34.4	19.1	0.47	374	0.80	0.05	209	0.8	10
S122079		7.45	19.40	0.06	2.7	0.065	0.44	17.6	90.0	5.38	1140	0.41	2.36	11.5	90.9	690
S122080		6.74	17.65	<0.05	2.2	0.064	0.17	13.8	67.2	5.33	1040	0.45	2.36	8.0	89.8	630
S122081		5.75	19.35	<0.05	2.2	0.086	0.16	22.4	54.9	4.58	1230	0.41	1.00	8.4	79.3	510
S122082		34.6	2.24	0.18	0.1	1.305	0.02	2.0	2.3	0.18	93	31.0	0.07	0.5	35.1	150
S122083		1.46	19.20	0.14	10.0	0.090	4.03	79.9	5.8	0.39	241	0.77	1.01	48.6	4.2	60
S122084		1.70	20.8	0.18	12.1	0.093	4.81	98.5	4.0	0.30	203	1.39	0.99	59.8	2.2	50
S122085		1.88	23.6	0.16	12.3	0.130	3.01	78.9	6.1	0.44	286	0.81	1.09	58.1	4.8	50
S122086		2.14	22.7	0.18	13.2	0.087	3.85	81.1	14.0	1.17	404	0.61	1.76	61.0	4.3	80
S122087		2.39	22.2	0.21	12.0	0.117	2.75	93.8	10.1	0.91	428	0.65	1.76	52.6	4.0	80
S122088		2.56	22.1	0.20	13.1	0.100	3.69	80.6	12.0	1.10	436	1.03	1.32	56.5	3.2	70
S122089		2.09	24.8	0.18	12.9	0.082	4.56	70.2	18.3	2.02	286	0.59	0.95	63.6	2.9	60
S122090		6.81	16.30	0.06	1.8	0.040	1.79	10.0	27.7	4.58	861	0.37	1.77	6.3	143.0	530
S122091		6.91	13.60	0.08	3.6	0.066	1.57	29.2	77.5	3.78	1380	0.47	0.43	31.8	104.5	1510
S122092		33.5	2.16	0.14	0.1	1.265	0.02	2.0	2.3	0.17	88	30.4	0.06	0.5	34.5	150
S122093		5.80	14.25	0.06	4.3	0.052	1.67	30.4	89.2	3.33	1320	0.54	0.11	41.2	83.1	1820
S122094		6.28	16.40	0.07	4.3	0.043	1.85	47.5	76.1	2.44	1120	0.44	0.06	40.2	45.5	1440
S122095		1.04	14.80	0.07	3.2	0.007	3.37	16.9	8.5	0.24	224	0.40	0.07	29.4	1.4	80
S122096		1.09	15.10	0.09	3.2	0.007	3.48	24.8	6.8	0.23	218	0.57	0.07	32.2	1.2	70
S122097		1.00	14.05	0.10	3.4	0.008	4.31	25.6	7.3	0.17	157	0.56	0.78	28.0	1.3	80
S122098		7.19	17.80	<0.05	1.5	0.110	0.73	8.6	24.6	3.76	1180	0.23	2.32	6.7	131.0	480
S122099		7.98	23.4	0.06	2.5	0.169	0.24	23.0	24.2	4.29	1280	0.37	2.86	16.4	132.5	570
S122100		1.48	15.25	0.18	4.7	0.102	0.89	47.0	5.2	0.33	369	0.88	3.34	63.9	10.4	60
S122101		1.46	15.15	0.16	4.8	0.109	1.05	42.4	4.5	0.25	367	0.86	3.29	62.6	8.5	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 4-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198085

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
S122066 A		6.0	156.0	<0.002	0.01	0.59	0.5	2	3.2	17.2	6.31	<0.05	22.0	0.020	0.61	4.5
S122066 B		6.0	154.0	<0.002	0.01	0.57	0.5	2	3.1	17.0	6.23	<0.05	22.1	0.019	0.61	4.6
S122067		6.6	173.5	<0.002	0.01	0.69	0.7	3	3.7	15.2	8.08	<0.05	28.2	0.025	0.72	5.2
S122068		14.2	216	<0.002	0.01	1.18	0.8	3	3.4	15.7	10.55	<0.05	37.8	0.033	0.85	7.9
S122069		10.7	225	<0.002	0.01	1.54	0.8	4	3.3	14.3	11.70	<0.05	40.4	0.035	0.85	6.1
S122070		8.4	192.5	<0.002	0.02	0.95	0.7	3	3.1	17.2	9.21	<0.05	32.2	0.028	0.74	5.4
S122071		9.1	167.0	<0.002	0.02	1.06	0.7	4	2.8	17.0	9.54	<0.05	33.6	0.030	0.68	5.9
S122072		9.6	222	<0.002	0.01	1.12	0.8	4	3.5	14.5	11.25	<0.05	39.4	0.034	0.87	7.0
S122073		9.0	164.5	<0.002	0.01	0.95	0.7	3	3.1	15.2	8.85	<0.05	30.4	0.027	0.62	6.9
S122074		6.9	25.3	<0.002	<0.01	0.19	6.6	1	0.4	161.0	0.21	<0.05	3.60	0.166	0.14	0.6
S122075		10.0	242	<0.002	0.02	0.94	0.9	4	5.4	16.9	12.05	<0.05	42.2	0.037	0.89	8.7
S122076		8.3	206	0.004	0.13	0.71	0.8	5	5.5	13.2	10.05	<0.05	35.4	0.031	0.86	22.3
S122077		10.6	253	<0.002	0.02	0.66	0.8	4	6.8	13.1	10.85	<0.05	35.9	0.034	0.98	8.6
S122078		11.8	317	<0.002	0.01	1.20	0.7	4	7.6	19.7	12.40	<0.05	39.3	0.033	1.12	10.6
S122079		13.2	13.2	<0.002	0.01	0.77	33.3	1	1.1	198.5	0.70	<0.05	2.59	0.648	0.08	3.3
S122080		11.6	3.9	<0.002	<0.01	0.37	29.5	1	0.8	213	0.47	<0.05	1.90	0.571	0.02	1.6
S122081		17.9	5.8	<0.002	<0.01	0.27	27.9	1	0.9	465	0.52	<0.05	2.32	0.536	0.02	1.9
S122082		354	0.9	0.042	>10.0	20.4	0.6	54	4.4	7.1	<0.05	1.75	0.91	0.013	3.51	4.0
S122083		4.0	116.5	<0.002	0.01	0.21	1.9	2	2.9	67.4	2.86	<0.05	26.3	0.108	0.54	5.4
S122084		10.6	128.0	<0.002	0.01	0.31	1.8	3	5.1	113.5	3.45	<0.05	32.4	0.123	0.78	8.3
S122085		4.4	146.0	<0.002	0.01	0.39	1.8	2	5.8	38.2	3.34	<0.05	29.2	0.122	0.69	7.4
S122086		5.9	119.5	<0.002	<0.01	0.31	1.6	2	4.2	127.0	3.59	<0.05	32.2	0.132	0.55	4.3
S122087		6.9	87.5	<0.002	<0.01	0.37	1.5	2	4.6	124.0	3.29	<0.05	30.4	0.121	0.41	3.9
S122088		6.8	107.0	<0.002	<0.01	0.31	1.5	2	4.8	117.5	3.37	<0.05	29.7	0.126	0.47	4.4
S122089		5.6	242	<0.002	<0.01	0.40	1.9	3	5.7	106.5	3.61	<0.05	32.1	0.130	0.89	6.0
S122090		5.5	77.7	<0.002	0.01	0.81	32.3	1	0.6	272	0.34	<0.05	1.52	0.509	0.41	0.7
S122091		4.6	51.1	<0.002	0.01	0.81	23.1	1	2.0	40.7	2.19	<0.05	1.69	1.105	0.20	1.9
S122092		344	0.9	0.039	>10.0	19.95	0.6	53	4.1	6.9	<0.05	1.62	0.90	0.012	3.41	3.9
S122093		4.6	59.0	<0.002	0.09	0.54	20.6	1	1.4	36.4	2.79	<0.05	2.32	1.220	0.22	2.6
S122094		5.8	71.4	<0.002	0.07	0.81	15.8	1	3.2	55.9	3.06	<0.05	8.66	0.955	0.27	3.7
S122095		2.8	149.0	<0.002	<0.01	0.20	1.2	<1	1.3	18.9	3.45	<0.05	19.10	0.066	0.75	4.9
S122096		2.8	169.5	<0.002	<0.01	0.19	1.3	<1	1.4	19.8	3.72	<0.05	22.2	0.066	0.78	4.9
S122097		3.6	170.5	<0.002	<0.01	0.19	1.3	1	1.1	45.7	3.30	<0.05	20.5	0.061	0.87	7.1
S122098		4.2	17.4	<0.002	<0.01	0.93	24.5	1	1.8	219	0.36	<0.05	1.23	0.431	0.23	1.3
S122099		5.4	5.4	<0.002	<0.01	1.12	34.7	1	3.2	232	0.68	<0.05	2.94	0.604	0.06	3.3
S122100		5.2	31.5	<0.002	<0.01	0.69	1.6	1	1.9	129.5	4.86	<0.05	21.2	0.069	0.14	4.0
S122101		5.3	35.5	<0.002	<0.01	0.65	1.7	1	1.8	133.5	4.64	<0.05	20.7	0.070	0.17	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 4-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198085

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
S122066 A		13	1.3	60.9	46	108.0	14.05	7.58	0.46	11.40	2.73	0.86	30.1	7.16	10.10	2.16
S122066 B		13	1.3	59.1	45	106.0	14.15	7.59	0.47	11.40	2.73	0.84	29.8	6.97	10.10	2.16
S122067		20	1.7	70.1	82	140.5	17.85	9.56	0.63	13.45	3.44	1.08	31.3	7.08	11.85	2.71
S122068		14	2.0	87.1	189	186.0	19.90	11.10	0.65	15.15	3.93	1.36	38.3	9.40	13.05	2.97
S122069		10	2.4	97.8	226	207	21.3	12.10	0.74	16.35	4.20	1.52	39.1	9.09	13.80	3.18
S122070		13	1.6	82.2	132	160.5	17.85	9.69	0.69	14.65	3.47	1.20	40.0	9.78	12.80	2.71
S122071		11	2.1	93.9	135	168.5	21.3	11.40	0.76	16.70	4.08	1.30	39.3	9.25	13.85	3.26
S122072		12	1.9	95.2	169	196.5	21.7	12.10	0.69	17.60	4.26	1.47	45.9	10.65	15.20	3.29
S122073		10	1.5	72.7	143	154.0	16.90	9.51	0.41	12.80	3.28	1.18	23.9	5.23	10.50	2.57
S122074		51	0.2	6.6	28	42.8	1.37	0.75	0.45	1.60	0.27	0.12	10.4	2.77	1.98	0.23
S122075		11	1.8	108.0	292	213	22.7	12.85	0.51	18.50	4.45	1.62	48.1	12.05	15.75	3.45
S122076		22	1.4	95.3	171	176.0	25.0	13.10	0.68	19.05	4.72	1.48	44.2	10.10	16.10	3.76
S122077		15	1.4	103.5	160	192.5	23.1	12.90	0.35	18.30	4.50	1.53	42.1	9.76	15.45	3.51
S122078		20	2.1	135.5	66	196.5	25.1	14.10	0.25	22.3	4.93	1.65	54.5	12.65	18.35	3.92
S122079		231	1.8	27.2	238	99.7	4.97	2.92	1.05	4.69	1.01	0.40	18.8	4.56	4.45	0.76
S122080		189	0.7	21.3	211	85.9	3.95	2.28	1.05	3.67	0.80	0.32	14.5	3.46	3.42	0.61
S122081		219	0.5	29.9	213	79.9	5.41	2.98	1.17	5.37	1.06	0.37	20.4	5.07	4.86	0.87
S122082		43	3.6	1.7	4130	4.9	0.33	0.17	0.11	0.39	0.07	0.02	1.8	0.47	0.42	0.06
S122083		16	0.6	66.8	17	336	12.10	7.92	1.38	10.95	2.57	1.28	64.7	17.80	12.35	1.82
S122084		16	1.4	86.4	26	420	15.80	10.15	1.58	14.10	3.32	1.59	77.8	21.2	14.90	2.32
S122085		29	1.2	71.7	25	433	13.20	8.85	1.48	11.70	2.84	1.51	64.8	17.30	12.20	1.96
S122086		39	0.6	90.5	47	469	16.25	10.75	1.79	13.70	3.49	1.71	66.8	18.40	13.60	2.37
S122087		45	0.6	83.8	40	426	15.85	10.15	1.96	14.15	3.35	1.55	73.8	20.2	14.30	2.39
S122088		52	0.8	87.7	46	469	15.60	10.60	1.82	13.30	3.41	1.65	64.2	17.55	13.15	2.28
S122089		26	0.8	75.0	40	440	14.50	9.99	1.31	11.90	3.18	1.65	61.1	16.70	12.05	2.12
S122090		201	1.1	18.7	78	68.1	3.41	2.14	0.88	3.07	0.72	0.31	11.1	2.63	2.74	0.51
S122091		198	2.3	23.8	119	154.0	4.65	2.44	1.51	5.12	0.88	0.31	30.8	7.67	6.13	0.77
S122092		42	3.6	1.7	4010	4.8	0.33	0.17	0.11	0.39	0.06	0.02	1.9	0.47	0.42	0.06
S122093		184	2.5	21.6	166	192.0	4.17	2.13	1.33	4.78	0.80	0.28	31.3	8.06	6.08	0.70
S122094		159	3.6	26.4	103	174.5	4.99	2.60	1.60	5.78	0.95	0.34	40.7	11.55	7.39	0.87
S122095		10	4.9	13.8	15	79.7	2.53	1.71	0.20	2.20	0.53	0.31	12.8	3.83	2.57	0.38
S122096		7	2.0	17.9	16	83.4	3.04	1.96	0.23	2.61	0.63	0.34	16.8	5.14	3.15	0.45
S122097		17	1.8	14.8	12	83.4	2.70	1.80	0.29	2.44	0.58	0.34	17.7	5.40	3.08	0.41
S122098		187	1.7	15.0	120	56.5	2.77	1.87	0.74	2.37	0.60	0.28	9.0	2.18	2.14	0.41
S122099		240	1.9	32.2	136	91.4	6.19	3.64	1.47	5.57	1.26	0.50	21.8	5.54	5.29	0.94
S122100		16	0.4	34.0	17	129.0	5.94	3.48	0.51	6.02	1.22	0.53	39.4	10.55	7.86	1.00
S122101		16	0.4	35.3	13	130.5	6.29	3.62	0.51	6.10	1.31	0.54	36.8	10.05	7.74	1.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 4-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198085

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
S122066 A		1.07	6.29	
S122066 B		1.07	6.32	
S122067		1.37	8.08	
S122068		1.65	9.89	
S122069		1.79	10.95	
S122070		1.43	8.75	
S122071		1.62	9.59	
S122072		1.74	10.75	
S122073		1.39	8.37	
S122074		0.12	0.78	
S122075		1.95	11.75	
S122076		1.86	10.95	
S122077		1.87	11.35	
S122078		2.02	12.05	
S122079		0.43	2.70	
S122080		0.35	2.19	
S122081		0.42	2.51	
S122082		0.02	0.25	2.51
S122083		1.27	8.45	
S122084		1.57	10.50	
S122085		1.46	9.79	
S122086		1.72	11.30	
S122087		1.59	10.20	
S122088		1.66	10.85	
S122089		1.63	10.85	
S122090		0.33	2.05	
S122091		0.34	2.09	
S122092		0.03	0.16	2.43
S122093		0.30	1.91	
S122094		0.38	2.33	
S122095		0.30	2.01	
S122096		0.33	2.22	
S122097		0.31	2.16	
S122098		0.29	1.85	
S122099		0.55	3.45	
S122100		0.52	3.38	
S122101		0.54	3.44	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 4-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198085

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62