ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

CERTIFICATE SD15198092

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: TRACY ARMSTRONG (2ND EMAIL)
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198092

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
S122137 A		1.93	<5	0.10	6.26	7.1	140	2.22	0.19	7.03	0.31	59.5	26.8	38	12.00	250
S122137 B		<0.02	<5	0.10	6.23	7.0	140	2.23	0.19	7.12	0.29	60.4	26.1	39	11.95	249
S122138		2.05	<5	0.21	5.31	9.4	50	2.24	0.35	10.10	0.24	49.8	28.3	41	14.00	361
S122139		0.74	5	0.08	7.00	6.3	70	2.18	0.18	10.50	0.16	45.9	44.1	208	16.95	78.2
S122140		2.44	24	0.07	7.51	4.1	50	1.39	0.11	8.42	0.07	19.05	31.8	163	8.73	10.7
S122141		1.16	7	0.01	7.18	12.8	90	0.50	0.22	5.44	0.02	18.85	34.1	128	0.30	2.0
S122142		0.87	<5	0.01	7.07	8.7	200	0.51	0.10	5.78	<0.02	21.5	38.3	275	2.18	2.4
S122143		1.02	<5	0.01	7.23	12.9	210	0.59	0.08	4.81	<0.02	9.86	33.7	207	3.89	1.7
S122144		0.42	<5	0.03	3.29	1.9	250	0.53	0.04	1.34	0.08	19.85	5.8	53	0.56	13.0
S122145		0.83	<5	0.01	7.61	10.9	120	0.37	0.05	5.13	0.03	10.50	35.2	127	3.25	2.0
S122146		2.46	<5	0.01	8.23	10.3	120	0.43	0.11	5.81	0.02	28.8	41.4	136	3.60	1.2
S122147		0.60	<5	0.01	7.74	13.2	140	0.53	0.09	4.89	<0.02	28.3	38.6	171	1.20	1.4
S122148		0.92	<5	0.01	7.49	10.9	90	0.51	0.12	5.85	0.10	32.6	38.6	163	2.30	1.1
S122149		0.68	<5	<0.01	6.72	16.4	100	0.67	0.21	8.15	0.18	79.5	31.5	127	0.76	1.7
S122150		0.93	<5	0.01	6.97	12.5	120	0.77	0.16	6.22	0.20	44.9	39.1	133	3.06	9.2
S122151		1.60	<5	<0.01	5.67	12.6	70	1.29	0.10	5.35	0.54	72.6	27.5	10	0.48	3.7
S122152		<0.02	438	10.15	0.39	221	10	0.09	5.58	0.11	14.15	3.52	471	37	0.27	>10000
S122153		0.89	<5	0.02	7.45	31.7	370	1.17	0.23	7.00	0.32	60.1	27.0	8	0.61	13.0
S122154		0.98	<5	0.04	7.17	7.7	180	0.76	0.24	7.27	0.05	24.0	49.6	203	3.44	5.2
S122155		1.06	<5	0.01	7.36	14.0	180	0.69	0.15	6.67	0.02	46.4	33.4	172	0.65	3.4
S122156		0.75	<5	0.43	5.98	8.8	40	1.36	0.89	5.64	0.03	61.7	49.3	51	0.49	58.0
S122157		0.73	<5	0.07	7.14	12.3	60	0.77	0.34	8.84	0.02	58.5	31.3	123	0.40	6.0
S122158		2.01	<5	0.01	6.19	10.2	40	0.68	0.10	11.55	0.03	10.95	28.8	90	3.88	15.5
S122159		0.62	<5	0.01	7.23	14.2	100	0.48	0.13	10.05	0.02	20.4	29.9	119	1.93	12.1
S122160		0.62	<5	0.01	8.78	19.7	110	0.42	0.12	9.80	0.04	17.85	30.4	71	3.96	4.4
S122161		1.04	<5	0.01	7.45	10.3	30	0.69	0.08	9.95	0.03	12.60	27.8	184	0.75	3.1
S122162		<0.02	409	9.58	0.38	212	10	0.09	5.33	0.11	13.65	3.41	453	35	0.24	>10000
S122163		0.80	<5	0.01	6.99	15.7	20	1.09	0.09	15.80	0.07	37.5	26.3	262	3.11	9.7
S122164		1.55	<5	0.01	7.89	8.3	80	0.81	0.13	7.50	0.03	35.4	32.7	138	1.52	4.7
S122165		0.67	<5	0.01	6.15	25.6	20	1.69	0.13	13.10	0.07	27.3	28.4	103	7.05	8.1
S122166		0.68	<5	0.01	7.43	13.3	10	0.68	0.18	10.30	0.04	92.8	29.2	159	0.50	7.1
S122167		0.74	13	<0.01	7.25	15.8	10	0.50	0.25	8.99	0.03	17.45	32.6	218	0.19	4.1
S122168		0.73	<5	0.01	7.94	5.8	40	0.57	0.10	8.40	0.02	18.95	45.1	350	1.30	1.8
S122169		2.25	<5	0.01	7.32	7.3	50	1.48	0.08	9.37	0.10	39.1	38.3	189	8.59	6.2
S122170		0.30	<5	0.01	7.11	8.9	30	0.67	0.10	7.65	0.03	19.15	28.8	186	0.90	5.3
S122171		0.31	<5	0.01	7.57	7.8	40	0.86	0.09	7.90	0.03	12.45	32.1	195	1.15	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198092

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10
S122137 A		5.55	14.55	0.16	3.8	0.045	2.45	47.1	61.9	2.04	687	0.66	0.09	42.1	60.9	1750
S122137 B		5.61	14.65	0.16	3.8	0.044	2.43	47.2	60.5	2.05	692	0.65	0.09	42.4	61.5	1770
S122138		4.33	12.50	0.14	3.1	0.047	1.90	28.2	55.1	1.74	655	0.46	0.07	36.5	76.3	1730
S122139		5.50	18.90	0.13	1.5	0.100	2.33	32.6	93.7	3.11	731	0.19	0.08	7.6	126.5	530
S122140		7.45	17.25	0.10	1.7	0.077	2.38	10.9	50.5	2.54	1260	0.29	0.64	5.9	119.0	470
S122141		7.31	14.20	0.11	1.9	0.069	0.86	8.9	17.3	4.11	845	0.43	2.17	6.4	134.0	470
S122142		7.41	14.20	0.11	1.5	0.067	1.45	9.7	12.7	4.65	922	0.25	2.07	5.4	152.0	450
S122143		8.60	14.75	0.10	1.9	0.061	1.81	4.5	11.0	4.06	611	0.31	2.54	6.4	134.5	510
S122144		2.08	6.87	0.09	1.5	0.018	0.79	10.9	5.1	0.59	293	0.22	1.23	2.8	17.2	180
S122145		7.23	15.25	0.10	2.7	0.044	0.82	4.8	14.2	4.35	555	0.48	2.62	8.2	169.5	630
S122146		7.09	15.70	0.11	1.5	0.061	0.82	14.3	15.4	4.96	789	0.31	2.74	6.2	166.5	440
S122147		7.65	14.70	0.13	2.3	0.073	0.92	13.4	18.6	4.58	841	0.42	2.97	8.5	151.5	650
S122148		7.20	18.95	0.12	2.0	0.094	0.71	17.2	21.9	5.05	774	0.31	2.45	7.1	142.0	680
S122149		6.35	28.3	0.17	2.2	0.191	0.78	41.5	27.6	4.39	991	0.49	1.09	8.1	80.8	830
S122150		6.86	23.5	0.14	3.1	0.119	0.79	23.2	31.5	5.47	883	0.42	2.21	12.5	74.7	1260
S122151		11.45	17.40	0.17	5.3	0.126	0.41	36.8	8.9	2.26	770	1.08	2.23	21.5	27.6	2380
S122152		34.4	2.15	0.24	0.1	1.365	0.02	1.8	2.6	0.18	85	30.3	0.07	0.4	36.5	150
S122153		7.04	22.0	0.16	6.7	0.138	2.62	30.0	8.3	2.95	836	1.10	1.82	26.4	33.1	3220
S122154		7.45	15.40	0.11	1.7	0.069	1.38	11.0	20.5	5.24	1300	0.31	2.48	6.0	143.0	540
S122155		7.34	18.55	0.13	2.4	0.079	2.11	24.6	12.5	3.91	831	0.44	2.16	8.3	117.5	670
S122156		13.05	17.80	0.18	5.7	0.093	0.19	29.6	17.6	3.39	1020	1.08	2.28	22.4	42.8	2510
S122157		6.07	24.4	0.14	2.4	0.143	0.46	31.5	17.7	3.49	1010	0.48	1.37	9.0	80.6	950
S122158		5.54	12.85	0.09	1.7	0.031	0.50	5.0	24.0	2.52	624	0.31	1.23	5.6	117.5	540
S122159		5.96	15.95	0.10	1.4	0.082	0.62	10.6	18.7	4.03	835	0.34	2.16	4.5	124.0	380
S122160		7.55	19.05	0.11	1.3	0.054	0.56	8.6	17.2	3.98	867	0.21	1.27	6.5	141.0	310
S122161		6.26	13.40	0.09	1.8	0.046	0.23	6.5	26.4	2.49	788	0.36	3.60	5.6	127.0	500
S122162		33.0	2.07	0.23	0.1	1.260	0.02	1.8	2.4	0.17	85	29.1	0.07	0.4	34.3	140
S122163		5.76	19.25	0.11	1.3	0.055	0.37	19.8	28.6	1.86	851	0.25	1.46	4.4	115.0	340
S122164		7.30	14.85	0.11	1.9	0.082	0.54	18.3	27.6	2.76	793	0.40	2.82	5.9	119.0	590
S122165		4.63	12.45	0.13	0.9	0.074	0.79	15.6	53.3	2.54	703	0.30	0.77	3.2	99.5	230
S122166		5.95	16.55	0.18	1.9	0.197	0.09	51.6	35.3	2.15	775	0.43	2.29	6.0	130.0	540
S122167		7.09	15.40	0.11	1.2	0.210	0.07	8.3	7.4	3.34	816	0.45	2.18	4.8	136.5	310
S122168		8.59	14.65	0.10	1.2	0.136	0.37	8.7	28.2	4.03	891	0.30	2.79	4.5	179.0	420
S122169		6.35	15.55	0.11	2.2	0.076	1.88	21.0	24.3	2.62	1030	0.41	0.76	6.4	117.5	570
S122170		6.72	14.30	0.07	1.5	0.071	0.42	10.7	16.8	2.31	822	0.35	3.13	5.3	124.0	400
S122171		7.07	13.80	0.06	1.6	0.055	0.53	7.0	19.3	2.11	894	0.41	3.47	5.5	140.0	490

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198092

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
S122137 A		6.8	124.5	<0.002	<0.01	0.85	12.6	1	1.5	46.2	2.92	<0.05	8.50	0.942	0.50	3.2
S122137 B		6.9	125.0	<0.002	<0.01	0.83	12.6	1	1.5	47.2	2.93	<0.05	8.62	0.958	0.50	3.3
S122138		4.8	116.0	<0.002	<0.01	1.50	12.3	1	1.1	38.7	2.43	<0.05	4.85	0.926	0.46	2.8
S122139		3.6	166.0	<0.002	<0.01	0.79	28.0	1	2.5	60.9	0.43	<0.05	1.32	0.472	0.67	4.3
S122140		4.6	176.0	<0.002	<0.01	0.86	31.4	1	1.3	61.5	0.36	<0.05	1.14	0.494	0.73	1.3
S122141		7.5	31.0	<0.002	<0.01	2.07	30.4	1	0.7	358	0.35	<0.05	1.53	0.490	0.18	0.7
S122142		5.7	67.4	<0.002	<0.01	1.20	31.2	1	0.9	354	0.28	<0.05	1.06	0.445	0.34	0.7
S122143		4.3	65.9	<0.002	<0.01	1.16	32.3	1	1.0	306	0.37	0.05	1.21	0.523	0.41	0.8
S122144		6.6	26.2	<0.002	<0.01	0.17	6.9	<1	0.4	169.5	0.21	<0.05	2.07	0.194	0.14	0.5
S122145		5.1	27.5	<0.002	<0.01	0.63	33.9	1	0.8	302	0.48	<0.05	2.38	0.613	0.20	0.8
S122146		4.5	36.1	<0.002	<0.01	0.92	31.9	1	0.6	354	0.34	<0.05	1.22	0.461	0.18	0.4
S122147		5.1	42.8	<0.002	<0.01	0.72	32.6	1	2.2	239	0.53	<0.05	1.89	0.649	0.22	0.8
S122148		4.5	37.9	<0.002	<0.01	0.88	30.0	1	1.7	312	0.41	<0.05	1.46	0.551	0.14	0.7
S122149		5.8	33.5	<0.002	<0.01	2.11	28.8	2	1.2	366	0.46	<0.05	2.04	0.539	0.12	1.1
S122150		3.3	33.6	<0.002	<0.01	1.26	34.0	2	1.3	241	0.67	<0.05	2.74	0.740	0.11	1.0
S122151		8.3	23.4	0.002	<0.01	0.67	38.3	2	2.1	191.0	1.18	<0.05	4.72	1.090	0.09	2.0
S122152		363	0.8	0.045	>10.0	18.80	0.6	56	4.2	7.1	<0.05	1.71	0.83	0.011	3.31	3.7
S122153		9.6	142.0	<0.002	0.02	1.78	44.9	3	3.2	292	1.52	<0.05	5.57	1.360	0.50	2.2
S122154		3.9	52.5	<0.002	0.01	0.68	32.4	1	1.1	144.0	0.33	0.06	1.27	0.497	0.23	0.9
S122155		4.1	75.7	<0.002	<0.01	1.39	29.8	1	1.1	290	0.49	<0.05	2.24	0.615	0.36	1.0
S122156		29.0	11.5	0.004	0.74	0.53	39.9	6	1.6	162.0	1.25	0.45	4.88	1.185	0.06	1.9
S122157		7.4	19.9	<0.002	0.09	1.29	29.9	2	1.4	359	0.54	0.09	2.04	0.620	0.09	1.4
S122158		4.2	17.2	<0.002	<0.01	0.64	24.8	1	0.7	141.5	0.33	<0.05	1.43	0.474	0.06	0.9
S122159		9.0	24.6	<0.002	<0.01	1.14	26.9	1	1.1	410	0.26	<0.05	1.03	0.535	0.09	1.0
S122160		8.5	27.1	<0.002	<0.01	1.35	32.2	1	0.4	445	0.29	<0.05	0.73	0.347	0.09	0.4
S122161		6.0	8.9	<0.002	<0.01	0.76	28.7	1	0.7	179.5	0.32	<0.05	1.07	0.488	0.04	0.5
S122162		350	0.8	0.040	>10.0	17.95	0.6	53	3.7	6.8	<0.05	1.71	0.81	0.010	3.23	3.6
S122163		9.3	15.2	<0.002	0.03	1.13	26.5	1	0.6	298	0.24	<0.05	1.07	0.358	0.06	0.5
S122164		4.2	28.9	<0.002	0.01	0.94	27.8	1	0.9	257	0.33	<0.05	1.10	0.532	0.13	0.7
S122165		5.7	44.5	<0.002	<0.01	1.82	21.1	1	1.0	152.0	0.17	<0.05	0.75	0.277	0.17	1.3
S122166		5.1	4.9	<0.002	<0.01	1.45	30.7	1	1.2	266	0.33	<0.05	1.78	0.487	0.03	1.7
S122167		4.7	1.5	<0.002	<0.01	1.52	30.8	1	0.8	295	0.27	<0.05	0.77	0.541	<0.02	1.2
S122168		3.0	18.9	<0.002	<0.01	0.55	33.8	1	0.6	162.5	0.22	<0.05	0.64	0.422	0.09	0.7
S122169		6.2	122.0	<0.002	<0.01	1.10	33.6	1	0.8	96.9	0.38	<0.05	2.19	0.538	0.50	0.7
S122170		5.7	19.4	<0.002	<0.01	0.83	32.6	1	0.8	238	0.28	<0.05	1.49	0.453	0.08	0.6
S122171		5.9	23.8	<0.002	0.01	0.83	32.4	1	0.8	246	0.31	<0.05	0.95	0.490	0.10	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198092

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
S122137 A		114	2.2	19.4	86	156.0	3.42	1.76	1.42	4.29	0.67	0.24	35.7	9.14	6.27	0.62
S122137 B		113	2.1	19.5	87	157.0	3.43	1.83	1.44	4.43	0.69	0.25	36.2	9.14	6.38	0.62
S122138		123	2.4	19.9	97	134.0	3.42	1.77	1.17	4.01	0.67	0.21	28.4	6.72	5.37	0.60
S122139		249	1.2	14.7	127	55.7	2.59	1.58	0.95	2.48	0.55	0.24	19.1	5.11	3.19	0.41
S122140		224	1.5	17.5	93	60.8	2.88	1.91	0.76	2.56	0.64	0.29	10.6	2.38	2.63	0.45
S122141		195	1.6	18.6	79	71.0	3.02	1.95	0.78	2.68	0.68	0.29	10.6	2.33	2.53	0.46
S122142		195	1.0	16.9	77	55.7	2.85	1.84	0.77	2.66	0.64	0.27	12.0	2.64	2.74	0.43
S122143		220	1.3	16.8	50	71.6	2.72	1.88	0.56	2.18	0.64	0.29	6.5	1.37	1.81	0.40
S122144		58	0.1	6.7	25	55.6	1.22	0.76	0.43	1.40	0.26	0.12	10.2	2.52	1.88	0.21
S122145		224	1.4	21.0	66	98.8	3.46	2.32	0.86	2.75	0.78	0.36	7.3	1.47	2.23	0.51
S122146		209	0.9	18.0	65	56.7	2.92	1.83	0.93	3.00	0.63	0.27	15.8	3.52	3.37	0.49
S122147		217	1.5	21.9	84	86.1	3.74	2.23	1.10	3.62	0.80	0.32	16.2	3.51	3.71	0.59
S122148		223	1.0	24.3	71	73.2	4.12	2.29	1.52	4.42	0.88	0.33	18.6	4.01	4.59	0.70
S122149		182	1.1	34.1	51	83.7	6.13	3.30	2.90	7.65	1.26	0.45	42.8	9.54	9.27	1.09
S122150		184	1.5	34.8	65	119.5	5.78	3.75	1.59	5.43	1.31	0.56	24.3	5.36	5.57	0.91
S122151		139	1.9	63.9	46	203	10.50	6.92	2.96	9.73	2.39	1.05	40.9	8.82	9.63	1.66
S122152		43	3.5	1.7	4070	5.0	0.30	0.17	0.10	0.37	0.07	0.02	1.9	0.45	0.41	0.06
S122153		162	2.1	77.7	46	236	12.10	8.47	2.69	9.63	2.86	1.24	34.6	7.40	8.64	1.75
S122154		198	1.4	20.2	108	63.3	3.17	2.12	0.77	2.74	0.74	0.32	13.3	2.94	2.96	0.48
S122155		222	0.9	24.3	45	92.4	4.19	2.50	1.59	4.49	0.90	0.35	24.4	5.44	5.16	0.72
S122156		162	2.7	60.3	88	213	9.89	6.58	1.96	8.67	2.27	1.02	34.3	7.49	8.29	1.50
S122157		165	1.0	32.1	59	89.4	5.38	3.38	2.17	5.78	1.18	0.48	31.3	6.99	6.65	0.88
S122158		120	1.3	16.8	64	64.4	2.72	1.75	0.67	2.35	0.60	0.26	7.4	1.48	2.18	0.42
S122159		188	1.1	19.1	55	51.0	3.04	1.96	0.85	2.77	0.70	0.28	11.5	2.45	2.80	0.47
S122160		196	1.1	12.2	54	48.9	2.04	1.34	0.60	1.86	0.46	0.22	9.5	2.10	2.03	0.30
S122161		194	1.4	21.5	71	66.6	3.37	2.12	0.68	2.94	0.75	0.29	8.0	1.59	2.61	0.52
S122162		42	3.3	1.6	3920	4.7	0.29	0.16	0.10	0.34	0.06	0.02	1.8	0.44	0.40	0.05
S122163		199	1.3	21.0	69	50.9	3.11	1.80	0.73	3.08	0.67	0.23	18.3	4.29	3.59	0.51
S122164		187	1.1	18.5	76	69.6	2.94	1.88	0.92	2.94	0.67	0.28	18.6	4.26	3.48	0.47
S122165		112	1.1	14.5	82	35.1	2.34	1.49	0.79	2.34	0.52	0.19	12.6	3.04	2.58	0.39
S122166		178	1.0	28.3	69	66.2	4.97	2.69	2.58	6.12	1.03	0.35	43.9	10.50	8.20	0.89
S122167		192	0.7	16.4	45	43.3	2.75	1.75	1.16	2.46	0.60	0.23	10.1	2.15	2.44	0.43
S122168		198	0.6	16.4	98	41.1	2.74	1.69	0.92	2.62	0.60	0.24	11.1	2.32	2.67	0.44
S122169		205	1.3	24.6	74	82.6	4.26	2.43	1.14	4.19	0.90	0.33	17.3	4.46	3.98	0.70
S122170		178	0.6	17.0	50	55.5	2.85	1.84	0.73	2.42	0.63	0.26	9.0	2.26	2.08	0.43
S122171		182	0.7	17.0	58	57.2	2.71	1.85	0.56	2.06	0.63	0.27	5.8	1.42	1.51	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198092

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
S122137 A		0.26	1.58	
S122137 B		0.26	1.64	
S122138		0.24	1.40	
S122139		0.24	1.55	
S122140		0.29	1.85	
S122141		0.29	1.94	
S122142		0.27	1.75	
S122143		0.28	1.86	
S122144		0.12	0.77	
S122145		0.37	2.33	
S122146		0.28	1.76	
S122147		0.33	2.08	
S122148		0.34	2.11	
S122149		0.46	2.94	
S122150		0.54	3.47	
S122151		1.04	6.58	
S122152		0.02	0.15	2.39
S122153		1.27	8.23	
S122154		0.32	2.01	
S122155		0.36	2.22	
S122156		0.99	6.52	
S122157		0.48	3.05	
S122158		0.27	1.69	
S122159		0.30	1.80	
S122160		0.20	1.35	
S122161		0.30	1.87	
S122162		0.02	0.14	2.48
S122163		0.26	1.51	
S122164		0.28	1.77	
S122165		0.21	1.32	
S122166		0.39	2.30	
S122167		0.26	1.59	
S122168		0.25	1.56	
S122169		0.36	2.15	
S122170		0.28	1.70	
S122171		0.30	1.79	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198092

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62