ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

QC CERTIFICATE SD15191941

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method	Au-AA23	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
STANDARDS																
BP-13		367														
Target Range - Lower Bound		332														
Upper Bound		384														
CDN-CM-34			3.87	6.63	110.5	510	1.01	3.43	2.10	1.03	39.4	42.8	239	3.76	5800	4.83
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C		800														
Target Range - Lower Bound		732														
Upper Bound		836														
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08			21.4	6.96	125.5	880	3.00	10.80	2.27	19.45	67.7	98.6	87	11.45	8870	5.54
Target Range - Lower Bound			18.15	6.07	107.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85	7800	4.81
Upper Bound			22.2	7.44	131.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15	8980	5.91
OREAS 19a		5530														
Target Range - Lower Bound		5160														
Upper Bound		5820														
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-104			0.12	7.37	3.6	1320	3.17	0.46	1.07	0.23	105.5	3.2	38	4.02	69.0	2.03
Target Range - Lower Bound			0.08	6.51	2.7	1100	3.11	0.40	0.92	0.19	91.8	2.9	33	3.26	67.3	1.74
Upper Bound			0.14	7.98	3.8	1520	3.91	0.52	1.14	0.30	112.0	3.7	43	4.09	77.9	2.15
OREAS-105			0.12	7.43	3.1	690	4.20	0.46	1.08	0.16	129.0	4.7	41	2.17	108.0	2.04
Target Range - Lower Bound			0.06	6.36	2.1	580	3.38	0.42	0.90	0.09	106.0	3.9	37	1.78	97.2	1.71
Upper Bound			0.10	7.80	3.2	800	4.24	0.54	1.13	0.19	130.0	5.0	47	2.28	112.5	2.11
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d			0.18	8.51	14.5	190	0.84	0.32	0.19	0.04	42.9	31.4	553	4.22	384	14.60
OREAS-45d			0.17	8.38	14.2	190	0.68	0.34	0.19	0.02	39.7	29.7	566	4.06	378	14.75
Target Range - Lower Bound			0.17	7.33	12.2	140	0.65	0.27	0.16	<0.02	33.5	26.5	493	3.47	345	13.05
Upper Bound			0.23	8.98	15.4	220	0.93	0.35	0.21	0.09	40.9	32.6	605	4.35	397	16.00
OxJ111		2140														
Target Range - Lower Bound		2030														
Upper Bound		2300														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		16.80	0.11	0.9	0.144	2.90	18.1	9.5	3.68	456	301	0.74	5.0	253	1280	23.0
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		18.45	0.24	2.9	1.540	3.12	30.2	32.5	1.27	519	931	1.90	18.4	9270	920	7710
Target Range - Lower Bound		16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000	760	6520
Upper Bound		19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770	950	7970
OREAS 19a																
Target Range - Lower Bound																
Upper Bound																
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		26.1	0.18	5.5	0.077	2.40	49.0	16.4	0.36	230	8.89	3.32	23.9	9.2	1270	50.3
Target Range - Lower Bound		24.0	0.07	5.0	0.068	2.08	43.4	15.7	0.31	193	7.99	2.97	22.0	8.2	1090	42.3
Upper Bound		29.5	0.28	6.4	0.096	2.56	54.2	19.7	0.40	247	9.87	3.65	27.1	10.4	1360	52.8
OREAS-105		28.3	0.26	4.7	0.068	2.06	49.5	14.6	0.46	180	8.96	3.78	35.5	11.6	1710	154.0
Target Range - Lower Bound		25.0	0.12	4.4	0.054	1.67	43.2	12.0	0.38	148	7.56	3.28	28.9	9.4	1390	140.0
Upper Bound		30.6	0.34	5.7	0.080	2.06	54.0	15.1	0.48	192	9.36	4.03	35.5	11.9	1730	172.0
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d		22.8	0.25	4.2	0.091	0.44	18.1	22.2	0.22	475	2.56	0.10	15.6	236	440	21.4
OREAS-45d		22.7	0.10	4.2	0.093	0.43	18.2	20.8	0.23	491	2.48	0.10	14.6	242	440	21.5
Target Range - Lower Bound		19.05	0.09	3.3	0.081	0.36	14.7	19.2	0.21	436	2.20	0.08	13.0	208	370	19.1
Upper Bound		23.4	0.31	4.3	0.111	0.46	19.1	23.9	0.28	544	2.80	0.13	16.1	254	470	24.5
OxJ111																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		84.5	0.316	3.12	6.46	16.4	5	2.4	229	0.33	0.72	2.34	0.496	1.43	0.8	167
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		175.5	1.440	2.94	27.8	9.6	12	14.7	268	1.40	0.17	17.15	0.411	1.84	4.9	91
Target Range - Lower Bound		164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.90	0.353	1.43	4.5	77
Upper Bound		201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.7	0.443	1.98	5.8	97
OREAS 19a																
Target Range - Lower Bound																
Upper Bound																
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		127.0	0.002	0.02	0.80	4.3	2	6.7	117.0	2.27	<0.05	162.5	0.152	0.64	121.5	18
Target Range - Lower Bound		117.5	<0.002	<0.01	0.53	4.0	<1	5.6	106.0	2.14	<0.05	137.0	0.135	0.44	104.0	15
Upper Bound		143.5	0.006	0.04	0.88	5.1	3	7.3	130.0	2.73	0.13	167.0	0.176	0.65	127.0	20
OREAS-105		119.0	<0.002	0.03	0.45	5.1	4	7.4	98.1	3.64	<0.05	379	0.237	0.45	542	28
Target Range - Lower Bound		100.5	<0.002	<0.01	0.28	4.7	<1	6.1	83.9	3.12	<0.05	324	0.191	0.33	462	23
Upper Bound		123.0	0.006	0.05	0.57	5.9	4	7.9	103.0	3.93	0.13	396	0.244	0.49	565	30
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d		47.4	<0.002	0.06	0.84	52.3	4	2.9	34.2	1.17	0.08	15.90	0.799	0.28	2.7	232
OREAS-45d		44.0	<0.002	0.05	0.90	52.2	4	2.9	33.2	1.06	0.12	15.25	0.753	0.27	2.6	234
Target Range - Lower Bound		37.8	<0.002	0.03	0.64	44.3	<1	2.2	28.0	0.87	<0.05	13.50	0.691	0.20	2.3	211
Upper Bound		46.4	0.007	0.07	1.00	54.3	5	3.2	34.6	1.17	0.23	16.50	0.855	0.34	3.0	260
OxJ111																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		28.7	12.9	204	16.0	3.26	1.44	1.47	4.15	0.58	0.14	22.7	5.16	5.05	0.58	0.18
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		4.8	21.8	7430	99.9	4.60	2.50	1.14	4.96	0.89	0.35	29.6	7.58	5.96	0.78	0.37
Target Range - Lower Bound		3.9	21.1	6500	78.6	3.65	2.03	0.99	4.19	0.70	0.27	24.7	6.61	4.89	0.64	0.28
Upper Bound		5.4	26.0	7950	107.5	5.05	2.81	1.41	5.79	0.98	0.39	33.7	9.01	6.69	0.90	0.40
OREAS 19a																
Target Range - Lower Bound																
Upper Bound																
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		2.3	27.8	78	190.0	6.36	3.06	1.21	8.42	1.15	0.36	53.4	12.95	11.55	1.18	0.41
Target Range - Lower Bound		1.8	25.2	67	166.5	5.14	2.42	0.96	7.18	0.91	0.31	42.3	10.55	8.90	0.92	0.34
Upper Bound		2.7	31.0	86	227	7.07	3.34	1.38	9.83	1.26	0.44	57.5	14.35	12.10	1.27	0.48
OREAS-105		2.6	53.7	51	180.0	11.75	6.74	1.49	12.80	2.38	0.91	69.5	16.20	16.25	2.03	1.00
Target Range - Lower Bound		2.0	50.7	43	145.0	9.06	5.17	1.27	10.10	1.75	0.72	56.9	13.50	13.00	1.54	0.81
Upper Bound		2.9	62.2	57	197.5	12.35	7.07	1.80	13.80	2.39	1.00	77.2	18.30	17.70	2.11	1.12
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d		1.8	10.2	42	151.5	2.34	1.36	0.62	2.50	0.47	0.22	16.1	4.22	3.33	0.42	0.20
OREAS-45d		1.7	10.3	43	158.5	2.43	1.52	0.64	2.45	0.46	0.21	15.8	4.13	3.20	0.40	0.22
Target Range - Lower Bound		1.3	8.5	39	119.5											
Upper Bound		2.0	10.6	52	162.5											
OxJ111																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
STANDARDS			
BP-13			
Target Range - Lower Bound			
Upper Bound			
CDN-CM-34		1.09	
Target Range - Lower Bound			
Upper Bound			
CDN-GS-P8C			
Target Range - Lower Bound			
Upper Bound			
GBM903-13			2.99
Target Range - Lower Bound			2.79
Upper Bound			3.00
OGGeo08		2.39	
Target Range - Lower Bound		1.83	
Upper Bound		2.55	
OREAS 19a			
Target Range - Lower Bound			
Upper Bound			
OREAS 932			6.04
Target Range - Lower Bound			5.91
Upper Bound			6.35
OREAS-104		2.60	
Target Range - Lower Bound		2.10	
Upper Bound		2.92	
OREAS-105		6.46	
Target Range - Lower Bound		5.08	
Upper Bound		6.95	
OREAS-133b			0.033
Target Range - Lower Bound			0.030
Upper Bound			0.034
OREAS-45d		1.37	
OREAS-45d		1.42	
Target Range - Lower Bound			
Upper Bound			
OxJ111			
Target Range - Lower Bound			
Upper Bound			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
BLANKS																
BLANK		<5														
BLANK		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK			<0.01	<0.01	0.3	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.02	<0.1	<1	<0.05	0.3	<0.01
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02
DUPLICATES																
ORIGINAL		2440														
DUP		2690														
Target Range - Lower Bound		2430														
Upper Bound		2700														
ORIGINAL		970														
DUP		1045														
Target Range - Lower Bound		952														
Upper Bound		1065														
ORIGINAL		6														
DUP		6														
Target Range - Lower Bound		<5														
Upper Bound		10														
Q203399			0.04	5.53	5.2	190	2.57	0.11	1.83	0.07	42.5	2.1	12	2.60	15.5	0.89
DUP			0.03	5.43	5.0	190	2.40	0.12	1.79	0.09	42.4	2.0	12	2.60	15.9	0.88
Target Range - Lower Bound			0.02	5.20	4.6	170	2.31	0.10	1.71	0.06	40.3	1.8	10	2.42	15.0	0.83
Upper Bound			0.05	5.76	5.6	210	2.66	0.13	1.91	0.10	44.6	2.3	14	2.78	16.4	0.94
Q203409		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Upper Bound		0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203399		13.00	0.12	6.0	0.015	2.51	19.9	4.7	0.10	99	0.81	1.33	45.4	2.1	40	3.5
DUP		12.55	0.13	6.0	0.008	2.47	20.2	4.4	0.10	98	0.77	1.30	44.8	2.1	40	3.5
Target Range - Lower Bound		12.10	0.07	5.6	0.006	2.36	18.5	4.1	0.09	89	0.70	1.24	42.7	1.8	30	2.8
Upper Bound		13.45	0.18	6.4	0.017	2.62	21.6	5.0	0.12	108	0.88	1.39	47.5	2.4	50	4.2
Q203409																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.08	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Target Range - Lower Bound		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Upper Bound		0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203399		99.3	<0.002	<0.01	0.22	1.7	1	3.7	22.4	3.03	<0.05	34.8	0.070	0.44	3.1	8
DUP		98.3	<0.002	<0.01	0.21	1.7	1	3.7	21.7	3.09	<0.05	33.6	0.070	0.43	2.8	8
Target Range - Lower Bound		93.8	<0.002	<0.01	0.15	1.5	<1	3.3	20.7	2.86	<0.05	32.5	0.062	0.38	2.7	7
Upper Bound		104.0	0.004	0.02	0.28	1.9	2	4.1	23.4	3.26	0.10	35.9	0.079	0.49	3.2	9
Q203409																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Upper Bound		0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203399		1.7	26.7	7	170.0	4.73	3.61	0.18	3.50	1.11	0.68	17.0	4.78	3.29	0.66	0.60
DUP		1.7	25.9	8	166.0	4.55	3.38	0.17	3.31	1.05	0.63	16.8	4.72	3.29	0.63	0.58
Target Range - Lower Bound		1.5	24.9	5	159.0	4.24	3.20	0.13	3.10	0.99	0.60	15.5	4.36	3.01	0.59	0.54
Upper Bound		1.9	27.7	10	177.0	5.04	3.79	0.22	3.71	1.17	0.71	18.3	5.14	3.57	0.70	0.64
Q203409																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
		BLANKS	
BLANK			
BLANK			
Target Range - Lower Bound			
Upper Bound			
BLANK			<0.001
Target Range - Lower Bound			<0.001
Upper Bound			0.002
BLANK		<0.03	
BLANK		<0.03	
Target Range - Lower Bound		<0.03	
Upper Bound		0.06	
		DUPLICATES	
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			
Q203399		4.40	
DUP		4.13	
Target Range - Lower Bound		3.92	
Upper Bound		4.61	
Q203409			
DUP			
Target Range - Lower Bound			
Upper Bound			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
DUPLICATES																
Q203428		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
Q203433			0.03	3.30	1.8	250	0.59	0.05	1.34	0.06	20.7	6.2	46	0.60	12.6	2.04
DUP			0.03	3.36	1.9	250	0.65	0.03	1.36	0.08	21.2	6.2	50	0.61	12.8	2.10
Target Range - Lower Bound			0.02	3.15	1.6	220	0.54	0.03	1.27	0.05	19.90	5.8	45	0.52	12.1	1.96
Upper Bound			0.04	3.51	2.1	280	0.70	0.05	1.43	0.09	22.0	6.6	51	0.69	13.3	2.18
Q203448		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
Q203381																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
		DUPLICATES														
Q203428	DUP															
	Target Range - Lower Bound															
	Upper Bound															
Q203433	DUP	7.77	0.09	1.6	0.020	0.83	11.0	5.4	0.58	293	0.18	1.24	3.0	18.5	190	7.3
		7.60	0.07	1.5	0.021	0.83	11.5	5.1	0.59	308	0.17	1.26	3.1	18.4	190	7.4
	Target Range - Lower Bound	7.25	<0.05	1.4	0.014	0.78	10.2	4.8	0.55	280	0.12	1.18	2.8	17.3	170	6.5
	Upper Bound	8.12	0.10	1.7	0.027	0.88	12.3	5.7	0.62	321	0.23	1.32	3.3	19.6	210	8.2
Q203448	DUP															
	Target Range - Lower Bound															
	Upper Bound															
Q203381	DUP															
	Target Range - Lower Bound															
	Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
		DUPLICATES														
Q203428																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203433		26.0	<0.002	<0.01	0.20	7.5	1	0.5	170.0	0.21	<0.05	2.26	0.192	0.13	0.5	58
DUP		26.3	<0.002	<0.01	0.20	7.2	1	0.5	174.5	0.22	<0.05	2.38	0.197	0.14	0.5	60
Target Range - Lower Bound		24.7	<0.002	<0.01	0.14	6.9	<1	0.3	163.5	0.15	<0.05	2.19	0.180	0.10	0.4	55
Upper Bound		27.6	0.004	0.02	0.27	7.8	2	0.7	181.0	0.28	0.10	2.45	0.209	0.17	0.6	63
Q203448																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203381																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
		DUPLICATES														
Q203428	DUP															
	Target Range - Lower Bound															
	Upper Bound															
Q203433	DUP	0.2	6.8	24	52.0	1.35	0.83	0.48	1.59	0.28	0.13	10.1	2.57	1.95	0.23	0.13
		0.1	7.0	25	52.9	1.41	0.84	0.48	1.53	0.28	0.14	10.8	2.76	1.94	0.22	0.13
	Target Range - Lower Bound	<0.1	6.5	21	49.3	1.23	0.74	0.41	1.39	0.25	0.11	9.6	2.44	1.77	0.20	0.11
	Upper Bound	0.2	7.3	28	55.6	1.53	0.93	0.55	1.73	0.31	0.16	11.3	2.89	2.12	0.25	0.15
Q203448	DUP															
	Target Range - Lower Bound															
	Upper Bound															
Q203381	DUP															
	Target Range - Lower Bound															
	Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
		DUPLICATES	
Q203428	DUP		
	Target Range - Lower Bound		
	Upper Bound		
Q203433	DUP	0.87	
		0.86	
	Target Range - Lower Bound	0.77	
	Upper Bound	0.96	
Q203448	DUP		
	Target Range - Lower Bound		
	Upper Bound		
Q203381	DUP		2.48
			2.49
	Target Range - Lower Bound		2.42
	Upper Bound		2.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191941

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61r

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62