ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

CERTIFICATE SD15191941

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
Q203391A		0.67	<5	0.01	6.03	9.3	360	3.00	0.31	1.28	0.03	89.0	3.2	19	3.13	31.1
Q203391B		<0.02	<5	0.04	5.95	9.6	360	2.83	0.29	1.31	0.06	89.8	3.3	19	3.15	27.7
Q203392		1.70	<5	<0.01	6.10	5.5	550	2.31	0.20	1.12	0.03	71.3	2.1	22	2.25	22.2
Q203393		2.44	<5	<0.01	5.79	3.5	510	2.22	0.15	1.46	0.05	32.2	1.7	18	2.15	19.9
Q203394		2.50	<5	0.01	6.09	2.4	440	2.29	0.04	1.45	0.05	27.2	1.6	15	2.05	13.6
Q203395		2.04	<5	0.01	5.50	2.8	230	2.34	0.05	1.63	0.02	20.5	1.5	14	2.06	7.9
Q203396		2.10	<5	<0.01	5.64	2.0	170	2.75	0.04	2.03	0.02	32.3	1.8	9	2.99	8.1
Q203397		1.17	<5	0.02	6.00	3.5	220	2.73	0.06	1.84	0.03	36.6	1.9	6	2.48	8.2
Q203398		0.46	<5	0.03	3.45	2.0	250	0.53	0.04	1.37	0.06	23.5	6.1	46	0.63	11.4
Q203399		1.29	<5	0.04	5.53	5.2	190	2.57	0.11	1.83	0.07	42.5	2.1	12	2.60	15.5
Q203400		0.69	<5	0.02	4.66	6.0	130	2.27	0.15	2.26	0.20	53.2	2.6	15	3.76	35.9
Q203401		1.08	<5	0.03	5.18	5.3	140	2.69	0.10	2.77	0.20	51.3	1.8	11	3.60	38.8
Q203402		1.95	<5	0.04	6.30	6.1	170	3.12	0.06	1.96	0.11	36.3	1.8	6	5.18	33.9
Q203403		1.94	<5	0.05	5.51	4.3	200	2.40	0.06	1.73	0.12	30.3	1.1	9	2.84	17.5
Q203404		1.85	<5	0.03	4.93	3.1	150	2.54	0.07	2.17	0.11	24.3	1.9	7	4.28	21.8
Q203405		2.37	<5	0.08	5.45	3.1	190	2.50	0.22	2.10	0.17	21.7	2.4	8	3.46	327
Q203406		<0.02	417	10.70	0.40	223	10	0.09	5.83	0.11	13.85	3.94	454	40	0.28	>10000
Q203407		1.47	<5	0.13	5.40	1.5	240	1.98	0.26	2.07	0.09	25.3	1.8	9	2.18	5340
Q203408		1.17	<5	0.03	5.70	0.8	320	2.09	0.15	1.74	0.02	42.7	1.6	8	1.86	2260
Q203409		1.96	<5	0.06	5.68	1.0	420	2.08	0.07	1.73	0.03	38.0	1.4	7	2.10	1790
Q203410		1.44	<5	0.06	5.35	1.3	350	2.04	0.27	1.93	0.17	44.7	1.7	9	1.87	3800
Q203411		2.45	<5	0.01	5.82	3.3	420	2.24	0.19	1.35	0.08	55.8	1.9	10	2.05	93.2
Q203412		1.96	<5	0.02	6.45	5.2	570	2.16	0.14	1.05	<0.02	78.1	1.4	17	2.10	7.9
Q203413		1.30	<5	<0.01	6.26	6.3	540	2.10	0.14	0.92	0.03	138.0	1.4	13	1.93	8.6
Q203414		1.01	<5	0.09	4.64	7.8	440	1.75	0.15	5.83	0.46	64.1	1.6	13	1.85	13.3
Q203415		2.07	<5	0.02	5.99	8.0	550	1.90	0.24	0.88	0.02	124.5	1.5	12	1.86	10.3
Q203416		<0.02	402	10.70	0.40	220	10	0.06	5.79	0.10	14.05	4.15	457	41	0.28	>10000
Q203417		2.10	<5	0.01	5.89	4.7	530	1.74	0.10	1.16	0.02	122.5	1.6	14	1.95	16.8
Q203418		2.31	<5	<0.01	6.33	5.7	470	2.24	0.13	1.31	<0.02	150.5	2.1	10	2.45	9.7
Q203419		2.11	<5	0.02	5.92	5.1	560	1.88	0.09	1.11	<0.02	163.5	1.0	14	1.73	8.6
Q203420		1.01	<5	<0.01	6.21	4.4	610	1.85	0.06	1.33	<0.02	97.0	1.2	13	1.97	8.5
Q203421		1.44	<5	<0.01	6.14	4.8	590	2.02	0.08	1.24	0.03	154.0	1.3	12	2.05	6.6
Q203422		2.10	<5	0.01	6.22	4.4	620	1.93	0.05	1.20	0.04	91.1	1.0	11	2.42	5.5
Q203423		2.11	<5	0.02	5.78	4.2	580	2.16	0.05	1.44	0.06	110.0	1.0	10	3.54	9.9
Q203424		0.90	<5	0.05	5.43	4.2	330	2.52	0.08	2.12	0.47	75.2	1.7	6	5.65	33.6
Q203425		0.82	<5	0.07	5.20	4.0	330	2.59	0.08	2.31	0.48	79.3	1.7	5	5.27	37.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10
Q203391A		1.12	17.20	0.18	6.3	0.031	3.57	41.5	4.4	0.15	80	1.98	0.62	47.3	6.8	40
Q203391B		1.13	17.60	0.16	6.2	0.027	3.70	42.1	4.3	0.15	81	1.67	0.63	47.6	4.1	40
Q203392		0.91	16.25	0.17	6.3	0.019	4.18	33.9	1.9	0.10	76	1.76	1.18	49.2	2.9	40
Q203393		0.88	13.00	0.12	6.0	0.013	3.90	15.4	2.2	0.09	94	1.38	1.12	43.5	1.7	40
Q203394		0.99	12.95	0.10	6.4	0.010	3.35	11.4	2.1	0.09	102	1.07	1.57	48.5	1.4	30
Q203395		0.90	11.65	0.09	6.0	0.011	2.52	7.3	2.0	0.09	117	1.04	1.54	42.8	1.4	30
Q203396		0.89	13.45	0.11	5.9	0.012	2.86	9.3	3.3	0.13	153	0.71	0.72	43.1	1.5	40
Q203397		0.93	15.20	0.13	6.6	0.013	2.97	22.5	2.2	0.13	123	0.59	1.15	50.3	1.5	40
Q203398		2.02	7.69	0.08	1.6	0.020	0.87	11.5	5.2	0.59	289	0.17	1.27	3.4	17.1	190
Q203399		0.89	13.00	0.12	6.0	0.015	2.51	19.9	4.7	0.10	99	0.81	1.33	45.4	2.1	40
Q203400		0.87	12.30	0.12	5.0	0.014	2.33	26.6	24.5	0.13	78	0.91	0.07	31.8	2.9	40
Q203401		0.95	14.20	0.10	5.6	0.009	2.68	10.8	15.1	0.11	122	0.81	0.19	38.5	2.8	50
Q203402		1.22	14.75	0.12	6.3	0.011	3.11	14.4	8.5	0.15	132	0.65	0.26	47.9	1.8	50
Q203403		1.05	12.40	0.09	6.0	0.012	2.37	13.4	3.3	0.08	122	1.03	1.76	43.9	1.0	30
Q203404		1.04	12.65	0.09	5.9	0.014	2.81	10.0	5.0	0.10	133	0.69	0.67	43.8	1.1	30
Q203405		1.01	12.00	0.10	5.9	0.015	2.79	9.9	7.3	0.11	111	0.61	0.75	45.3	1.3	50
Q203406		35.1	2.27	0.23	0.1	1.340	0.02	1.9	2.5	0.18	83	31.0	0.07	0.5	36.7	160
Q203407		0.57	10.10	0.08	5.7	0.013	2.38	11.1	3.4	0.08	104	1.32	1.56	41.3	1.3	40
Q203408		0.76	13.40	0.10	6.3	0.011	2.94	19.2	2.4	0.10	108	0.82	1.45	45.1	1.7	40
Q203409		0.70	14.10	0.12	6.3	0.011	3.22	16.1	1.9	0.08	105	1.01	1.76	49.7	1.6	30
Q203410		0.76	13.35	0.12	6.0	0.013	3.15	20.1	2.9	0.10	111	1.44	1.08	44.5	1.6	40
Q203411		0.94	13.85	0.14	6.1	0.018	3.55	25.3	3.0	0.10	94	0.82	1.05	45.4	1.6	30
Q203412		1.08	14.45	0.18	6.5	0.012	4.21	35.6	1.7	0.08	76	1.00	1.68	49.8	1.3	30
Q203413		0.96	14.85	0.22	6.4	0.014	4.13	64.6	2.1	0.08	75	1.13	1.55	45.8	1.5	30
Q203414		0.63	11.95	0.20	5.1	0.010	3.28	32.3	3.1	0.07	93	0.90	1.45	41.1	1.9	30
Q203415		0.89	13.15	0.20	5.9	0.012	4.14	57.1	1.9	0.08	68	0.78	1.38	44.4	1.4	30
Q203416		35.0	2.28	0.22	0.2	1.345	0.02	1.9	2.7	0.18	87	31.1	0.07	0.5	36.5	160
Q203417		0.99	13.75	0.17	5.9	0.013	4.15	56.8	1.4	0.08	85	1.02	1.14	44.8	1.2	40
Q203418		1.14	17.05	0.18	6.6	0.026	4.41	64.5	2.2	0.12	103	0.90	0.87	49.3	1.4	40
Q203419		1.04	13.95	0.21	5.8	0.017	4.17	76.9	1.6	0.07	95	1.31	1.42	44.2	1.3	30
Q203420		1.03	13.90	0.18	6.1	0.014	4.45	46.9	1.5	0.08	103	1.06	1.44	45.8	1.4	30
Q203421		0.99	16.80	0.22	6.4	0.015	4.38	67.8	1.7	0.09	105	1.12	1.20	47.5	1.8	40
Q203422		1.10	14.70	0.18	6.3	0.012	4.52	48.8	1.5	0.08	102	1.33	1.43	47.6	1.6	50
Q203423		0.91	15.75	0.20	6.2	0.016	4.26	45.0	1.6	0.08	118	0.93	1.24	45.7	1.3	50
Q203424		0.92	15.15	0.17	6.3	0.013	3.44	27.8	4.5	0.12	128	0.59	0.69	46.2	1.5	30
Q203425		0.91	15.40	0.14	6.2	0.013	3.35	27.9	4.3	0.12	130	1.52	0.61	43.0	7.5	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
Q203391A		6.6	164.0	<0.002	<0.01	0.31	2.1	1	6.7	18.2	3.44	<0.05	41.6	0.079	0.70	4.0
Q203391B		4.3	162.5	0.002	<0.01	0.29	2.1	1	6.7	18.3	3.38	0.06	41.1	0.080	0.66	4.0
Q203392		4.6	163.5	0.002	<0.01	0.26	2.1	1	4.5	28.9	3.44	<0.05	44.6	0.080	0.65	3.6
Q203393		3.3	141.0	<0.002	<0.01	0.19	2.2	1	3.4	24.7	3.15	0.05	39.2	0.073	0.63	3.4
Q203394		3.4	131.0	<0.002	<0.01	0.22	1.6	1	3.8	25.6	3.46	<0.05	39.9	0.077	0.54	2.4
Q203395		2.7	99.4	<0.002	<0.01	0.19	1.4	1	3.7	21.5	3.08	<0.05	35.7	0.071	0.43	2.4
Q203396		2.3	120.0	<0.002	<0.01	0.23	2.1	1	4.0	17.8	3.15	<0.05	36.8	0.073	0.51	3.0
Q203397		2.7	125.5	<0.002	<0.01	0.23	1.9	2	4.5	20.7	3.59	<0.05	38.6	0.082	0.54	4.0
Q203398		7.2	29.1	<0.002	<0.01	0.11	7.0	1	0.5	174.0	0.25	<0.05	3.37	0.202	0.16	0.7
Q203399		3.5	99.3	<0.002	<0.01	0.22	1.7	1	3.7	22.4	3.03	<0.05	34.8	0.070	0.44	3.1
Q203400		2.5	97.4	<0.002	<0.01	0.25	1.6	1	3.2	14.8	2.16	<0.05	32.0	0.050	0.39	3.1
Q203401		3.1	99.7	<0.002	<0.01	0.27	1.8	1	4.2	17.5	2.75	<0.05	32.9	0.065	0.45	2.4
Q203402		3.1	130.0	<0.002	<0.01	0.29	1.7	1	4.4	16.9	3.42	<0.05	37.9	0.078	0.55	2.4
Q203403		3.1	91.6	<0.002	<0.01	0.21	1.5	1	4.0	27.3	3.24	<0.05	32.3	0.076	0.37	3.0
Q203404		2.7	103.5	<0.002	<0.01	0.24	1.4	1	4.3	20.2	3.23	<0.05	26.8	0.075	0.49	2.3
Q203405		3.3	106.0	<0.002	0.01	0.26	1.6	2	3.8	19.8	3.22	<0.05	35.7	0.075	0.46	3.1
Q203406		370	1.1	0.038	>10.0	18.75	0.6	47	4.1	7.1	<0.05	1.66	1.04	0.012	3.69	4.1
Q203407		5.4	83.0	0.013	0.16	0.14	1.4	2	3.5	24.4	2.93	0.05	35.9	0.069	0.39	3.8
Q203408		2.9	114.0	0.003	0.06	0.17	1.8	1	4.3	24.1	3.27	<0.05	35.6	0.075	0.49	3.2
Q203409		4.4	119.0	0.005	0.05	0.15	1.9	1	4.6	28.6	3.44	<0.05	33.7	0.078	0.52	2.7
Q203410		4.2	117.0	0.013	0.09	0.16	2.2	2	4.9	21.6	3.27	0.05	35.0	0.077	0.54	3.0
Q203411		2.8	140.0	0.002	0.01	0.18	1.7	2	4.5	21.8	3.27	<0.05	39.0	0.075	0.62	2.6
Q203412		3.4	149.5	<0.002	0.01	0.20	2.0	2	4.3	31.7	3.44	<0.05	47.7	0.081	0.64	4.0
Q203413		3.5	149.5	<0.002	<0.01	0.22	2.2	2	4.6	31.1	3.36	<0.05	48.8	0.077	0.62	3.7
Q203414		2.3	104.0	<0.002	<0.01	0.19	1.2	2	3.5	35.6	2.92	<0.05	28.4	0.065	0.53	2.8
Q203415		3.1	145.0	<0.002	<0.01	0.17	1.9	2	4.4	26.8	3.21	<0.05	43.8	0.076	0.55	4.1
Q203416		364	0.9	0.037	>10.0	19.15	0.6	49	4.0	7.1	<0.05	1.73	0.99	0.013	3.66	4.1
Q203417		3.4	147.0	<0.002	0.04	0.15	1.9	1	4.2	27.6	3.21	<0.05	39.1	0.075	0.64	2.7
Q203418		3.1	171.5	<0.002	0.01	0.20	2.2	2	5.1	24.0	3.60	<0.05	43.5	0.085	0.72	2.8
Q203419		3.5	141.0	<0.002	0.01	0.18	1.8	2	4.4	30.9	3.19	<0.05	42.2	0.075	0.55	3.6
Q203420		3.7	152.5	<0.002	<0.01	0.16	2.1	1	4.8	33.0	3.34	<0.05	42.2	0.078	0.66	3.5
Q203421		3.5	161.5	<0.002	<0.01	0.18	2.2	2	4.9	31.8	3.42	<0.05	44.7	0.080	0.62	3.8
Q203422		4.2	154.0	<0.002	<0.01	0.16	2.0	1	5.3	33.5	3.44	<0.05	43.8	0.082	0.59	3.0
Q203423		3.6	145.5	<0.002	<0.01	0.13	2.1	2	4.4	33.0	3.24	<0.05	37.0	0.075	0.60	2.9
Q203424		2.9	127.0	<0.002	<0.01	0.19	1.7	2	4.8	21.6	3.41	<0.05	34.8	0.079	0.61	2.7
Q203425		7.7	121.5	<0.002	<0.01	0.30	1.8	1	4.7	20.9	3.12	<0.05	29.6	0.074	0.54	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
Q203391A		13	1.9	31.6	16	170.0	5.82	4.41	0.27	5.01	1.31	0.81	31.2	9.07	5.46	0.86
Q203391B		14	1.9	32.0	13	169.5	5.69	4.27	0.28	4.96	1.32	0.80	31.9	9.03	5.48	0.84
Q203392		8	2.0	31.7	7	175.5	5.34	4.08	0.23	4.22	1.22	0.75	25.9	7.27	4.62	0.76
Q203393		6	1.3	26.8	6	168.0	4.47	3.63	0.16	3.23	1.07	0.71	13.7	3.72	2.71	0.61
Q203394		5	1.5	28.1	6	179.0	4.43	3.80	0.15	3.04	1.11	0.74	11.2	3.04	2.52	0.58
Q203395		5	1.3	27.2	7	165.0	4.25	3.71	0.14	2.78	1.07	0.68	8.3	2.08	2.15	0.56
Q203396		4	1.3	29.8	9	170.0	4.59	3.93	0.15	3.19	1.13	0.73	10.2	2.64	2.64	0.61
Q203397		5	1.8	31.5	8	183.0	5.10	4.23	0.19	3.73	1.25	0.81	19.0	5.31	3.63	0.69
Q203398		58	0.2	7.3	27	58.8	1.49	0.89	0.50	1.64	0.30	0.14	10.9	2.81	2.00	0.25
Q203399		8	1.7	26.7	7	170.0	4.73	3.61	0.18	3.50	1.11	0.68	17.0	4.78	3.29	0.66
Q203400		7	1.2	17.9	6	138.0	3.36	2.37	0.16	3.08	0.75	0.48	21.6	6.11	3.73	0.51
Q203401		7	1.5	27.1	8	155.5	4.72	3.62	0.15	3.29	1.15	0.65	11.4	2.90	2.73	0.63
Q203402		6	1.7	29.1	10	179.0	4.50	3.94	0.16	3.21	1.14	0.75	13.2	3.60	2.83	0.61
Q203403		5	1.8	26.0	7	170.0	4.37	3.69	0.14	3.00	1.07	0.74	12.4	3.39	2.57	0.57
Q203404		6	1.7	22.9	10	163.0	3.87	3.33	0.12	2.56	0.98	0.66	9.6	2.69	2.21	0.50
Q203405		8	2.0	26.0	8	167.5	4.13	3.47	0.13	2.78	1.01	0.68	9.8	2.62	2.28	0.53
Q203406		44	3.7	1.8	4170	5.4	0.36	0.20	0.11	0.41	0.07	0.03	1.9	0.47	0.45	0.06
Q203407		16	1.0	25.3	11	157.5	4.05	3.37	0.14	2.77	1.00	0.64	10.8	2.94	2.41	0.55
Q203408		11	1.4	29.9	7	171.0	4.84	4.06	0.20	3.44	1.20	0.75	16.2	4.55	3.14	0.65
Q203409		12	1.2	30.2	7	176.5	4.89	4.04	0.19	3.32	1.19	0.76	14.9	4.03	3.12	0.62
Q203410		15	1.5	31.1	7	167.5	5.22	4.13	0.19	3.69	1.25	0.73	16.9	4.76	3.52	0.69
Q203411		10	1.7	33.0	8	172.5	5.39	4.31	0.21	4.03	1.29	0.80	21.0	5.84	4.03	0.75
Q203412		9	1.9	36.5	6	184.0	6.05	4.51	0.24	4.73	1.38	0.84	27.4	7.81	4.99	0.86
Q203413		11	1.8	42.2	10	177.0	7.20	5.35	0.35	6.38	1.67	0.94	47.9	14.00	8.23	1.09
Q203414		21	1.3	28.6	8	146.5	5.45	3.93	0.27	4.48	1.20	0.71	27.8	7.61	5.41	0.81
Q203415		10	1.7	36.9	6	164.0	6.35	4.67	0.31	5.56	1.43	0.86	43.8	12.65	7.16	0.97
Q203416		44	5.2	1.8	4160	5.6	0.37	0.18	0.11	0.39	0.07	0.03	1.9	0.50	0.45	0.06
Q203417		6	1.8	34.2	10	164.5	6.08	4.44	0.32	5.62	1.38	0.79	44.4	12.75	7.34	0.92
Q203418		7	2.1	40.1	9	184.0	7.27	5.16	0.40	7.10	1.58	0.91	51.6	14.85	9.04	1.15
Q203419		8	1.8	37.4	6	163.5	6.86	4.68	0.41	7.13	1.48	0.82	57.4	17.15	9.70	1.10
Q203420		7	1.8	35.1	7	173.0	6.10	4.53	0.30	5.27	1.39	0.80	35.5	10.20	6.24	0.91
Q203421		8	1.9	39.3	7	177.5	7.18	4.95	0.41	6.88	1.57	0.87	53.2	15.15	8.93	1.13
Q203422		6	2.1	37.8	6	178.0	6.23	4.65	0.30	5.30	1.39	0.85	37.6	10.80	6.39	0.89
Q203423		7	1.7	34.7	6	175.0	6.14	4.50	0.28	5.49	1.38	0.80	36.9	10.70	6.41	0.93
Q203424		8	1.7	31.1	9	168.5	5.41	4.20	0.23	4.50	1.26	0.79	25.1	7.02	4.97	0.77
Q203425		8	1.7	30.8	15	161.0	5.49	4.16	0.23	4.42	1.24	0.74	23.8	6.64	4.75	0.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191941

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
Q203391A		0.72	5.14	
Q203391B		0.72	5.14	
Q203392		0.67	4.89	
Q203393		0.61	4.43	
Q203394		0.64	4.77	
Q203395		0.62	4.49	
Q203396		0.66	4.62	
Q203397		0.71	5.06	
Q203398		0.14	0.93	
Q203399		0.60	4.40	
Q203400		0.41	3.04	
Q203401		0.60	4.24	
Q203402		0.64	4.83	
Q203403		0.64	4.72	
Q203404		0.56	4.08	
Q203405		0.58	4.32	
Q203406		0.03	0.18	1.995
Q203407		0.56	4.01	
Q203408		0.68	4.74	
Q203409		0.68	4.84	
Q203410		0.67	4.76	
Q203411		0.72	5.18	
Q203412		0.75	5.29	
Q203413		0.89	6.08	
Q203414		0.63	4.63	
Q203415		0.78	5.36	
Q203416		0.03	0.19	2.04
Q203417		0.73	5.10	
Q203418		0.83	5.90	
Q203419		0.75	5.21	
Q203420		0.73	5.11	
Q203421		0.79	5.60	
Q203422		0.75	5.39	
Q203423		0.73	5.19	
Q203424		0.70	5.04	
Q203425		0.69	4.78	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191941

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62