ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 29-DEC-2015
Account: SUPCOP

CERTIFICATE SD15194553

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 29-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194553

Sample Description	Method	WEI-21	Au-AA23	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	5	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S122031A		0.71	<5	0.05	5.81	64.2	100	7.91	0.51	1.86	0.02	360	0.8	10	35.5	68.2
S122031B		<0.02	<5	0.03	5.77	66.0	100	8.19	0.51	1.85	0.03	368	0.8	10	35.1	66.6
S122032		0.66	<5	0.04	5.88	90.0	90	8.00	0.10	1.76	0.02	87.7	0.7	8	25.8	52.6
S122033		0.89	<5	0.07	5.35	73.5	80	7.19	0.33	1.96	0.02	76.6	0.8	15	26.2	65.3
S122034		1.54	<5	0.50	5.73	118.5	100	7.72	0.50	1.90	<0.02	105.5	0.7	8	30.5	78.1
S122035		0.57	<5	2.21	6.11	51.4	100	7.61	0.17	1.27	<0.02	136.5	0.6	11	23.7	30.5
S122036		1.43	<5	0.11	6.23	84.7	80	7.94	0.07	1.40	0.03	76.4	0.8	6	32.5	48.1
S122037		0.89	<5	0.38	5.86	54.5	90	7.00	0.09	1.88	<0.02	73.9	0.8	9	31.8	56.2
S122038		1.24	<5	0.10	6.34	78.2	80	7.49	0.09	1.64	<0.02	106.5	0.8	6	27.9	35.8
S122039		0.45	<5	0.03	3.42	2.0	270	0.58	0.04	1.37	0.07	19.00	5.8	49	0.65	11.9
S122040		0.71	<5	0.21	6.11	74.4	80	8.06	0.73	2.23	<0.02	104.5	1.1	10	22.2	39.1
S122041		3.34	<5	0.12	6.27	69.2	100	9.37	0.09	1.90	<0.02	74.2	0.6	8	15.65	35.3
S122042		0.99	<5	0.16	5.57	44.9	130	7.67	0.22	1.84	<0.02	60.8	0.4	11	12.85	57.7
S122043		0.60	<5	0.10	6.23	40.2	130	8.14	0.10	2.10	<0.02	89.2	4.4	8	18.90	60.6
S122044		1.98	<5	0.04	6.29	17.4	120	8.55	0.06	2.09	<0.02	110.0	0.5	6	22.7	52.1
S122045		1.57	<5	0.08	6.16	60.0	150	8.75	0.12	1.79	<0.02	90.9	0.7	9	22.7	65.5
S122046		1.90	<5	0.08	6.70	41.1	510	6.46	0.35	2.59	<0.02	146.0	3.1	19	8.35	239
S122047		<0.02	426	10.65	0.40	216	10	0.11	5.97	0.11	15.15	3.74	471	38	0.27	>10000
S122048		0.60	<5	0.40	6.03	29.9	100	6.74	0.20	1.64	<0.02	57.3	1.0	7	23.8	82.3
S122049		0.60	<5	0.31	6.15	65.1	100	7.08	0.23	1.80	<0.02	52.0	1.0	8	16.80	123.5
S122050		0.64	5	0.21	5.41	77.0	90	5.91	0.29	3.85	0.32	69.6	1.0	10	12.80	147.5
S122051		1.14	<5	0.23	6.30	47.2	90	7.26	0.25	1.20	0.03	50.5	1.4	7	22.1	72.5
S122052		0.72	<5	0.14	6.22	33.3	110	6.27	0.33	1.12	0.06	51.2	1.4	12	17.00	80.9
S122053		1.24	<5	0.90	6.21	53.4	100	5.91	0.48	1.68	0.03	71.8	1.5	7	14.75	193.5
S122054		0.89	<5	1.51	6.25	42.2	120	5.74	0.43	1.79	<0.02	117.5	1.0	11	14.05	115.0
S122055		1.90	<5	0.29	6.27	21.9	80	6.13	0.55	1.32	0.02	130.0	1.1	7	15.35	55.4
S122056		1.09	<5	0.36	6.21	43.8	90	5.72	0.87	1.08	0.06	131.0	1.0	7	9.21	46.9
S122057		<0.02	NSS	0.62	0.61	105.0	40	1.37	0.89	1.74	0.15	5.66	23.4	53	0.46	1650
S122058		0.97	5	0.25	5.58	88.6	80	4.49	0.96	1.08	<0.02	81.9	1.1	29	11.30	74.2
S122059		0.81	<5	0.22	6.40	99.4	70	5.50	0.45	1.50	0.04	135.5	1.5	8	13.45	33.3
S122060		1.35	7	0.34	6.03	104.5	90	5.26	1.53	1.44	3.00	112.0	1.2	13	12.50	718
S122061		0.70	<5	0.20	5.77	34.4	80	5.37	0.83	1.73	<0.02	121.0	1.0	13	19.95	43.9
S122062		1.69	<5	0.19	6.39	28.1	100	5.80	0.91	0.89	<0.02	114.0	1.0	10	16.30	54.6
S122063		0.64	5	0.16	5.04	12.1	90	4.12	0.93	2.59	0.06	104.0	1.4	26	17.60	154.0
S122064		0.55	<5	0.11	4.11	17.0	80	4.26	0.48	1.19	<0.02	56.2	1.6	15	13.75	92.6
S122065		0.54	<5	0.12	4.49	18.7	80	4.70	0.50	1.40	0.02	51.5	1.8	16	13.90	87.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 29-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194553

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10
S122031A		1.15	31.1	0.25	8.9	0.057	3.02	26.8	21.4	0.49	633	1.31	0.10	216	2.5	10
S122031B		1.14	31.4	0.27	8.9	0.059	2.95	27.0	22.5	0.48	641	0.94	0.10	216	1.1	20
S122032		1.20	30.8	0.26	8.8	0.060	3.04	26.9	16.0	0.38	468	0.69	0.10	217	1.1	10
S122033		1.18	27.5	0.26	8.4	0.050	2.69	35.0	28.6	0.56	472	0.58	0.10	212	0.6	10
S122034		1.21	30.2	0.30	8.7	0.062	2.97	35.3	21.9	0.48	544	0.41	0.08	227	0.6	10
S122035		0.96	31.4	0.31	9.3	0.048	3.09	46.3	22.4	0.43	392	0.45	0.09	228	0.7	10
S122036		1.44	31.6	0.25	9.4	0.056	3.07	24.2	20.2	0.45	438	0.38	0.10	239	0.5	10
S122037		1.17	29.5	0.25	8.8	0.051	2.96	23.3	24.5	0.51	501	0.38	0.10	221	0.7	10
S122038		1.14	32.2	0.28	9.7	0.060	3.18	35.3	18.1	0.46	493	0.40	0.10	236	0.5	10
S122039		2.19	7.42	0.13	1.6	0.015	0.84	10.6	5.6	0.59	310	0.20	1.34	3.4	17.1	190
S122040		1.12	30.7	0.26	8.9	0.058	3.10	38.6	19.6	0.57	514	0.68	0.10	216	0.7	10
S122041		1.35	33.3	0.23	9.2	0.062	3.27	26.0	12.7	0.44	445	0.69	0.09	213	0.5	10
S122042		1.06	29.0	0.21	8.0	0.060	2.83	13.9	27.5	0.40	357	0.70	0.07	181.0	0.4	10
S122043		1.05	33.5	0.24	9.1	0.064	3.23	20.4	18.2	0.42	541	0.60	0.08	204	0.4	10
S122044		0.94	33.4	0.22	9.2	0.053	3.24	36.3	21.9	0.44	562	0.43	0.15	208	0.4	<10
S122045		1.24	29.8	0.23	8.3	0.064	3.02	27.4	30.5	0.66	483	0.43	0.09	170.5	0.6	10
S122046		1.91	27.8	0.28	10.6	0.125	2.70	78.3	71.1	2.35	568	0.48	0.33	128.0	6.2	80
S122047		36.9	2.24	0.26	0.2	1.410	0.02	2.0	2.5	0.18	97	32.3	0.07	0.5	37.8	160
S122048		1.60	30.5	0.18	9.7	0.072	3.10	17.3	21.8	0.51	391	1.06	0.09	226	0.7	10
S122049		1.95	32.0	0.17	10.3	0.090	3.13	15.8	28.1	0.44	394	0.78	0.08	238	0.7	10
S122050		1.39	27.8	0.19	8.9	0.087	2.75	23.2	28.3	0.40	524	0.73	0.07	209	0.6	10
S122051		1.90	30.8	0.19	10.7	0.097	3.28	14.1	22.4	0.41	367	0.55	0.06	253	0.7	10
S122052		1.79	30.8	0.20	10.3	0.123	3.19	18.4	19.6	0.33	282	0.60	0.06	251	0.9	10
S122053		2.17	28.9	0.19	10.3	0.136	3.22	28.8	14.1	0.31	350	0.67	0.05	255	0.9	10
S122054		1.99	29.8	0.27	9.8	0.217	3.33	49.9	9.9	0.44	353	0.77	0.04	248	0.7	10
S122055		2.46	29.2	0.25	10.4	0.119	3.17	54.2	19.2	0.25	307	0.66	0.05	254	0.8	10
S122056		1.99	28.4	0.27	10.2	0.155	3.18	54.3	8.6	0.29	287	0.70	0.04	248	0.7	10
S122057		25.3	7.05	0.10	0.2	0.073	0.04	3.3	2.3	0.29	308	15.70	0.19	0.9	18.9	890
S122058		2.10	25.0	0.21	8.6	0.202	2.85	33.3	14.7	0.38	273	0.82	0.04	215	0.7	10
S122059		2.47	31.2	0.27	10.6	0.151	3.32	50.3	8.8	0.36	360	0.81	0.04	260	0.7	10
S122060		2.24	28.4	0.25	9.8	0.200	3.21	51.5	9.1	0.21	294	2.06	0.04	242	0.7	10
S122061		2.67	26.3	0.24	9.2	0.156	3.01	52.3	12.6	0.41	390	0.77	0.04	229	0.5	10
S122062		1.76	29.6	0.28	10.5	0.202	3.35	48.4	9.7	0.17	236	0.67	0.04	251	0.5	10
S122063		1.41	24.1	0.23	7.5	0.201	2.68	43.2	24.3	0.39	403	1.16	0.03	187.5	0.8	10
S122064		1.54	18.90	0.17	6.5	0.106	2.12	23.8	32.3	0.20	239	0.85	0.03	156.5	0.9	10
S122065		1.58	21.4	0.15	7.4	0.125	2.36	20.8	31.3	0.22	274	0.85	0.03	172.0	0.9	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 29-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194553

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
S122031A		23.8	263	<0.002	<0.01	0.54	0.5	5	6.9	22.9	14.60	<0.05	39.4	0.031	1.08	6.9
S122031B		22.3	263	<0.002	<0.01	0.58	0.5	5	7.0	23.2	14.25	<0.05	38.9	0.031	1.08	7.0
S122032		18.6	272	<0.002	<0.01	0.45	0.6	5	5.4	19.8	13.55	<0.05	38.4	0.033	1.09	5.9
S122033		17.7	226	<0.002	<0.01	0.66	0.5	5	4.3	21.0	12.90	<0.05	37.2	0.031	0.94	16.8
S122034		14.9	247	<0.002	<0.01	0.64	0.6	6	6.4	23.9	12.70	<0.05	40.6	0.034	0.99	24.7
S122035		10.3	266	<0.002	<0.01	0.31	0.6	5	6.7	21.1	13.25	<0.05	40.9	0.034	1.08	11.7
S122036		17.8	266	<0.002	<0.01	0.58	0.6	5	8.4	21.9	14.00	<0.05	43.5	0.035	1.07	7.4
S122037		15.3	247	<0.002	<0.01	0.41	0.5	5	7.0	22.6	14.15	<0.05	40.2	0.032	1.02	8.2
S122038		12.0	283	<0.002	<0.01	0.47	0.5	5	7.0	23.1	15.30	<0.05	43.0	0.033	1.14	6.7
S122039		7.6	25.7	<0.002	<0.01	0.15	7.3	1	0.5	178.5	0.24	<0.05	2.28	0.195	0.16	0.6
S122040		10.0	274	0.002	<0.01	0.60	0.4	5	6.5	25.6	15.60	<0.05	39.4	0.029	1.10	40.2
S122041		10.6	317	<0.002	0.01	0.63	0.3	4	8.4	22.2	17.45	<0.05	40.7	0.027	1.27	6.9
S122042		11.3	294	<0.002	<0.01	0.82	0.2	4	10.0	20.3	15.35	<0.05	34.8	0.023	1.16	19.6
S122043		8.3	320	<0.002	<0.01	0.29	0.3	4	11.4	21.7	17.30	<0.05	38.6	0.025	1.28	6.6
S122044		6.8	304	<0.002	<0.01	0.22	0.3	4	12.3	23.6	17.95	<0.05	39.8	0.025	1.20	7.2
S122045		6.7	294	<0.002	0.02	0.55	0.4	4	11.5	33.5	15.15	<0.05	34.2	0.030	1.12	8.1
S122046		6.8	179.0	0.005	0.01	0.48	4.5	4	7.8	79.6	8.18	<0.05	33.6	0.121	0.92	5.6
S122047		369	0.9	0.050	>10.0	21.1	0.6	62	4.4	7.3	<0.05	1.92	0.92	0.011	3.70	3.9
S122048		6.1	303	<0.002	0.04	0.88	0.5	5	10.1	20.5	14.45	<0.05	41.1	0.033	1.13	9.1
S122049		6.9	288	0.002	0.04	1.19	0.6	5	9.1	19.7	14.65	<0.05	43.5	0.035	1.16	8.7
S122050		9.9	250	<0.002	0.01	1.10	0.6	5	7.2	17.5	12.20	<0.05	38.1	0.032	0.96	9.3
S122051		17.2	266	<0.002	<0.01	1.32	0.8	5	9.4	16.6	14.45	<0.05	45.5	0.040	1.12	10.3
S122052		20.1	275	<0.002	<0.01	1.39	0.9	6	9.0	15.6	13.80	<0.05	44.5	0.040	1.13	12.7
S122053		20.6	292	<0.002	0.01	1.82	0.9	5	7.5	17.3	13.40	<0.05	43.0	0.041	1.24	11.9
S122054		10.0	362	<0.002	<0.01	0.66	0.8	5	8.0	15.2	12.60	<0.05	43.4	0.040	1.34	13.8
S122055		12.5	293	<0.002	<0.01	0.98	0.9	4	5.3	16.3	13.45	<0.05	43.7	0.041	1.30	11.4
S122056		15.4	326	<0.002	<0.01	1.34	0.9	6	3.7	13.3	13.15	<0.05	44.9	0.040	1.31	16.5
S122057		37.4	2.2	0.006	7.46	18.85	1.1	6	3.5	147.5	0.07	0.12	4.31	0.019	0.05	7.6
S122058		10.6	296	0.003	0.01	0.92	0.8	5	5.0	13.9	11.40	<0.05	38.0	0.035	1.14	14.5
S122059		15.7	316	<0.002	0.01	2.57	0.9	6	3.9	20.3	13.95	<0.05	45.0	0.042	1.20	13.2
S122060		72.4	319	0.004	0.02	0.99	0.9	5	4.0	13.7	12.95	<0.05	40.2	0.039	1.27	15.0
S122061		12.5	326	<0.002	<0.01	0.75	0.8	5	3.4	15.0	12.15	<0.05	40.5	0.036	1.26	11.2
S122062		12.9	351	<0.002	<0.01	0.89	0.9	6	5.9	12.0	13.60	<0.05	44.5	0.040	1.34	13.0
S122063		8.5	271	<0.002	0.01	0.67	0.7	5	5.1	15.9	9.80	<0.05	32.8	0.030	1.09	10.5
S122064		9.6	197.0	<0.002	0.01	0.97	0.6	3	4.2	12.6	8.70	<0.05	28.0	0.026	0.81	6.4
S122065		10.4	220	<0.002	0.01	1.22	0.7	4	4.5	12.9	9.76	<0.05	31.0	0.028	0.94	6.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 29-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194553

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
S122031A		18	2.7	142.5	241	185.0	22.8	14.60	0.05	18.80	4.69	1.82	50.3	11.95	17.65	3.50
S122031B		18	2.7	145.5	238	187.0	22.9	14.80	0.05	19.10	4.72	1.81	51.5	12.20	17.85	3.53
S122032		21	1.6	154.5	169	194.5	23.8	14.85	0.05	20.6	4.92	1.74	52.8	12.05	19.15	3.67
S122033		25	1.7	107.5	165	184.0	18.30	11.45	0.04	15.55	3.71	1.48	48.3	11.95	15.10	2.82
S122034		17	1.9	150.0	174	200	23.6	14.70	0.06	21.1	4.81	1.70	59.9	14.15	19.70	3.69
S122035		15	1.6	128.0	144	208	23.1	14.05	0.08	20.5	4.65	1.64	72.5	17.60	21.3	3.63
S122036		15	2.1	152.5	180	212	24.2	15.05	0.07	20.7	4.97	1.81	50.6	11.35	18.55	3.75
S122037		21	1.5	120.0	216	192.5	21.9	13.45	0.04	17.60	4.45	1.65	45.4	10.60	16.40	3.34
S122038		11	1.6	131.5	217	208	21.8	13.80	0.05	18.55	4.45	1.78	56.3	13.65	17.65	3.34
S122039		58	0.2	7.2	26	59.9	1.34	0.83	0.46	1.41	0.27	0.12	9.5	2.49	1.84	0.22
S122040		13	1.9	114.0	225	184.0	18.25	11.85	0.05	15.30	3.71	1.64	50.5	12.85	15.45	2.76
S122041		10	1.7	122.5	172	177.5	17.45	11.75	0.05	14.70	3.68	1.67	45.6	11.30	14.40	2.66
S122042		13	1.5	107.5	108	153.5	15.60	10.75	0.04	12.20	3.27	1.52	29.9	6.89	11.35	2.34
S122043		8	1.4	121.0	130	173.0	17.10	11.60	0.05	13.65	3.55	1.70	38.0	8.98	13.25	2.56
S122044		8	1.4	104.0	75	175.5	15.60	10.85	0.08	12.25	3.26	1.66	44.3	11.55	13.20	2.34
S122045		35	1.4	118.5	54	164.5	17.20	11.60	0.36	14.45	3.61	1.60	39.3	9.46	13.40	2.65
S122046		141	1.3	106.0	101	278	18.25	13.20	0.81	15.10	4.05	2.03	69.1	18.05	15.55	2.74
S122047		44	3.8	2.0	4370	5.4	0.36	0.20	0.10	0.38	0.07	0.02	1.8	0.46	0.42	0.06
S122048		23	1.9	121.5	68	220	23.4	14.35	0.43	17.00	4.77	1.73	33.8	7.42	15.00	3.52
S122049		14	1.9	134.0	79	233	23.6	15.25	0.35	17.05	4.92	1.84	30.6	6.64	13.85	3.45
S122050		13	1.6	123.5	74	205	24.4	14.85	0.36	18.20	4.93	1.69	40.7	9.06	16.65	3.66
S122051		15	2.1	125.0	108	248	24.2	15.00	0.25	18.05	4.92	1.84	34.1	7.09	15.90	3.62
S122052		56	2.0	119.5	105	244	25.6	15.35	0.24	19.50	5.14	1.78	40.7	8.48	18.00	3.93
S122053		37	3.0	117.0	80	247	22.9	14.00	0.20	18.15	4.67	1.70	46.0	10.50	17.20	3.47
S122054		37	3.8	118.0	48	242	25.9	15.25	0.18	21.1	5.13	1.75	66.7	16.35	21.6	3.97
S122055		27	3.6	120.5	81	249	23.6	14.15	0.10	20.0	4.70	1.68	67.4	16.55	20.4	3.61
S122056		56	3.7	137.5	56	242	29.5	16.85	0.10	25.5	5.79	1.84	73.8	17.65	24.7	4.64
S122057		73	29.6	3.8	74	9.6	0.53	0.35	0.17	0.51	0.11	0.06	2.7	0.69	0.59	0.09
S122058		71	2.4	109.0	61	208	23.5	13.95	0.06	19.50	4.68	1.57	52.7	12.20	18.70	3.65
S122059		20	2.6	166.5	141	253	28.2	17.10	0.07	26.1	5.70	1.94	78.2	18.30	24.8	4.44
S122060		54	3.2	131.5	66	237	26.0	15.55	0.06	21.9	5.30	1.75	64.3	15.75	20.6	4.05
S122061		29	3.2	119.5	54	222	21.5	13.50	0.07	19.40	4.42	1.64	64.7	15.95	18.95	3.38
S122062		23	2.5	130.5	57	248	28.9	16.65	0.15	24.1	5.68	1.83	67.4	16.15	23.0	4.56
S122063		36	1.7	92.5	50	177.0	21.5	12.50	0.38	17.95	4.20	1.43	59.8	14.45	18.65	3.39
S122064		17	1.6	75.7	52	156.5	15.50	9.34	0.35	12.30	3.08	1.11	32.9	7.87	10.60	2.40
S122065		16	1.8	82.6	56	175.5	17.25	10.70	0.38	13.50	3.41	1.23	32.6	7.57	11.40	2.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 29-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194553

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
S122031A		2.10	13.15	
S122031B		2.09	13.30	
S122032		2.07	12.70	
S122033		1.63	10.45	
S122034		2.04	12.55	
S122035		1.96	12.30	
S122036		2.10	12.95	
S122037		1.92	12.20	
S122038		2.00	12.90	
S122039		0.12	0.85	
S122040		1.78	11.60	
S122041		1.78	11.90	
S122042		1.64	11.00	
S122043		1.81	12.05	
S122044		1.71	11.40	
S122045		1.73	11.35	
S122046		2.01	13.55	
S122047		0.03	0.19	2.48
S122048		2.02	12.50	
S122049		2.12	13.25	
S122050		2.03	12.45	
S122051		2.11	13.25	
S122052		2.15	13.05	
S122053		1.99	12.15	
S122054		2.13	12.95	
S122055		2.02	12.55	
S122056		2.29	13.90	
S122057		0.05	0.38	
S122058		1.90	11.50	
S122059		2.33	14.40	
S122060		2.14	12.95	
S122061		1.88	11.75	
S122062		2.28	13.70	
S122063		1.75	10.75	
S122064		1.33	7.80	
S122065		1.49	8.69	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 29-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194553

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: NSS is non-sufficient sample.
ALL METHODS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61r

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62