ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 30-DEC-2015
Account: SUPCOP

CERTIFICATE SD15194576

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 30-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194576

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
Q203496A		0.70	<5	0.01	6.16	29.2	940	2.17	0.04	1.16	<0.02	207	1.5	12	1.95	9.6
Q203496B		<0.02	<5	0.01	6.39	30.8	980	2.36	0.04	1.20	<0.02	213	1.5	13	2.02	3.9
Q203497		0.79	<5	0.01	6.41	40.3	900	2.62	0.03	0.47	<0.02	239	1.5	11	1.96	4.9
Q203498		0.63	<5	0.01	6.12	46.2	860	2.69	0.03	1.04	<0.02	192.0	1.4	9	2.01	4.0
Q203499		1.69	<5	0.01	5.61	36.9	770	2.24	0.03	0.79	<0.02	175.0	1.6	12	2.05	5.1
Q203500		0.63	<5	0.01	5.59	36.1	700	2.80	0.05	1.94	<0.02	202	1.9	13	2.18	6.8
S122001		0.94	<5	<0.01	6.16	31.5	980	2.48	0.03	0.49	<0.02	220	1.8	10	2.45	21.5
S122002		1.11	<5	0.03	4.68	28.5	910	2.42	0.04	2.87	0.03	163.5	1.6	9	3.34	19.5
S122003		0.43	<5	0.03	3.22	1.8	260	0.55	0.04	1.32	0.07	19.20	6.4	53	0.57	11.5
S122004		0.77	<5	0.01	5.45	8.0	220	3.37	0.05	0.21	<0.02	83.5	1.8	15	2.80	10.9
S122005		0.64	<5	0.03	5.01	14.1	530	2.43	0.08	4.44	0.04	146.5	3.7	16	3.10	4.8
S122006		0.64	<5	<0.01	6.24	14.2	1110	2.83	0.05	0.67	<0.02	198.0	1.4	16	2.33	19.5
S122007		0.64	<5	0.01	4.82	15.6	710	2.46	0.07	1.86	0.02	157.5	1.4	19	2.68	43.7
S122008		0.64	<5	0.01	6.86	16.1	1190	3.31	0.05	0.94	<0.02	144.5	1.6	12	2.86	14.9
S122009		2.17	<5	0.01	6.10	10.6	480	3.93	0.11	0.58	<0.02	102.5	2.1	23	3.22	23.6
S122010		0.66	<5	<0.01	5.97	18.7	970	2.94	0.04	0.39	<0.02	196.0	1.3	10	2.49	28.0
S122011		<0.02	422	10.30	0.38	221	10	0.12	5.66	0.10	14.25	3.91	442	39	0.27	>10000
S122012		0.85	<5	0.11	5.25	13.8	980	2.03	0.06	2.54	0.31	156.0	1.8	15	3.49	421
S122013		1.90	<5	0.03	5.47	19.8	520	3.01	0.07	2.31	0.03	113.5	1.9	27	4.13	73.5
S122014		0.62	<5	0.01	5.77	18.2	1360	2.37	0.07	0.73	<0.02	186.5	1.2	10	3.05	16.6
S122015		0.82	<5	0.01	5.46	37.7	1090	2.29	0.06	1.44	<0.02	182.0	1.6	14	2.47	19.3
S122016		0.66	<5	0.01	4.98	39.7	1020	2.17	0.06	2.14	0.04	158.0	1.7	22	2.28	18.4
S122017		1.52	<5	0.02	5.86	32.8	1300	2.41	0.07	0.65	<0.02	166.0	1.1	13	2.96	16.0
S122018		0.89	<5	0.03	4.12	13.2	1020	1.93	0.04	4.46	0.07	125.5	0.9	13	4.66	27.3
S122019		1.22	<5	0.01	5.49	12.0	780	2.72	0.06	1.27	<0.02	192.0	1.1	14	2.90	18.0
S122020		0.63	<5	0.01	5.46	23.0	350	2.75	0.04	1.31	<0.02	191.0	1.4	17	4.03	41.0
S122021		<0.02	425	9.63	0.37	213	10	0.08	5.37	0.10	13.55	3.70	430	37	0.25	>10000
S122022		2.02	<5	0.04	4.50	11.1	280	1.60	0.05	4.61	0.05	133.0	3.4	11	2.62	64.1
S122023		2.31	<5	0.05	7.20	12.0	470	2.77	0.12	0.52	<0.02	181.5	2.2	23	3.29	11.2
S122024		1.72	<5	0.01	6.50	42.6	650	3.03	0.56	1.98	0.02	201	7.0	12	3.72	138.0
S122025		1.61	<5	0.21	6.64	44.9	610	3.12	0.85	4.52	0.07	254	14.5	10	3.76	24.9
S122026		1.27	<5	0.14	5.72	75.5	120	6.55	0.20	2.55	<0.02	83.0	0.3	9	21.4	31.0
S122027		2.64	<5	0.17	6.69	42.3	110	7.32	0.79	1.10	<0.02	87.1	0.6	9	27.7	63.6
S122028		2.28	<5	0.13	6.25	24.7	110	7.05	0.13	1.25	<0.02	110.0	0.5	8	24.2	45.4
S122029		0.27	<5	0.05	5.91	30.9	110	7.46	0.19	2.10	<0.02	70.9	0.8	8	33.2	55.5
S122030		0.25	<5	0.05	5.93	36.3	100	9.28	0.21	1.64	<0.02	83.6	1.4	7	36.4	57.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 30-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194576

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
Q203496A		1.45	23.6	0.28	9.3	0.064	4.28	93.0	3.0	0.23	509	1.32	0.56	70.1	2.8	40
Q203496B		1.50	24.3	0.28	9.7	0.061	4.51	96.6	3.1	0.24	532	1.42	0.59	72.7	2.9	40
Q203497		1.52	23.2	0.29	9.4	0.053	4.70	104.0	3.4	0.28	371	1.29	0.58	68.7	2.9	50
Q203498		1.37	21.9	0.26	9.2	0.034	4.40	80.2	3.7	0.27	323	1.09	0.52	65.4	2.9	40
Q203499		1.30	20.8	0.24	8.6	0.042	4.04	83.2	3.7	0.26	350	1.23	0.31	64.0	3.3	40
Q203500		1.49	23.5	0.35	8.5	0.087	3.51	120.5	4.6	0.25	618	1.18	0.30	63.4	3.9	40
S122001		1.52	22.5	0.24	9.0	0.052	4.52	76.5	4.5	0.28	372	1.13	0.46	66.5	3.7	40
S122002		1.38	22.3	0.25	8.8	0.045	4.30	53.7	11.7	0.24	346	0.92	0.08	64.5	3.5	30
S122003		2.12	7.35	0.10	1.5	0.020	0.79	9.9	5.4	0.57	301	0.20	1.26	3.2	16.8	180
S122004		1.13	20.5	0.20	5.4	0.058	2.83	85.9	4.3	0.27	277	0.97	0.07	46.5	4.5	50
S122005		2.51	23.4	0.28	7.9	0.163	3.31	92.9	3.8	0.30	1100	1.52	0.19	57.0	12.5	40
S122006		1.57	23.9	0.29	9.5	0.102	4.68	81.7	4.9	0.22	434	1.82	0.88	70.3	2.4	40
S122007		0.88	21.2	0.24	7.6	0.085	3.42	71.6	8.8	0.27	467	2.35	0.75	56.4	3.7	30
S122008		2.10	23.5	0.26	10.4	0.098	4.97	74.8	11.6	0.30	286	1.59	0.57	71.3	2.9	50
S122009		1.75	22.8	0.22	6.6	0.092	3.88	92.3	7.0	0.38	341	1.25	0.31	43.4	4.0	80
S122010		1.42	22.1	0.28	9.2	0.082	4.43	93.2	4.1	0.28	347	1.54	0.46	63.5	2.3	40
S122011		34.9	2.22	0.23	0.1	1.350	0.02	1.9	2.4	0.17	91	31.5	0.07	0.5	35.9	160
S122012		0.98	19.05	0.22	8.4	0.088	3.96	70.6	14.9	0.52	525	1.14	0.54	60.0	2.3	30
S122013		1.46	19.70	0.19	5.3	0.088	3.41	64.1	17.1	0.66	522	1.50	0.08	35.5	3.4	110
S122014		1.25	20.7	0.27	8.8	0.091	4.58	122.0	8.7	0.29	319	1.20	0.49	66.5	2.0	40
S122015		1.35	20.8	0.24	8.7	0.100	3.97	84.0	11.4	0.37	441	1.38	0.53	62.0	2.7	40
S122016		1.21	19.75	0.23	7.7	0.100	3.54	86.1	8.4	0.36	491	1.81	0.38	57.4	2.8	40
S122017		1.39	21.0	0.24	8.8	0.090	4.66	68.4	7.4	0.28	283	1.62	0.33	65.6	1.8	40
S122018		0.99	14.35	0.21	6.8	0.067	3.45	64.9	39.7	0.36	229	1.28	0.07	49.2	1.5	20
S122019		1.29	21.2	0.29	8.4	0.081	3.55	104.0	5.1	0.30	502	1.23	0.50	60.2	2.2	30
S122020		1.30	20.0	0.23	8.0	0.060	2.76	78.4	9.6	0.44	516	1.73	0.11	60.5	2.3	30
S122021		33.5	2.13	0.20	0.1	1.260	0.02	1.8	2.3	0.17	90	29.8	0.06	0.5	32.8	150
S122022		1.14	14.45	0.21	6.7	0.084	1.44	90.4	10.8	0.86	603	0.99	0.73	48.9	3.1	20
S122023		1.68	25.8	0.21	11.2	0.138	2.17	69.3	25.5	1.29	190	1.05	2.44	83.6	2.4	60
S122024		1.71	30.1	0.25	10.7	0.189	2.22	94.4	72.8	3.11	1060	0.81	0.41	82.0	9.7	70
S122025		2.66	24.2	0.31	10.1	0.145	2.07	143.5	71.3	3.56	990	0.62	0.62	75.4	16.3	60
S122026		1.35	29.7	0.20	8.6	0.059	2.92	20.4	9.0	0.57	522	0.78	0.77	188.0	0.4	10
S122027		1.15	35.1	0.16	9.7	0.069	3.11	17.1	21.1	0.46	393	0.61	0.72	212	0.4	10
S122028		0.97	31.8	0.17	9.4	0.055	2.89	29.6	12.9	0.31	405	1.08	0.84	214	1.8	<10
S122029		1.17	30.1	0.16	9.3	0.060	3.03	26.6	20.3	0.45	526	0.54	0.50	221	<0.2	10
S122030		1.14	32.0	0.17	9.3	0.064	3.06	22.4	20.8	0.44	496	0.52	0.42	217	<0.2	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 30-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194576

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
Q203496A		9.6	158.5	<0.002	0.01	0.38	1.6	4	4.3	71.9	4.32	<0.05	26.8	0.069	0.74	4.4
Q203496B		9.9	166.0	<0.002	<0.01	0.38	1.7	4	4.2	74.8	4.46	<0.05	28.8	0.072	0.78	4.7
Q203497		9.3	165.0	<0.002	<0.01	0.40	1.4	4	3.9	48.8	4.18	<0.05	28.5	0.070	0.80	5.4
Q203498		7.7	158.5	<0.002	<0.01	0.32	1.4	4	2.2	46.6	4.13	<0.05	27.3	0.066	0.76	5.7
Q203499		8.0	154.0	<0.002	<0.01	0.37	1.4	3	2.2	48.3	3.91	<0.05	25.3	0.063	0.73	4.9
Q203500		10.1	131.5	<0.002	<0.01	0.67	2.5	5	3.6	111.5	3.90	<0.05	25.2	0.064	0.64	5.3
S122001		9.5	175.5	<0.002	0.02	0.39	1.2	3	3.2	46.2	4.09	<0.05	28.0	0.067	0.80	5.0
S122002		8.9	136.0	<0.002	<0.01	0.43	1.1	3	3.1	40.3	4.11	<0.05	21.8	0.065	0.84	4.9
S122003		7.3	25.2	<0.002	<0.01	0.15	7.4	<1	0.5	170.0	0.23	<0.05	2.37	0.201	0.15	0.6
S122004		6.5	132.5	<0.002	0.01	0.39	3.4	2	1.1	22.6	2.34	<0.05	15.05	0.174	0.50	11.9
S122005		10.2	124.0	<0.002	<0.01	0.28	1.9	3	4.0	119.5	3.66	<0.05	22.3	0.061	0.62	4.9
S122006		14.2	162.0	<0.002	<0.01	0.26	1.4	3	4.2	88.3	4.45	<0.05	28.8	0.072	0.81	4.6
S122007		7.9	118.0	<0.002	<0.01	0.20	1.1	3	2.7	59.8	3.49	<0.05	21.9	0.056	0.60	3.8
S122008		19.1	143.5	<0.002	<0.01	0.32	6.0	3	5.2	61.5	4.89	<0.05	31.3	0.083	0.92	4.4
S122009		12.6	171.0	<0.002	<0.01	0.29	12.2	2	3.4	41.1	2.70	<0.05	17.60	0.260	0.70	6.0
S122010		10.5	144.5	<0.002	<0.01	0.27	1.6	3	3.7	49.6	3.99	<0.05	27.5	0.066	0.78	5.0
S122011		345	1.0	0.042	>10.0	21.1	0.6	58	4.1	7.2	<0.05	1.82	0.93	0.010	3.56	4.0
S122012		11.6	138.0	<0.002	0.11	0.34	1.1	2	3.8	48.8	3.94	<0.05	25.1	0.064	0.74	3.7
S122013		9.9	143.0	<0.002	0.02	0.41	7.2	2	2.5	35.4	2.13	<0.05	13.65	0.252	0.61	5.3
S122014		13.0	139.5	<0.002	0.01	0.39	1.2	3	4.3	76.7	4.09	<0.05	27.2	0.067	0.84	4.5
S122015		11.1	132.5	<0.002	0.04	0.52	1.2	3	3.8	81.4	3.99	<0.05	26.1	0.065	0.69	4.2
S122016		12.1	114.0	<0.002	<0.01	0.49	1.2	3	3.3	94.5	3.54	<0.05	23.1	0.058	0.62	3.6
S122017		14.4	131.0	<0.002	<0.01	0.56	1.2	3	4.0	65.2	4.08	<0.05	26.8	0.068	0.84	4.6
S122018		7.1	111.5	<0.002	<0.01	0.36	0.9	2	3.0	47.3	3.14	<0.05	20.3	0.051	0.62	3.4
S122019		13.9	119.5	<0.002	<0.01	0.21	1.5	4	2.4	89.4	3.91	<0.05	24.7	0.062	0.62	4.8
S122020		10.8	104.5	<0.002	<0.01	0.39	1.2	3	2.3	36.2	3.80	<0.05	24.4	0.063	0.46	6.8
S122021		340	0.8	0.042	>10.0	20.4	0.6	53	4.6	6.8	<0.05	1.78	0.89	0.011	3.50	3.8
S122022		8.2	57.4	<0.002	0.07	0.20	0.9	3	2.5	118.0	3.13	<0.05	19.70	0.053	0.32	3.7
S122023		13.0	89.7	<0.002	0.02	0.24	1.9	3	6.4	202	5.37	<0.05	32.7	0.092	0.48	4.9
S122024		12.3	70.6	<0.002	<0.01	0.35	1.8	4	12.6	89.9	5.20	<0.05	26.3	0.091	0.54	3.0
S122025		11.5	85.9	<0.002	<0.01	0.58	2.3	3	6.0	106.5	4.83	<0.05	28.2	0.096	0.48	5.1
S122026		5.2	364	<0.002	0.01	0.88	0.2	3	11.6	41.9	17.40	<0.05	36.0	0.024	1.28	6.9
S122027		8.3	335	<0.002	<0.01	0.39	0.3	4	12.9	32.1	19.70	<0.05	42.1	0.026	1.29	11.5
S122028		12.9	287	<0.002	<0.01	0.27	0.3	3	7.6	33.4	18.40	<0.05	40.5	0.027	1.12	6.7
S122029		21.5	248	<0.002	<0.01	0.48	0.4	3	7.2	26.2	15.90	<0.05	40.2	0.031	1.04	6.9
S122030		19.2	269	<0.002	<0.01	0.36	0.4	3	7.4	24.9	15.70	<0.05	41.0	0.030	1.09	6.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 30-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194576

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
Q203496A		34	0.8	107.0	33	250	18.45	12.75	1.72	16.05	3.89	1.85	81.1	21.8	16.10	2.82
Q203496B		35	0.9	112.0	34	260	19.35	13.45	1.85	17.10	4.13	1.96	83.4	22.1	16.90	2.98
Q203497		38	1.0	104.5	42	256	18.60	13.00	1.81	16.50	3.95	1.91	90.1	24.2	17.15	2.85
Q203498		36	0.9	98.1	45	242	17.70	12.05	1.66	16.10	3.67	1.67	72.4	19.05	15.40	2.76
Q203499		39	0.9	93.4	39	231	16.50	11.25	1.52	14.45	3.49	1.62	72.7	19.45	14.55	2.54
Q203500		55	0.9	118.0	31	227	21.9	13.90	2.37	21.0	4.41	1.90	108.5	29.0	21.7	3.52
S122001		40	1.1	99.6	43	245	17.25	12.20	1.54	14.95	3.73	1.77	67.6	17.95	14.15	2.65
S122002		67	1.2	69.1	41	233	13.20	9.61	1.22	11.25	2.83	1.53	61.6	16.15	11.45	1.97
S122003		58	0.2	7.1	25	52.9	1.38	0.87	0.51	1.49	0.26	0.13	9.7	2.49	1.86	0.23
S122004		39	1.9	40.3	38	154.5	7.01	5.30	0.96	6.91	1.53	0.95	60.2	17.40	9.07	1.10
S122005		75	1.4	92.7	25	212	16.75	10.70	1.88	15.35	3.46	1.54	80.2	21.4	15.15	2.62
S122006		58	1.3	101.5	32	253	18.10	12.50	1.78	16.40	3.84	1.84	81.0	21.2	16.15	2.86
S122007		50	1.2	71.4	19	204	13.80	9.60	1.28	12.25	2.94	1.39	64.1	16.70	12.35	2.14
S122008		56	1.7	83.4	39	287	14.60	10.80	1.54	12.00	3.14	1.75	63.2	16.90	12.25	2.16
S122009		57	3.0	57.9	44	188.0	10.55	7.81	1.20	9.63	2.31	1.20	62.1	17.25	10.70	1.63
S122010		78	0.9	104.5	33	244	18.20	12.50	1.69	16.05	3.80	1.78	78.0	21.0	15.75	2.81
S122011		42	4.1	1.8	4130	5.4	0.35	0.20	0.12	0.38	0.06	0.03	2.0	0.49	0.42	0.06
S122012		43	0.6	73.4	32	220	14.50	10.15	1.34	11.55	3.06	1.56	60.0	16.45	12.00	2.15
S122013		45	3.0	51.8	38	151.5	9.21	6.46	1.03	8.56	1.95	1.01	50.1	13.75	9.65	1.43
S122014		57	0.9	80.6	26	236	15.70	11.25	1.51	13.50	3.31	1.74	87.6	24.3	15.05	2.39
S122015		48	0.8	98.9	31	233	16.70	11.65	1.62	15.15	3.57	1.70	74.9	19.95	15.25	2.59
S122016		49	0.8	92.6	22	206	16.10	11.00	1.52	14.30	3.45	1.62	68.4	19.10	13.95	2.51
S122017		60	1.0	91.4	29	239	16.10	11.10	1.52	14.00	3.35	1.66	65.2	17.00	13.65	2.48
S122018		41	0.9	53.8	18	182.5	10.10	7.26	0.97	8.46	2.13	1.18	51.2	14.50	8.98	1.51
S122019		42	0.7	99.2	29	222	17.85	12.15	1.67	15.90	3.76	1.75	82.3	22.8	16.10	2.79
S122020		52	1.0	94.0	42	214	16.35	11.25	1.50	14.30	3.46	1.60	68.0	18.35	13.85	2.53
S122021		41	3.7	1.8	3980	5.0	0.33	0.20	0.12	0.39	0.06	0.02	1.9	0.46	0.43	0.06
S122022		54	0.6	75.8	55	182.0	13.15	8.85	1.23	12.20	2.73	1.31	68.9	18.95	13.05	2.06
S122023		85	1.2	75.0	102	299	14.70	10.85	1.36	11.85	3.21	1.77	70.2	19.10	13.25	2.13
S122024		140	0.3	126.5	272	283	20.4	14.55	1.90	18.30	4.41	2.16	89.1	23.4	17.90	3.15
S122025		103	0.4	108.5	308	270	19.10	12.80	2.20	18.70	3.95	1.91	114.0	30.7	20.9	3.08
S122026		34	2.2	142.5	47	156.0	20.3	13.10	0.47	17.60	4.15	1.71	43.5	10.05	15.20	3.14
S122027		41	1.7	122.5	95	176.5	18.30	12.50	0.20	14.80	3.78	1.82	38.3	8.97	13.45	2.81
S122028		16	1.5	115.5	110	172.0	18.20	11.45	0.05	14.95	3.75	1.71	46.0	11.65	14.05	2.78
S122029		26	1.6	109.5	253	184.0	19.15	11.50	0.04	15.50	3.97	1.63	43.7	10.80	14.40	2.92
S122030		20	1.4	120.0	253	187.0	19.90	12.00	0.04	16.00	4.03	1.64	41.8	9.96	14.55	3.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 30-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194576

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
Q203496A		1.89	11.85	
Q203496B		2.01	12.65	
Q203497		1.95	12.20	
Q203498		1.77	10.80	
Q203499		1.64	10.25	
Q203500		1.99	12.45	
S122001		1.82	11.30	
S122002		1.46	9.60	
S122003		0.13	0.81	
S122004		0.87	5.85	
S122005		1.57	9.91	
S122006		1.88	11.65	
S122007		1.43	8.89	
S122008		1.68	11.00	
S122009		1.20	7.75	
S122010		1.85	11.25	
S122011		0.03	0.16	2.42
S122012		1.54	9.84	
S122013		0.98	6.32	
S122014		1.70	11.00	
S122015		1.69	10.85	
S122016		1.64	10.20	
S122017		1.69	10.65	
S122018		1.13	7.41	
S122019		1.79	11.30	
S122020		1.65	10.35	
S122021		0.03	0.16	2.44
S122022		1.30	8.35	
S122023		1.70	11.15	
S122024		2.19	13.60	
S122025		1.86	11.95	
S122026		1.91	11.55	
S122027		1.92	12.15	
S122028		1.82	12.00	
S122029		1.78	11.35	
S122030		1.84	11.75	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 30-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194576

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62