ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **CJP EXPLORATION INC.**
15 MACDONALD ST
LARDER LAKE ON P0K 1I0

Finalized Date: 4-JAN-2018
This copy reported on
29-JAN-2018
Account: CEIALEAK

QC CERTIFICATE SD17276354

Project: SIMON COPPER

This report is for 6 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 13-DEC-2017.

The following have access to data associated with this certificate:

JASON PLOEGER FRANK PLOEGER	FRANK PLOEGER	JASON PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS89L	Super Trace DL Na2O2 by ICP-MS	ICP-MS

To: **CJP EXPLORATION INC.**
ATTN: JASON PLOEGER
15 MACDONALD ST
LARDER LAKE ON P0K 1I0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **CJP EXPLORATION INC.**
15 MACDONALD ST
LARDER LAKE ON P0K 1I0

Finalized Date: 4-JAN-2018
Account: CEIALEAK

Project: SIMON COPPER

QC CERTIFICATE OF ANALYSIS SD17276354

Sample Description	Method / Analyte / Units / LOR	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.05
STANDARDS																
AMIS0343		6	11	87	230	2.8	0.3	<0.8	1.2	2.7	353	50	0.12	0.19	0.03	0.92
Target Range - Lower Bound		<5	<4	68	209	2.4	<0.1	<0.8	<0.2	1.5	309	<20	<0.03	<0.02	<0.03	0.65
Upper Bound		10	22	87	257	3.2	0.5	1.6	1.1	3.7	377	90	0.14	0.10	0.09	0.93
GTA-01		5	<4	58	176.0	9.4	0.3	<0.8	0.2	0.8	138.0	<20	0.12	0.02	<0.03	0.56
Target Range - Lower Bound		<5	<4	48	165.0	1.4	0.3	<0.8	<0.2	<0.5	132.5	<20	<0.03	<0.02	0.23	0.41
Upper Bound		15	10	64	202	2.0	0.8	2.1	0.7	1.6	162.0	50	0.15	0.07	0.38	0.66
SY-4		<5	<4	332	2.5	0.1	5.6	<0.8	108.0	2.2	1.9	<20	17.00	14.00	1.80	4.02
Target Range - Lower Bound		<5	<4	299	2.1	<0.1	5.1	<0.8	107.5	1.7	1.2	<20	16.35	12.75	1.75	3.91
Upper Bound		15	12	369	4.0	0.4	6.4	1.6	131.5	3.9	1.8	60	20.1	15.65	2.21	4.89
BLANKS																
BLANK		8	<4	<2	<0.4	0.1	<0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.05
BLANK		6	<4	<2	<0.4	0.1	0.1	0.9	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.05
Target Range - Lower Bound		<5	<4	<2	<0.4	<0.1	<0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.05
Upper Bound		10	8	4	0.8	0.2	0.2	1.6	0.4	1.0	0.2	40	0.06	0.04	0.06	0.10
DUPLICATES																
ORIGINAL		6	<4	26	86.5	1.2	0.5	<0.8	2.4	1.4	59.5	<20	0.27	0.09	0.08	0.59
DUP		5	<4	28	87.5	1.2	0.5	<0.8	2.2	1.6	59.0	<20	0.17	0.13	<0.03	0.60
Target Range - Lower Bound		<5	<4	24	80.1	1.0	0.4	<0.8	2.0	0.9	56.2	<20	0.18	0.08	<0.03	0.52
Upper Bound		10	8	30	93.9	1.4	0.6	1.6	2.6	2.1	62.3	40	0.26	0.14	0.06	0.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **CJP EXPLORATION INC.**
15 MACDONALD ST
LARDER LAKE ON P0K 1I0

Finalized Date: 4-JAN-2018
Account: CEIALEAK

Project: SIMON COPPER

QC CERTIFICATE OF ANALYSIS SD17276354

Sample Description	Method / Analyte / Units / LOR	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8	ME-MS89L Nd ppm 0.07	ME-MS89L Ni ppm 10	ME-MS89L Pb ppm 0.5
STANDARDS																
AMIS0343		44.7	0.19	7.6	0.03	<0.3	2.53	0.56	7180	<0.05	1000	4	44.9	0.67	10	6.6
Target Range - Lower Bound		39.7	0.09	6.1	<0.01	<0.3	2.16	0.26	6310	<0.05	810	<2	37.0	0.44	<10	4.3
Upper Bound		49.7	0.23	8.9	0.05	0.7	2.76	0.62	7720	0.12	1010	8	47.0	0.78	30	6.9
GTA-01		55.0	0.04	7.4	0.01	<0.3	2.30	0.24	3360	<0.05	850	2	49.3	0.07	20	11.1
Target Range - Lower Bound		47.5	<0.03	5.7	<0.01	<0.3	1.91	<0.08	3020	<0.05	800	<2	41.5	<0.07	<10	10.2
Upper Bound		59.1	0.13	8.5	0.03	0.7	2.45	0.42	3700	0.13	1000	6	52.5	0.25	40	13.6
SY-4		36.8	12.75	1.4	3.97	<0.3	1.40	52.6	38	2.15	770	<2	12.5	55.3	10	8.6
Target Range - Lower Bound		32.7	12.75	<0.5	3.86	<0.3	1.19	52.1	32	1.84	760	<2	11.3	52.0	<10	8.5
Upper Bound		41.1	15.65	2.6	4.74	1.0	1.57	63.9	44	2.36	950	6	15.9	63.8	30	11.5
BLANKS																
BLANK		<0.5	<0.03	0.9	<0.01	<0.3	<0.05	<0.08	<2	<0.05	<10	<2	<0.8	<0.07	10	<0.5
BLANK		0.7	0.04	0.7	<0.01	<0.3	<0.05	<0.08	<2	<0.05	10	<2	<0.8	<0.07	10	<0.5
Target Range - Lower Bound		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	<0.08	<2	<0.05	<10	<2	<0.8	<0.07	<10	<0.5
Upper Bound		1.0	0.06	1.0	0.02	0.6	0.10	0.16	4	0.10	20	4	1.6	0.14	20	1.0
DUPLICATES																
ORIGINAL		16.9	0.26	6.6	0.04	<0.3	3.15	1.28	32	<0.05	740	<2	25.8	1.04	10	27.9
DUP		17.7	0.20	6.1	0.05	<0.3	3.16	1.29	32	<0.05	740	<2	27.8	0.59	<10	28.7
Target Range - Lower Bound		15.9	0.19	5.5	0.03	<0.3	2.95	1.14	28	<0.05	690	<2	24.7	0.70	<10	26.4
Upper Bound		18.7	0.27	7.2	0.06	0.6	3.36	1.43	36	0.10	790	4	28.9	0.93	20	30.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **CJP EXPLORATION INC.**
15 MACDONALD ST
LARDER LAKE ON P0K 1I0

Finalized Date: 4-JAN-2018
Account: CEIALEAK

Project: SIMON COPPER

QC CERTIFICATE OF ANALYSIS SD17276354

Sample Description	Method / Analyte / Units / LOR	ME-MS89L Pr ppm 0.03	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm ppm 0.04	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta ppm 0.04	ME-MS89L Tb ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L Th ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02	ME-MS89L Tm ppm 0.01
STANDARDS																
AMIS0343		0.15	3800	<0.01	7.3	3	0.31	81	20	176.5	0.03	1.2	2.6	0.006	32.2	0.02
Target Range - Lower Bound		0.04	3280	<0.01	6.0	<3	<0.04	74	<20	160.0	<0.01	<0.5	1.7	<0.005	29.7	<0.01
Upper Bound		0.18	4000	0.03	8.0	8	0.20	97	60	196.0	0.04	1.5	2.3	0.021	36.3	0.03
GTA-01		<0.03	3340	<0.01	0.4	<3	<0.04	453	20	431	0.01	<0.5	3.7	<0.005	27.4	<0.01
Target Range - Lower Bound		<0.03	3310	<0.01	<0.3	<3	<0.04	391	<20	373	<0.01	<0.5	3.3	<0.005	24.3	<0.01
Upper Bound		0.09	4040	0.03	1.4	10	0.15	485	70	457	0.04	1.9	4.3	0.010	29.7	0.03
SY-4		13.35	51.8	<0.01	<0.3	5	11.75	4	1090	0.81	2.37	<0.5	1.3	0.173	0.23	2.24
Target Range - Lower Bound		13.05	50.5	<0.01	<0.3	<3	11.40	<3	1050	0.59	2.33	<0.5	1.0	0.140	0.20	2.06
Upper Bound		16.05	62.9	0.02	1.0	9	14.00	15	1330	0.83	2.87	1.0	1.6	0.201	0.30	2.54
BLANKS																
BLANK		<0.03	<0.5	0.01	0.3	<3	<0.04	<3	<20	0.05	<0.01	0.5	<0.1	<0.005	<0.02	<0.01
BLANK		<0.03	<0.5	<0.01	0.3	<3	<0.04	<3	<20	0.04	<0.01	1.1	<0.1	<0.005	<0.02	<0.01
Target Range - Lower Bound		<0.03	<0.5	<0.01	<0.3	<3	<0.04	<3	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02	<0.01
Upper Bound		0.06	1.0	0.02	0.6	6	0.08	6	40	0.08	0.02	1.0	0.2	0.010	0.04	0.02
DUPLICATES																
ORIGINAL		0.24	521	<0.01	<0.3	3	0.36	<3	20	11.75	0.04	<0.5	1.2	0.028	3.41	0.01
DUP		0.30	525	<0.01	0.3	<3	0.21	<3	30	12.45	0.06	0.8	1.0	0.029	3.47	<0.01
Target Range - Lower Bound		0.23	496	<0.01	<0.3	<3	0.23	<3	<20	11.45	0.04	<0.5	0.9	0.021	3.25	<0.01
Upper Bound		0.31	550	0.02	0.6	6	0.34	6	40	12.75	0.06	1.0	1.3	0.036	3.63	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **CJP EXPLORATION INC.**
15 MACDONALD ST
LARDER LAKE ON P0K 1I0

Finalized Date: 4-JAN-2018
Account: CEIALEAK

Project: SIMON COPPER

QC CERTIFICATE OF ANALYSIS SD17276354

Sample Description	Method / Analyte / Units / LOR	ME-MS89L U ppm 0.2	ME-MS89L V ppm 1	ME-MS89L W ppm 0.3	ME-MS89L Y ppm 0.2	ME-MS89L Yb ppm 0.02	ME-MS89L Zn ppm 10
		STANDARDS					
AMIS0343		6.5	5	4.1	1.2	0.11	80
Target Range - Lower Bound		5.5	<1	2.7	0.4	<0.02	60
Upper Bound		7.1	6	4.3	1.2	0.09	100
GTA-01		5.7	1	5.0	0.3	<0.02	70
Target Range - Lower Bound		5.0	<1	4.5	0.3	<0.02	50
Upper Bound		6.6	4	6.2	1.2	0.06	90
SY-4		0.9	4	<0.3	117.5	14.65	90
Target Range - Lower Bound		0.4	6	<0.3	107.0	13.65	80
Upper Bound		1.2	10	0.9	131.0	16.75	130
		BLANKS					
BLANK		0.3	<1	<0.3	<0.2	<0.02	10
BLANK		0.2	<1	<0.3	<0.2	<0.02	<10
Target Range - Lower Bound		<0.2	<1	<0.3	<0.2	<0.02	<10
Upper Bound		0.4	2	0.6	0.4	0.04	20
		DUPLICATES					
ORIGINAL		1.1	13	1.0	1.5	0.06	30
DUP		1.0	14	1.1	1.5	0.12	40
Target Range - Lower Bound		0.8	12	0.7	1.2	0.07	20
Upper Bound		1.3	15	1.4	1.8	0.11	50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **CJP EXPLORATION INC.**
15 MACDONALD ST
LARDER LAKE ON P0K 1I0

Finalized Date: 4-JAN-2018
Account: CEIALEAK

Project: SIMON COPPER

QC CERTIFICATE OF ANALYSIS SD17276354

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

ME-MS89L