ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

CERTIFICATE TB16129991

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129991

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708701		2.96	<0.01	<0.2	3.69	3	<10	40	<0.5	<2	2.20	<0.5	15	16	19	2.62
R708702		3.47	<0.01	<0.2	3.03	3	<10	30	<0.5	2	3.03	<0.5	20	39	118	5.15
R708703		3.72	0.02	0.2	4.42	3	<10	240	<0.5	<2	9.3	<0.5	37	445	86	5.62
R708704		4.49	0.01	<0.2	3.09	3	<10	700	0.6	<2	4.93	<0.5	30	616	79	3.70
R708705		4.40	0.01	<0.2	2.98	<2	<10	630	0.5	<2	4.81	<0.5	30	823	77	3.25
R708706		4.26	0.01	<0.2	2.74	3	<10	320	0.5	6	5.94	<0.5	32	903	16	3.75
R708707		4.17	<0.01	<0.2	3.00	<2	<10	160	<0.5	<2	8.3	<0.5	37	927	5	4.67
R708708		4.16	<0.01	<0.2	3.69	3	<10	150	0.5	<2	9.1	<0.5	37	637	60	5.36
R708709		4.28	0.01	<0.2	3.28	3	<10	670	0.8	<2	5.69	<0.5	36	513	87	4.76
R708710		4.56	0.02	<0.2	3.24	4	<10	830	0.6	<2	4.63	<0.5	34	861	32	3.82
R708711		4.33	0.03	<0.2	3.17	4	<10	950	<0.5	<2	4.07	<0.5	32	813	70	3.26
R708712		4.68	0.01	<0.2	3.17	6	<10	520	0.5	2	4.87	<0.5	31	635	70	3.65
R708713		2.47	0.01	0.2	3.02	7	<10	20	<0.5	<2	4.32	<0.5	19	113	49	3.07
R708714		2.62	<0.01	<0.2	4.44	4	<10	50	<0.5	2	4.04	<0.5	18	66	21	2.86
R708715		2.90	<0.01	<0.2	6.21	3	<10	40	<0.5	<2	4.70	<0.5	18	96	30	2.89
R708716		2.20	<0.01	<0.2	5.20	2	<10	10	<0.5	<2	6.00	<0.5	27	131	38	5.84
R708717		3.24	<0.01	<0.2	6.10	3	<10	40	<0.5	2	6.09	<0.5	17	92	6	3.20
R708718		2.85	0.08	<0.2	7.17	3	<10	10	<0.5	<2	5.47	<0.5	19	72	31	3.82
R708719		2.85	0.01	<0.2	7.47	6	<10	10	<0.5	<2	6.9	<0.5	18	99	6	3.49
R708720		2.14	0.01	<0.2	6.84	3	<10	10	<0.5	<2	4.22	<0.5	16	82	1	3.50
R708721		0.06	3.38	1.3	0.52	8	<10	30	<0.5	<2	0.66	<0.5	4	10	31	1.16
R708722		0.20	<0.01	<0.2	0.23	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	2	1	0.44
R708723		3.20	0.09	<0.2	5.71	3	<10	10	<0.5	2	3.22	<0.5	23	161	11	4.73
R708724		3.15	1.06	<0.2	4.23	5	<10	10	<0.5	<2	3.19	<0.5	18	76	23	3.52
R708725		2.14	0.01	<0.2	2.27	<2	<10	<10	<0.5	<2	7.5	<0.5	4	68	1	0.91
R708726		2.18	<0.01	<0.2	1.97	<2	<10	<10	<0.5	<2	10.3	<0.5	1	64	<1	0.45
R708727		2.64	0.02	<0.2	3.77	<2	<10	<10	<0.5	<2	0.27	<0.5	14	131	2	1.93
R708728		2.67	0.05	<0.2	4.15	<2	<10	<10	<0.5	<2	0.10	<0.5	17	150	1	2.51
R708729		2.74	0.15	<0.2	4.76	2	<10	<10	<0.5	<2	2.03	<0.5	25	167	68	3.94
R708730		2.66	0.01	<0.2	3.19	<2	<10	<10	<0.5	<2	0.45	<0.5	9	106	<1	1.33
R708731		4.93	0.01	<0.2	4.92	<2	<10	<10	<0.5	<2	6.03	<0.5	42	154	164	7.44
R708732		4.61	<0.01	<0.2	4.69	5	<10	<10	<0.5	<2	6.19	0.5	42	148	136	7.28
R708733		3.03	0.01	<0.2	3.93	3	<10	<10	<0.5	<2	0.38	<0.5	20	133	1	2.23
R708734		2.89	0.01	<0.2	3.71	2	<10	<10	<0.5	<2	0.08	<0.5	15	127	<1	1.88
R708735		2.59	0.01	<0.2	4.33	20	<10	<10	<0.5	<2	0.25	<0.5	26	152	1	2.96
R708736		2.60	0.01	<0.2	4.32	12	<10	<10	<0.5	<2	0.29	<0.5	21	149	1	2.60
R708737		2.95	0.01	<0.2	4.41	10	<10	<10	<0.5	<2	0.07	<0.5	22	155	<1	2.76
R708738		2.67	1.07	<0.2	3.79	3	<10	<10	<0.5	<2	0.04	<0.5	13	133	<1	1.78
R708739		2.96	3.73	<0.2	2.13	3	<10	10	<0.5	<2	0.04	<0.5	4	93	<1	0.51
R708740		2.94	0.10	<0.2	2.09	<2	<10	<10	<0.5	<2	0.01	<0.5	6	115	<1	0.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129991

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708701		<10	<1	0.05	<10	1.28	571	<1	0.23	51	20	<2	0.10	<2	2	42
R708702		<10	<1	0.05	<10	2.17	988	1	0.06	91	140	<2	0.55	2	9	31
R708703		10	1	0.80	50	5.00	1190	<1	0.01	106	2880	3	0.03	<2	13	333
R708704		10	<1	2.45	30	3.98	635	<1	0.05	120	1730	3	0.02	<2	5	404
R708705		10	<1	2.21	20	4.19	589	<1	0.04	155	1160	<2	0.02	<2	4	371
R708706		10	<1	1.33	20	5.99	923	<1	0.02	175	840	<2	0.01	<2	9	344
R708707		10	<1	0.59	30	7.08	1275	<1	0.01	199	1090	<2	0.01	<2	13	364
R708708		10	<1	0.53	40	5.76	1260	<1	0.01	136	2100	3	0.12	<2	20	343
R708709		10	<1	2.06	30	5.17	835	<1	0.04	129	1490	<2	0.05	<2	10	534
R708710		10	<1	2.53	40	4.80	662	<1	0.06	187	1460	<2	0.03	<2	5	464
R708711		10	<1	2.66	30	4.57	524	<1	0.06	183	1220	4	0.05	<2	4	406
R708712		10	<1	1.72	50	4.02	786	<1	0.06	154	2040	4	0.03	<2	5	257
R708713		<10	<1	0.08	<10	1.89	700	<1	0.13	55	160	4	0.12	<2	5	39
R708714		10	<1	0.08	<10	1.48	607	<1	0.32	52	70	<2	0.03	<2	3	62
R708715		10	<1	0.06	<10	1.57	633	<1	0.49	63	70	3	0.02	<2	4	77
R708716		10	<1	0.05	<10	3.26	1255	<1	0.15	95	140	<2	0.09	<2	9	27
R708717		10	<1	0.07	<10	1.57	856	<1	0.43	58	60	<2	0.03	<2	7	53
R708718		10	<1	0.06	<10	1.92	852	<1	0.46	60	60	<2	0.03	<2	8	62
R708719		10	1	0.06	<10	1.77	792	<1	0.56	64	70	<2	0.01	<2	8	65
R708720		10	<1	0.06	<10	1.92	674	<1	0.56	63	90	<2	0.01	<2	8	55
R708721		<10	1	0.06	<10	0.18	129	5	0.13	15	330	5	0.03	2	1	23
R708722		<10	<1	0.07	<10	<0.01	48	<1	0.15	1	10	<2	0.02	<2	<1	2
R708723		10	<1	0.07	<10	2.56	948	<1	0.39	77	90	<2	0.02	<2	11	35
R708724		10	<1	0.04	<10	2.30	707	<1	0.25	45	90	<2	0.03	<2	11	28
R708725		<10	<1	0.01	<10	3.42	677	<1	0.01	14	70	<2	0.02	<2	8	13
R708726		<10	<1	<0.01	<10	3.62	860	<1	0.01	13	20	<2	0.01	<2	10	21
R708727		10	<1	<0.01	<10	4.74	302	<1	<0.01	70	110	<2	<0.01	<2	18	1
R708728		10	<1	<0.01	<10	5.02	423	<1	<0.01	75	190	<2	<0.01	2	20	1
R708729		10	1	0.01	<10	5.21	629	<1	<0.01	81	170	<2	0.01	<2	23	5
R708730		10	<1	0.02	<10	4.11	213	<1	<0.01	57	50	<2	<0.01	<2	14	2
R708731		10	<1	0.01	<10	3.56	1015	<1	0.04	88	300	<2	0.18	<2	16	22
R708732		10	<1	0.01	<10	3.49	993	<1	0.03	83	290	<2	0.18	<2	15	23
R708733		10	<1	<0.01	<10	5.18	196	<1	<0.01	70	210	<2	<0.01	<2	16	1
R708734		10	<1	<0.01	<10	4.65	132	<1	<0.01	67	160	<2	<0.01	<2	17	1
R708735		10	<1	<0.01	<10	5.67	166	<1	<0.01	79	360	<2	<0.01	<2	20	4
R708736		10	<1	<0.01	<10	5.76	163	<1	<0.01	84	750	<2	<0.01	<2	21	1
R708737		10	<1	<0.01	<10	5.67	167	<1	<0.01	81	330	<2	<0.01	<2	22	<1
R708738		10	<1	0.04	<10	4.54	125	<1	0.01	64	70	<2	<0.01	2	14	1
R708739		<10	<1	0.10	<10	2.38	49	<1	0.02	63	20	<2	<0.01	2	4	2
R708740		<10	<1	0.06	<10	2.45	49	<1	0.01	62	40	<2	<0.01	<2	7	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129991

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708701		<20	0.04	<10	<10	35	<10	30
R708702		<20	0.03	<10	<10	91	<10	43
R708703		<20	0.18	<10	<10	136	<10	66
R708704		<20	0.30	<10	<10	100	<10	41
R708705		<20	0.24	<10	<10	78	<10	35
R708706		<20	0.13	<10	<10	70	<10	43
R708707		<20	0.07	<10	<10	93	<10	54
R708708		<20	0.08	<10	<10	122	<10	66
R708709		<20	0.25	<10	<10	117	<10	57
R708710		<20	0.27	<10	<10	94	<10	44
R708711		<20	0.26	<10	<10	80	<10	32
R708712		<20	0.25	<10	<10	89	<10	43
R708713		<20	0.03	<10	<10	64	<10	37
R708714		<20	0.02	<10	<10	51	<10	28
R708715		<20	0.03	<10	<10	63	<10	28
R708716		<20	0.05	<10	<10	113	<10	52
R708717		<20	0.02	<10	<10	73	<10	32
R708718		<20	0.03	<10	<10	75	<10	32
R708719		<20	0.03	<10	<10	65	<10	30
R708720		<20	0.02	<10	<10	62	<10	30
R708721		<20	0.19	<10	<10	32	<10	23
R708722		<20	<0.01	<10	<10	<1	<10	<2
R708723		<20	0.03	<10	<10	105	<10	38
R708724		<20	0.01	<10	<10	84	<10	28
R708725		<20	<0.01	<10	<10	34	<10	9
R708726		<20	<0.01	<10	<10	31	<10	5
R708727		<20	<0.01	<10	<10	110	<10	23
R708728		<20	0.01	<10	<10	122	<10	30
R708729		<20	0.01	<10	<10	154	<10	33
R708730		<20	<0.01	<10	<10	89	<10	14
R708731		<20	0.04	<10	<10	189	<10	71
R708732		<20	0.04	<10	<10	186	<10	70
R708733		<20	0.01	<10	<10	111	<10	12
R708734		<20	<0.01	<10	<10	109	10	10
R708735		<20	0.01	<10	<10	123	10	16
R708736		<20	0.01	<10	<10	131	<10	17
R708737		<20	0.01	<10	<10	140	<10	19
R708738		<20	<0.01	<10	<10	103	<10	11
R708739		<20	<0.01	<10	<10	48	<10	5
R708740		<20	<0.01	<10	<10	69	<10	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129991

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708741		0.05	7.20	<0.2	1.11	38	<10	70	<0.5	<2	0.82	<0.5	12	16	121	2.76
R708742		0.18	<0.01	<0.2	0.25	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	3	1	0.44
R708743		2.92	1.85	<0.2	2.53	4	<10	<10	<0.5	<2	0.02	<0.5	11	126	<1	1.00
R708744		2.25	0.03	<0.2	3.00	4	<10	<10	<0.5	<2	0.03	<0.5	15	132	<1	1.21
R708745		3.30	3.04	<0.2	3.85	14	<10	<10	<0.5	2	0.08	<0.5	25	149	1	2.18
R708746		3.04	0.17	<0.2	4.77	23	<10	<10	<0.5	<2	0.27	<0.5	33	175	4	3.28
R708747		2.93	0.31	<0.2	6.58	31	<10	<10	<0.5	<2	0.04	<0.5	45	218	9	5.74
R708748		2.77	8.76	0.2	6.87	40	<10	<10	<0.5	2	0.08	<0.5	49	227	7	6.37
R708749		2.68	0.37	<0.2	7.36	45	<10	<10	<0.5	2	0.05	<0.5	49	250	67	7.68
R708750		2.73	0.47	<0.2	7.03	43	<10	<10	<0.5	3	0.15	<0.5	47	261	47	7.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129991

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708741		<10	<1	0.08	10	0.42	294	1	0.26	44	690	8	0.07	2	3	40
R708742		<10	<1	0.07	<10	<0.01	47	<1	0.15	1	10	<2	0.01	<2	<1	2
R708743		<10	<1	0.07	<10	2.89	63	<1	0.01	87	70	<2	<0.01	<2	10	1
R708744		10	<1	0.04	<10	3.58	87	<1	<0.01	90	110	<2	<0.01	<2	14	1
R708745		10	1	0.04	<10	4.34	149	<1	<0.01	92	300	<2	<0.01	<2	13	1
R708746		10	<1	0.01	<10	5.18	262	<1	<0.01	94	1200	<2	<0.01	<2	18	1
R708747		10	<1	<0.01	<10	6.56	405	<1	<0.01	116	160	<2	<0.01	<2	28	<1
R708748		20	1	<0.01	<10	6.84	459	<1	<0.01	120	340	<2	<0.01	<2	30	<1
R708749		10	<1	<0.01	<10	6.80	564	<1	<0.01	131	250	<2	0.01	<2	30	1
R708750		10	<1	<0.01	<10	6.17	982	<1	0.01	138	250	<2	0.02	2	31	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129991

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708741		<20	0.45	<10	<10	76	<10	71
R708742		<20	<0.01	<10	<10	<1	<10	2
R708743		<20	<0.01	<10	<10	84	<10	5
R708744		<20	<0.01	<10	<10	96	<10	8
R708745		<20	<0.01	<10	<10	100	20	18
R708746		<20	0.01	<10	<10	134	<10	51
R708747		<20	0.01	<10	<10	189	<10	57
R708748		<20	0.01	<10	<10	199	<10	70
R708749		<20	0.01	<10	<10	209	<10	81
R708750		<20	0.01	<10	<10	219	<10	175

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129991

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41