ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

CERTIFICATE TB16120647

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 25-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA26 check assay for sample R712885 are 8.81 ppm and 14.30 ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120647

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R712851		2.96	0.01	<0.2	9.81	4	<10	10	<0.5	<2	9.5	<0.5	17	149	10	2.70
R712852		4.02	0.03	<0.2	8.93	7	<10	10	<0.5	<2	8.1	<0.5	19	26	41	2.74
R712853		3.61	0.02	<0.2	9.27	<2	<10	10	<0.5	<2	8.9	<0.5	12	89	17	2.25
R712854		3.21	0.05	<0.2	8.33	2	<10	10	<0.5	<2	10.1	<0.5	10	95	6	2.01
R712855		2.91	0.55	<0.2	7.36	2	<10	10	<0.5	<2	7.9	<0.5	11	135	31	2.04
R712856		2.89	0.20	<0.2	7.11	<2	<10	10	<0.5	<2	7.3	<0.5	19	25	63	2.96
R712857		2.39	0.25	<0.2	7.87	2	<10	20	<0.5	<2	8.4	<0.5	16	132	8	2.67
R712858		3.14	0.14	<0.2	7.68	<2	<10	20	<0.5	<2	7.7	<0.5	17	153	10	3.35
R712859		4.28	0.13	<0.2	8.68	3	<10	10	<0.5	<2	10.1	<0.5	17	68	42	3.02
R712860		4.39	0.19	<0.2	8.84	3	<10	10	<0.5	<2	9.5	<0.5	18	84	13	3.56
R712861		4.05	0.06	<0.2	9.45	<2	<10	10	<0.5	<2	10.3	<0.5	18	164	43	3.44
R712862		3.01	0.11	<0.2	7.93	<2	<10	10	<0.5	<2	10.7	<0.5	16	79	30	3.89
R712863		2.76	0.34	<0.2	6.74	<2	<10	10	<0.5	<2	8.2	<0.5	15	68	34	3.51
R712864		3.31	0.31	<0.2	4.69	2	<10	40	<0.5	<2	4.45	<0.5	17	24	79	3.30
R712865		3.40	0.01	<0.2	8.94	3	<10	10	<0.5	<2	9.6	<0.5	24	69	31	4.13
R712866		3.30	0.01	<0.2	9.25	<2	<10	10	<0.5	<2	9.5	<0.5	22	123	74	3.85
R712867		2.98	0.06	<0.2	10.00	4	<10	10	<0.5	<2	7.2	<0.5	23	48	25	2.95
R712868		2.97	0.49	<0.2	8.10	3	<10	10	<0.5	<2	7.6	<0.5	19	43	36	3.24
R712869		2.84	0.16	<0.2	7.66	<2	<10	10	<0.5	<2	7.3	<0.5	22	206	21	4.48
R712870		2.83	0.01	<0.2	9.60	11	<10	10	<0.5	<2	8.4	<0.5	28	68	38	3.72
R712871		0.04	1.12	4.0	0.36	<2	<10	20	<0.5	5	0.40	<0.5	4	5	23	1.37
R712872		0.17	<0.01	<0.2	0.29	<2	<10	<10	<0.5	<2	0.03	<0.5	1	3	1	0.49
R712873		2.84	0.09	<0.2	8.41	4	<10	10	<0.5	<2	8.3	<0.5	22	41	21	3.69
R712874		3.37	0.01	<0.2	7.79	5	<10	10	<0.5	<2	7.1	<0.5	26	54	36	4.53
R712875		3.19	0.01	<0.2	6.45	49	<10	<10	<0.5	<2	9.0	<0.5	47	329	45	5.49
R712876		3.20	0.01	<0.2	6.14	40	<10	10	<0.5	<2	7.7	<0.5	35	233	24	5.49
R712877		3.98	0.01	<0.2	7.12	68	<10	10	<0.5	<2	6.71	<0.5	39	195	24	4.49
R712878		2.35	0.08	<0.2	3.87	102	<10	<10	<0.5	<2	6.09	<0.5	25	85	5	1.64
R712879		3.52	0.10	<0.2	5.75	17	<10	<10	<0.5	<2	0.43	<0.5	30	202	6	4.62
R712880		2.68	0.35	<0.2	5.41	33	<10	<10	<0.5	<2	0.96	<0.5	34	190	5	4.59
R712881		2.46	0.02	<0.2	5.38	41	<10	<10	<0.5	<2	0.54	<0.5	37	193	1	4.73
R712882		2.44	0.02	<0.2	5.69	25	<10	<10	<0.5	<2	0.35	<0.5	33	186	1	4.71
R712883		3.36	0.87	<0.2	5.05	159	<10	<10	<0.5	<2	0.08	<0.5	40	193	1	4.54
R712884		3.54	5.35	<0.2	4.10	104	<10	<10	<0.5	<2	0.02	<0.5	39	180	1	2.79
R712885		3.17	11.85	<0.2	5.80	53	<10	<10	<0.5	<2	0.06	<0.5	44	197	<1	4.50
R712886		2.90	2.23	<0.2	6.31	56	<10	<10	<0.5	4	0.15	<0.5	45	215	<1	5.22
R712887		2.10	1.19	<0.2	5.86	49	<10	<10	<0.5	<2	0.43	<0.5	39	202	1	4.32
R712888		2.66	0.56	<0.2	6.00	50	<10	<10	<0.5	<2	0.15	<0.5	39	203	1	4.83
R712889		3.08	0.61	<0.2	5.76	122	<10	<10	<0.5	3	0.08	<0.5	52	203	8	5.77
R712890		2.64	0.71	<0.2	5.47	54	<10	<10	<0.5	<2	0.17	<0.5	33	191	2	4.40

Comments: Additional Au-AA26 check assay for sample R712885 are 8.81 ppm and 14.30 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120647

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R712851		10	<1	0.05	<10	1.29	687	<1	0.64	59	40	<2	<0.01	<2	4	77
R712852		10	<1	0.04	<10	1.32	740	<1	0.64	56	70	<2	0.01	<2	3	70
R712853		10	1	0.04	<10	1.12	704	<1	0.68	42	50	<2	<0.01	<2	4	74
R712854		10	<1	0.04	<10	0.89	749	<1	0.59	31	40	<2	<0.01	<2	3	72
R712855		10	<1	0.07	<10	0.78	619	<1	0.59	33	20	<2	0.02	<2	2	62
R712856		10	<1	0.10	<10	1.12	911	<1	0.62	60	70	<2	0.13	<2	4	59
R712857		10	<1	0.17	<10	1.20	1015	<1	0.65	49	50	<2	<0.01	<2	5	68
R712858		10	<1	0.23	<10	1.75	1145	<1	0.60	58	60	<2	<0.01	<2	8	58
R712859		10	<1	0.09	<10	1.50	1030	<1	0.64	59	100	<2	<0.01	<2	6	73
R712860		10	<1	0.11	<10	1.77	1055	<1	0.64	76	80	<2	<0.01	<2	8	67
R712861		10	<1	0.10	<10	1.55	1305	<1	0.67	74	80	<2	0.01	<2	8	76
R712862		10	<1	0.08	<10	1.85	1695	<1	0.54	72	180	<2	<0.01	<2	8	63
R712863		10	<1	0.10	<10	1.48	1355	<1	0.58	55	80	<2	<0.01	<2	8	56
R712864		10	<1	0.24	10	1.27	768	<1	0.41	43	350	<2	0.39	<2	7	51
R712865		10	<1	0.07	<10	2.17	1195	<1	0.56	88	70	<2	<0.01	<2	9	89
R712866		10	1	0.04	<10	2.09	1080	<1	0.57	67	100	<2	<0.01	<2	7	78
R712867		10	<1	0.05	<10	1.10	770	<1	0.72	63	40	<2	0.01	<2	2	92
R712868		10	<1	0.06	<10	1.12	1110	<1	0.56	61	30	<2	0.06	<2	2	74
R712869		10	<1	0.05	<10	2.11	1275	<1	0.46	70	40	<2	0.05	<2	6	57
R712870		10	1	0.03	<10	1.88	763	<1	0.59	68	80	<2	0.02	<2	7	80
R712871		<10	<1	0.06	<10	0.09	116	7	0.07	6	320	<2	<0.01	<2	1	12
R712872		<10	<1	0.08	<10	0.01	53	<1	0.17	1	10	<2	<0.01	<2	<1	2
R712873		10	<1	0.07	<10	1.77	982	<1	0.53	65	60	<2	0.01	<2	6	70
R712874		10	1	0.06	<10	2.12	1170	<1	0.49	84	90	<2	0.08	<2	9	54
R712875		10	<1	0.02	<10	4.07	1540	<1	0.16	182	120	<2	0.05	<2	22	34
R712876		10	<1	0.03	<10	3.13	1930	<1	0.30	136	70	<2	0.01	<2	19	36
R712877		10	1	0.03	<10	3.37	1165	<1	0.43	146	180	<2	<0.01	<2	18	48
R712878		10	<1	0.01	<10	3.55	1220	<1	0.29	112	20	2	<0.01	<2	11	35
R712879		10	<1	<0.01	<10	6.64	677	<1	<0.01	107	90	<2	<0.01	<2	27	2
R712880		10	<1	<0.01	<10	6.79	823	<1	<0.01	97	140	<2	<0.01	<2	27	2
R712881		10	<1	<0.01	<10	6.44	590	<1	<0.01	98	220	<2	<0.01	<2	26	2
R712882		10	<1	<0.01	<10	6.70	522	<1	<0.01	98	250	<2	<0.01	<2	26	1
R712883		10	<1	0.05	<10	4.95	236	<1	<0.01	207	310	<2	<0.01	<2	21	1
R712884		10	<1	0.07	<10	4.35	209	<1	0.01	162	70	<2	<0.01	<2	13	1
R712885		10	<1	0.02	<10	5.97	543	<1	<0.01	120	260	<2	<0.01	<2	21	1
R712886		10	<1	0.02	<10	6.35	809	<1	0.01	120	270	<2	<0.01	<2	24	1
R712887		10	<1	0.04	<10	6.11	710	<1	0.01	122	1730	<2	<0.01	2	19	1
R712888		10	<1	0.03	<10	6.08	714	1	<0.01	116	530	<2	<0.01	<2	19	1
R712889		10	<1	0.04	<10	5.20	604	<1	0.01	143	190	<2	0.02	<2	13	1
R712890		10	<1	0.03	<10	5.69	562	<1	0.01	115	150	<2	<0.01	<2	17	1

Comments: Additional Au-AA26 check assay for sample R712885 are 8.81 ppm and 14.30 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120647

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R712851		<20	0.02	<10	<10	41	<10	22
R712852		<20	0.04	<10	<10	54	<10	25
R712853		<20	0.03	<10	<10	50	<10	20
R712854		<20	0.02	<10	<10	32	<10	17
R712855		<20	0.01	<10	<10	28	<10	17
R712856		<20	0.04	<10	<10	45	<10	24
R712857		<20	0.05	<10	<10	48	<10	23
R712858		<20	0.06	<10	<10	77	<10	30
R712859		<20	0.05	<10	<10	76	<10	24
R712860		<20	0.05	<10	<10	70	<10	26
R712861		<20	0.04	<10	<10	70	<10	24
R712862		<20	0.03	<10	<10	72	<10	28
R712863		<20	0.05	<10	<10	68	<10	26
R712864		<20	0.07	<10	<10	47	<10	28
R712865		<20	0.05	<10	<10	83	<10	29
R712866		<20	0.04	<10	<10	91	<10	28
R712867		<20	0.03	<10	<10	36	<10	23
R712868		<20	0.02	<10	<10	28	<10	27
R712869		<20	0.03	<10	<10	60	<10	36
R712870		<20	0.03	<10	<10	72	<10	31
R712871		<20	0.25	<10	<10	32	<10	27
R712872		<20	<0.01	<10	<10	<1	<10	2
R712873		<20	0.03	<10	<10	65	<10	29
R712874		<20	0.03	<10	<10	75	<10	37
R712875		<20	0.01	<10	<10	119	<10	36
R712876		<20	0.03	<10	<10	95	<10	33
R712877		<20	0.03	<10	<10	105	<10	28
R712878		<20	<0.01	<10	<10	53	<10	19
R712879		<20	0.01	<10	<10	162	<10	40
R712880		<20	0.01	<10	<10	160	<10	41
R712881		<20	0.01	<10	<10	161	<10	36
R712882		<20	0.01	<10	<10	162	<10	34
R712883		<20	0.01	<10	<10	147	<10	10
R712884		<20	<0.01	<10	<10	113	<10	19
R712885		<20	0.01	<10	<10	154	10	43
R712886		<20	0.01	<10	<10	170	<10	45
R712887		<20	0.01	<10	<10	154	<10	49
R712888		<20	0.01	<10	<10	151	10	46
R712889		<20	0.01	<10	<10	130	<10	40
R712890		<20	0.01	<10	<10	136	20	43

Comments: Additional Au-AA26 check assay for sample R712885 are 8.81 ppm and 14.30 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120647

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R712891		0.03	8.93	1.3	0.12	162	<10	20	<0.5	<2	1.74	<0.5	140	13	3450	1.71
R712892		0.15	<0.01	<0.2	0.28	<2	<10	<10	<0.5	<2	0.03	<0.5	<1	3	5	0.50
R712893		2.00	2.10	<0.2	4.96	37	<10	<10	<0.5	3	1.08	<0.5	31	139	26	4.77
R712894		2.46	0.25	<0.2	6.00	76	<10	<10	<0.5	6	3.04	<0.5	51	192	55	6.91
R712895		3.26	0.22	<0.2	5.44	34	<10	<10	<0.5	2	1.45	<0.5	36	176	23	4.61
R712896		2.95	0.51	<0.2	5.18	26	<10	<10	<0.5	<2	2.96	<0.5	34	171	114	5.77
R712897		2.45	0.12	<0.2	4.83	20	<10	10	<0.5	2	0.64	<0.5	34	169	7	4.35
R712898		2.32	0.08	<0.2	4.75	5	<10	10	<0.5	2	1.15	<0.5	31	182	22	4.81
R712899		2.48	0.11	<0.2	4.31	2	<10	10	<0.5	<2	0.27	<0.5	21	156	1	3.43
R712900		2.37	0.01	<0.2	5.23	2	<10	10	<0.5	<2	0.96	<0.5	30	204	9	4.97

Comments: Additional Au-AA26 check assay for sample R712885 are 8.81 ppm and 14.30 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120647

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R712891		<10	<1	0.04	10	0.76	379	<1	0.02	24	60	190	1.37	<2	5	10
R712892		<10	<1	0.08	<10	0.01	53	<1	0.18	2	10	<2	0.02	<2	<1	1
R712893		10	<1	0.02	10	5.21	597	<1	0.04	80	310	<2	0.03	<2	20	6
R712894		10	<1	0.01	<10	6.44	733	<1	<0.01	104	240	<2	0.26	<2	29	6
R712895		10	<1	0.01	<10	6.16	535	<1	<0.01	97	350	<2	0.06	<2	22	3
R712896		10	<1	0.01	<10	4.80	771	<1	0.04	94	270	<2	0.28	<2	25	10
R712897		10	<1	0.09	<10	4.82	540	<1	0.02	121	280	<2	<0.01	<2	14	4
R712898		10	<1	0.07	<10	4.48	798	<1	0.04	115	210	<2	<0.01	<2	19	7
R712899		10	<1	0.08	<10	4.52	627	<1	0.04	104	190	<2	<0.01	<2	13	5
R712900		10	<1	0.07	<10	4.90	784	<1	0.06	119	180	<2	0.01	<2	21	8

Comments: Additional Au-AA26 check assay for sample R712885 are 8.81 ppm and 14.30 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120647

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R712891		<20	<0.01	<10	<10	2	<10	11
R712892		<20	<0.01	<10	<10	<1	<10	2
R712893		<20	0.01	<10	<10	126	<10	58
R712894		<20	0.01	<10	<10	187	<10	80
R712895		<20	0.01	<10	<10	151	<10	78
R712896		<20	0.02	<10	<10	181	<10	74
R712897		<20	0.01	<10	<10	120	<10	94
R712898		<20	0.01	<10	<10	144	<10	116
R712899		<20	0.01	<10	<10	107	<10	224
R712900		<20	0.02	<10	<10	170	<10	89

Comments: Additional Au-AA26 check assay for sample R712885 are 8.81 ppm and 14.30 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 7-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120647

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41