ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

CERTIFICATE TB16132788

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16132788

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N535861		4.21	0.01	<0.2	9.18	4	<10	20	<0.5	<2	8.2	<0.5	22	176	6	2.79
N535862		4.18	0.06	<0.2	9.00	2	<10	30	<0.5	<2	8.7	<0.5	17	97	97	3.82
N535863		4.11	0.01	<0.2	9.43	6	<10	10	<0.5	<2	8.1	<0.5	20	131	24	2.87
N535864		2.75	0.03	<0.2	7.72	7	<10	20	<0.5	<2	8.4	<0.5	32	218	27	3.89
N535865		3.88	0.01	<0.2	8.61	16	<10	10	<0.5	<2	8.9	<0.5	41	203	41	4.35
N535866		4.11	0.04	<0.2	6.58	14	<10	20	<0.5	<2	7.8	<0.5	50	149	110	5.62
N535867		4.10	0.02	<0.2	6.67	4	<10	40	<0.5	<2	5.91	<0.5	42	282	135	5.69
N535868		4.00	0.03	<0.2	6.42	9	<10	<10	<0.5	<2	6.83	<0.5	48	191	165	4.27
N535869		4.22	0.03	<0.2	5.02	10	<10	20	<0.5	<2	6.27	<0.5	65	223	120	5.82
N535870		4.01	0.02	<0.2	6.21	32	<10	10	<0.5	<2	7.4	<0.5	52	153	156	5.91
N535871		4.02	0.01	<0.2	8.00	21	<10	10	<0.5	<2	6.44	<0.5	25	123	124	3.24
N535872		4.06	0.01	<0.2	6.31	31	<10	10	<0.5	<2	5.77	<0.5	31	100	149	3.25
N535873		4.21	0.01	<0.2	7.58	22	<10	10	<0.5	<2	6.12	<0.5	27	142	61	3.65
N535874		3.95	<0.01	<0.2	9.38	6	<10	10	<0.5	<2	8.5	<0.5	18	131	14	2.82
N535875		4.05	<0.01	<0.2	7.90	12	<10	10	<0.5	<2	8.7	<0.5	22	141	4	3.25
N535876		4.08	0.14	<0.2	6.81	5	<10	20	<0.5	<2	8.2	<0.5	21	100	223	4.67
N535877		3.36	0.01	<0.2	7.66	14	<10	10	<0.5	<2	7.3	<0.5	28	114	43	3.36
N535878		3.36	0.01	<0.2	4.98	3	<10	20	<0.5	<2	6.50	<0.5	39	231	139	5.72
N535879		3.98	0.01	<0.2	7.99	13	<10	10	<0.5	<2	8.3	<0.5	35	94	47	4.10
N535880		3.93	0.01	<0.2	7.99	7	<10	20	<0.5	<2	7.42	<0.5	20	188	6	3.25
N535881		0.06	NSS	<0.2	0.77	2	<10	10	<0.5	<2	0.57	<0.5	8	9	50	2.03
N535882		0.19	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	1	2	2	0.28
N535883		4.08	<0.01	<0.2	6.84	3	<10	30	<0.5	<2	5.90	<0.5	16	108	27	3.05
N535884		4.12	<0.01	<0.2	7.03	4	<10	20	<0.5	<2	6.01	<0.5	11	98	9	2.24
N535885		4.12	<0.01	<0.2	7.65	5	<10	20	<0.5	<2	7.5	<0.5	12	41	3	1.96
N535886		4.09	<0.01	<0.2	8.84	4	<10	10	<0.5	<2	7.40	<0.5	12	103	11	1.94
N535887		4.16	<0.01	<0.2	7.33	3	<10	10	<0.5	<2	6.98	<0.5	17	98	30	2.22
N535888		4.03	<0.01	<0.2	5.43	5	<10	10	<0.5	<2	6.49	<0.5	21	126	56	2.48
N535889		4.19	<0.01	<0.2	7.96	9	<10	10	<0.5	<2	6.49	<0.5	23	90	13	2.74
N535890		2.65	<0.01	<0.2	7.15	12	<10	10	<0.5	<2	7.5	<0.5	23	125	46	3.01
N535891		4.50	0.02	<0.2	5.04	24	<10	<10	<0.5	<2	6.63	<0.5	27	68	219	2.98
N535892		3.61	<0.01	<0.2	6.80	13	<10	10	<0.5	<2	7.07	<0.5	22	146	31	2.81
N535893		3.92	<0.01	<0.2	5.74	3	<10	20	<0.5	<2	7.06	<0.5	18	74	33	2.78
N535894		3.99	<0.01	<0.2	9.16	4	<10	40	<0.5	<2	7.8	<0.5	15	76	15	2.19
N535895		4.18	<0.01	<0.2	8.57	7	<10	50	<0.5	<2	7.5	<0.5	15	98	58	2.07
N535896		4.10	<0.01	<0.2	8.08	6	<10	50	<0.5	<2	6.39	<0.5	25	139	50	3.76
N535897		3.92	<0.01	<0.2	9.53	3	<10	60	<0.5	<2	7.03	<0.5	15	114	3	2.31
N535898		4.09	<0.01	<0.2	8.03	4	<10	40	<0.5	<2	6.99	<0.5	19	73	58	2.20
N535899		4.09	0.01	<0.2	5.43	6	<10	10	<0.5	<2	5.35	<0.5	27	228	51	3.17
N535900		4.18	<0.01	<0.2	7.00	6	<10	10	<0.5	<2	5.80	<0.5	25	91	50	2.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16132788

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
N535861		10	<1	0.06	<10	1.70	888	<1	0.51	95	100	<2	0.01	<2	4	104
N535862		10	<1	0.09	<10	1.49	1410	<1	0.64	69	40	<2	0.26	<2	3	87
N535863		10	<1	0.08	<10	1.31	973	<1	0.69	84	40	<2	0.04	<2	3	86
N535864		10	<1	0.10	<10	2.24	1450	<1	0.60	138	70	<2	0.01	<2	11	62
N535865		10	<1	0.04	<10	3.03	1280	<1	0.50	193	50	<2	0.03	<2	11	61
N535866		10	<1	0.13	<10	1.96	1720	<1	0.46	204	30	<2	0.42	<2	4	47
N535867		10	<1	0.16	<10	2.67	1400	<1	0.35	252	20	<2	0.31	<2	5	42
N535868		10	<1	0.01	<10	4.97	988	<1	0.25	356	30	<2	0.13	<2	9	42
N535869		10	<1	0.10	<10	4.28	1580	<1	0.05	360	120	<2	0.13	<2	10	21
N535870		10	<1	0.04	<10	3.65	1340	<1	0.18	251	90	<2	0.11	<2	10	34
N535871		10	<1	0.02	<10	2.22	707	<1	0.43	121	40	<2	0.04	2	5	67
N535872		10	<1	0.02	<10	2.21	731	<1	0.30	103	30	<2	0.07	<2	3	52
N535873		10	<1	0.02	<10	2.56	752	<1	0.33	104	60	<2	0.04	<2	5	54
N535874		10	<1	0.02	<10	1.89	933	<1	0.51	54	40	<2	<0.01	<2	5	74
N535875		10	<1	0.05	<10	1.67	1450	<1	0.55	76	30	<2	<0.01	<2	5	63
N535876		10	<1	0.07	<10	2.00	2330	<1	0.44	76	40	<2	0.24	<2	6	45
N535877		10	<1	0.02	<10	2.03	967	<1	0.42	102	20	<2	0.01	<2	5	61
N535878		10	<1	0.07	<10	3.02	1220	<1	0.14	118	210	<2	0.13	<2	6	23
N535879		10	<1	0.03	<10	2.79	1245	<1	0.45	165	50	3	0.04	<2	8	49
N535880		10	<1	0.04	<10	1.94	1020	<1	0.53	74	60	2	<0.01	<2	6	56
N535881		<10	<1	0.05	10	0.23	219	1	0.19	8	730	3	0.03	<2	2	28
N535882		<10	<1	<0.01	<10	<0.01	29	<1	0.01	1	10	<2	0.02	<2	<1	1
N535883		10	<1	0.06	<10	1.34	973	<1	0.47	56	40	<2	0.03	2	4	50
N535884		10	<1	0.05	<10	0.97	685	<1	0.41	34	20	3	0.01	4	2	53
N535885		10	<1	0.06	<10	1.09	574	<1	0.45	34	20	<2	<0.01	<2	2	56
N535886		10	<1	0.03	<10	1.32	487	<1	0.54	34	70	<2	<0.01	2	2	70
N535887		10	<1	0.02	<10	1.71	540	<1	0.44	56	20	2	<0.01	<2	2	57
N535888		10	<1	<0.01	<10	2.15	652	<1	0.28	76	40	<2	0.05	2	5	38
N535889		10	<1	0.01	<10	2.15	592	<1	0.50	86	30	3	<0.01	2	3	67
N535890		10	<1	0.01	<10	2.50	725	<1	0.41	73	40	2	<0.01	3	4	54
N535891		10	<1	<0.01	<10	2.67	748	<1	0.20	99	90	<2	0.07	2	5	30
N535892		10	<1	0.02	<10	2.36	806	<1	0.39	79	50	<2	<0.01	<2	6	46
N535893		10	<1	0.05	<10	2.15	923	<1	0.32	67	30	<2	<0.01	2	6	31
N535894		10	<1	0.03	<10	1.58	579	<1	0.58	51	40	<2	<0.01	3	3	65
N535895		10	<1	0.03	<10	1.20	555	<1	0.54	47	40	3	<0.01	<2	2	64
N535896		10	<1	0.03	<10	2.09	836	<1	0.51	112	20	2	0.03	2	2	50
N535897		10	<1	0.03	<10	1.55	550	<1	0.68	47	20	2	<0.01	5	2	70
N535898		10	<1	0.02	<10	1.41	471	<1	0.54	67	30	<2	0.05	3	2	62
N535899		<10	<1	<0.01	<10	2.78	689	<1	0.19	109	20	<2	0.01	<2	4	31
N535900		10	<1	0.01	<10	2.10	482	<1	0.43	93	20	2	0.01	<2	3	53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16132788

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N535861		<20	0.03	<10	<10	39	<10	27
N535862		<20	0.03	<10	<10	35	<10	29
N535863		<20	0.03	<10	<10	36	<10	26
N535864		<20	0.05	<10	<10	92	<10	48
N535865		<20	0.02	<10	<10	77	<10	51
N535866		<20	0.04	<10	<10	38	<10	46
N535867		<20	0.05	<10	<10	51	40	55
N535868		<20	0.01	<10	<10	44	<10	44
N535869		<20	0.03	<10	<10	81	<10	79
N535870		<20	0.03	<10	<10	80	<10	63
N535871		<20	0.02	<10	<10	52	<10	36
N535872		<20	0.03	<10	<10	49	<10	39
N535873		<20	0.05	<10	<10	55	<10	56
N535874		<20	0.02	<10	<10	47	<10	124
N535875		<20	0.02	<10	<10	44	<10	149
N535876		<20	0.02	<10	<10	51	<10	150
N535877		<20	0.02	<10	<10	56	<10	94
N535878		<20	0.07	<10	<10	132	<10	72
N535879		<20	0.03	<10	<10	62	<10	55
N535880		<20	0.04	<10	<10	60	<10	38
N535881		<20	0.41	<10	<10	69	<10	42
N535882		<20	<0.01	<10	<10	<1	<10	<2
N535883		<20	0.04	<10	<10	44	<10	27
N535884		<20	0.03	<10	<10	32	<10	19
N535885		<20	0.02	<10	<10	28	<10	18
N535886		<20	0.03	<10	<10	32	<10	18
N535887		<20	0.02	<10	<10	36	<10	20
N535888		<20	0.04	<10	<10	53	<10	21
N535889		<20	0.02	<10	<10	39	<10	23
N535890		<20	0.03	<10	<10	54	<10	26
N535891		<20	0.07	<10	<10	63	<10	27
N535892		<20	0.02	<10	<10	47	<10	25
N535893		<20	<0.01	<10	<10	46	<10	20
N535894		<20	0.01	<10	<10	35	<10	16
N535895		<20	0.03	<10	<10	31	<10	13
N535896		<20	0.03	<10	<10	40	<10	24
N535897		<20	0.03	<10	<10	35	<10	16
N535898		<20	0.04	<10	<10	29	<10	15
N535899		<20	0.03	<10	<10	48	<10	26
N535900		<20	0.03	<10	<10	39	<10	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16132788

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N535903		0.05	1.42	<0.2	0.41	122	<10	10	<0.5	2	0.15	<0.5	3	128	29	2.18
N535904		0.17	<0.01	<0.2	0.03	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.38
N535901		4.06	<0.01	<0.2	7.11	6	<10	20	<0.5	<2	5.90	<0.5	25	126	100	3.13
N535902		2.93	<0.01	<0.2	7.83	7	<10	20	<0.5	<2	7.1	<0.5	23	89	66	2.79
N535905		2.87	<0.01	<0.2	5.57	7	<10	30	<0.5	<2	6.56	<0.5	29	97	55	3.67
N535906		3.89	<0.01	<0.2	5.94	5	<10	20	<0.5	<2	8.1	<0.5	27	91	50	3.73
N535907		2.32	0.02	<0.2	4.67	8	<10	<10	<0.5	<2	9.7	<0.5	37	153	234	4.00
N535908		3.96	<0.01	<0.2	4.86	6	<10	10	<0.5	<2	8.1	<0.5	31	193	73	3.39
N535909		3.49	0.01	<0.2	4.82	10	<10	10	<0.5	<2	6.66	<0.5	26	122	52	3.31
N535910		3.63	0.02	<0.2	4.51	4	<10	10	<0.5	<2	6.60	<0.5	27	81	63	5.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16132788

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
N535903		<10	<1	0.04	<10	0.07	54	<1	0.01	17	60	2	0.02	<2	4	5
N535904		<10	<1	0.01	<10	<0.01	39	<1	0.01	1	10	<2	0.02	<2	<1	1
N535901		10	<1	0.01	<10	2.69	629	<1	0.35	100	40	<2	0.01	2	4	46
N535902		10	<1	0.02	<10	1.74	625	<1	0.47	81	50	2	0.01	<2	2	54
N535905		10	<1	0.03	<10	2.44	950	<1	0.27	129	20	2	0.03	<2	5	32
N535906		10	<1	0.03	<10	2.48	1025	<1	0.36	91	50	2	<0.01	<2	11	35
N535907		10	<1	0.01	<10	3.49	968	<1	0.08	125	60	2	0.04	<2	23	18
N535908		10	<1	0.02	<10	2.28	916	<1	0.27	96	40	2	<0.01	<2	10	29
N535909		10	<1	0.03	<10	2.03	978	<1	0.36	73	60	2	0.03	<2	12	27
N535910		10	<1	0.03	<10	1.86	1015	<1	0.21	51	210	2	0.44	<2	11	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16132788

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N535903		<20	0.02	<10	<10	64	<10	13
N535904		<20	<0.01	<10	<10	<1	<10	<2
N535901		<20	0.04	<10	<10	47	<10	26
N535902		<20	0.02	<10	<10	34	<10	19
N535905		<20	<0.01	<10	<10	35	<10	25
N535906		<20	<0.01	<10	<10	77	<10	34
N535907		<20	0.01	<10	<10	134	<10	33
N535908		<20	<0.01	<10	<10	70	<10	29
N535909		<20	0.01	<10	<10	80	<10	39
N535910		<20	0.03	<10	<10	131	<10	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16132788

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: Au-AA26 ME-ICP41