ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

CERTIFICATE TB16120650

Project: 180.04E.84A12A

This report is for 29 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 25-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120650

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R712951		2.85	0.01	<0.2	4.10	3	<10	10	<0.5	<2	4.46	<0.5	39	197	91	6.01
R712952		3.11	0.01	<0.2	3.62	6	<10	<10	<0.5	2	4.18	<0.5	40	194	105	6.48
R712953		3.09	<0.01	<0.2	3.65	<2	<10	20	<0.5	2	5.29	<0.5	41	193	121	5.86
R712954		2.69	<0.01	<0.2	4.11	<2	<10	20	<0.5	3	6.24	<0.5	43	212	112	6.49
R712955		2.62	<0.01	<0.2	3.58	<2	<10	10	<0.5	4	5.99	<0.5	40	190	108	6.09
R712956		2.64	<0.01	<0.2	3.70	<2	<10	10	<0.5	2	5.68	<0.5	39	193	126	6.17
R712957		2.83	0.01	<0.2	3.78	<2	<10	20	<0.5	3	6.37	<0.5	41	200	129	6.63
R712958		2.59	0.02	<0.2	3.63	2	<10	10	<0.5	4	6.89	<0.5	44	193	145	6.68
R712959		2.32	0.01	<0.2	3.18	3	<10	20	<0.5	3	1.61	<0.5	33	156	64	3.98
R712960		2.61	0.01	<0.2	4.09	2	<10	<10	<0.5	2	5.22	<0.5	43	192	148	7.21
R712961		0.04	NSS	<0.2	2.24	686	10	70	<0.5	2	0.67	<0.5	16	682	147	12.85
R712962		0.15	<0.01	<0.2	0.43	<2	<10	<10	<0.5	<2	0.03	<0.5	<1	4	1	0.59
R712963		2.72	0.02	<0.2	3.69	2	<10	100	<0.5	3	6.39	<0.5	29	176	140	7.92
R712964		2.67	0.08	0.5	3.03	2	<10	20	<0.5	13	4.17	<0.5	28	191	403	23.0
R712965		3.87	0.01	<0.2	3.52	3	<10	10	<0.5	4	5.25	<0.5	31	147	101	6.38
R712966		3.93	<0.01	<0.2	3.15	3	<10	20	<0.5	3	4.01	<0.5	33	167	181	5.54
R712967		3.91	0.01	<0.2	2.50	2	<10	20	<0.5	3	4.40	<0.5	30	188	86	4.58
R712968		3.55	<0.01	<0.2	4.29	6	<10	10	<0.5	<2	5.44	<0.5	41	279	82	7.06
R712969		3.63	<0.01	<0.2	3.24	6	10	10	<0.5	<2	4.02	<0.5	33	172	142	5.24
R712970		3.65	<0.01	<0.2	3.71	7	<10	40	<0.5	<2	4.49	<0.5	37	208	75	5.94
R712971		2.88	0.01	<0.2	3.82	2	<10	100	<0.5	<2	5.83	<0.5	42	214	156	6.46
R712972		2.90	<0.01	<0.2	2.30	<2	<10	80	<0.5	<2	3.46	<0.5	32	66	144	5.08
R712973		1.86	0.01	<0.2	1.39	<2	<10	100	<0.5	<2	2.11	<0.5	10	142	41	2.33
R712974		4.25	<0.01	<0.2	1.34	2	<10	10	<0.5	<2	2.43	<0.5	19	137	122	2.39
R712975		0.04	1.14	<0.2	0.86	<2	<10	20	<0.5	<2	0.63	<0.5	9	10	53	2.13
R712976		0.14	<0.01	<0.2	0.45	<2	<10	<10	<0.5	<2	0.03	<0.5	<1	4	1	0.60
R712977		4.67	<0.01	<0.2	1.33	<2	<10	30	<0.5	<2	2.35	<0.5	19	113	110	2.01
R712978		4.48	<0.01	<0.2	1.73	2	<10	20	<0.5	<2	4.02	<0.5	24	114	135	2.80
R712979		3.08	<0.01	<0.2	1.35	2	<10	20	<0.5	<2	1.79	<0.5	42	93	117	3.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120650

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R712951		10	<1	0.02	<10	4.26	878	<1	0.02	113	210	<2	0.81	<2	19	11
R712952		10	<1	0.02	<10	3.58	949	<1	0.03	111	240	2	1.74	<2	17	8
R712953		10	<1	0.09	<10	3.48	900	<1	0.02	108	230	<2	0.54	<2	14	12
R712954		10	<1	0.08	<10	3.78	1150	<1	0.02	117	250	<2	0.48	<2	14	16
R712955		10	<1	0.04	<10	3.22	1180	<1	0.02	112	240	4	0.61	<2	12	16
R712956		10	<1	0.04	<10	3.39	1140	<1	0.03	107	240	<2	0.54	<2	15	15
R712957		10	<1	0.05	<10	3.41	1345	<1	0.02	114	240	<2	0.79	<2	17	17
R712958		10	<1	0.03	<10	3.28	1285	<1	0.02	104	240	2	1.05	<2	16	18
R712959		10	<1	0.09	<10	3.64	591	<1	0.01	113	670	2	0.93	<2	17	3
R712960		10	<1	0.02	<10	3.63	1245	<1	0.02	114	230	<2	0.82	<2	11	12
R712961		20	<1	0.06	10	0.34	246	<1	0.02	89	180	6	0.10	2	25	22
R712962		<10	1	0.13	<10	0.01	60	<1	0.27	2	10	2	0.01	<2	<1	3
R712963		10	<1	0.21	<10	3.21	1380	<1	0.02	88	220	<2	1.46	<2	11	16
R712964		10	<1	0.07	<10	2.53	995	<1	0.02	154	230	<2	7.03	2	15	17
R712965		10	<1	0.04	<10	2.94	1395	<1	0.05	89	240	<2	0.66	<2	12	19
R712966		10	1	0.04	<10	2.78	925	<1	0.06	89	380	<2	0.63	<2	10	19
R712967		10	<1	0.04	<10	2.41	960	<1	0.06	91	340	<2	0.21	<2	16	17
R712968		10	<1	0.02	10	4.20	1145	<1	0.03	115	370	2	0.24	<2	28	22
R712969		10	<1	0.02	<10	3.06	935	<1	0.05	85	240	2	0.27	3	19	18
R712970		10	<1	0.09	<10	3.64	1125	<1	0.05	100	260	2	0.15	2	19	21
R712971		10	<1	0.23	<10	3.38	1300	<1	0.03	110	300	<2	0.45	4	19	36
R712972		10	<1	0.20	<10	1.74	655	<1	0.10	47	460	3	0.54	<2	15	30
R712973		10	<1	0.43	10	1.14	367	<1	0.05	41	370	2	0.21	<2	4	19
R712974		<10	<1	0.05	10	1.29	491	<1	0.08	58	440	<2	0.22	<2	7	22
R712975		<10	<1	0.05	10	0.25	232	1	0.22	9	770	<2	0.04	<2	2	31
R712976		<10	<1	0.13	<10	0.01	63	<1	0.28	2	10	<2	0.01	<2	<1	3
R712977		<10	<1	0.09	<10	1.01	513	<1	0.08	61	290	<2	0.08	<2	6	30
R712978		<10	<1	0.05	<10	1.34	669	<1	0.09	73	260	<2	0.26	<2	8	43
R712979		<10	<1	0.05	<10	1.14	501	<1	0.08	67	240	<2	0.59	<2	8	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120650

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R712951		<20	0.09	<10	<10	175	<10	108
R712952		<20	0.11	10	<10	175	<10	73
R712953		<20	0.08	<10	<10	153	<10	86
R712954		<20	0.09	<10	<10	183	<10	83
R712955		<20	0.07	<10	<10	147	<10	74
R712956		<20	0.08	<10	<10	152	<10	81
R712957		<20	0.06	<10	<10	166	<10	114
R712958		<20	0.06	<10	<10	172	<10	100
R712959		<20	0.04	<10	<10	132	<10	89
R712960		<20	0.07	<10	<10	157	<10	100
R712961		<20	0.07	<10	<10	366	<10	67
R712962		<20	<0.01	<10	<10	1	<10	2
R712963		<20	0.09	<10	<10	150	<10	110
R712964		<20	0.04	<10	<10	132	<10	66
R712965		<20	0.06	<10	<10	120	<10	86
R712966		<20	0.08	<10	<10	100	<10	60
R712967		<20	0.12	<10	<10	122	<10	44
R712968		<20	0.16	<10	<10	225	<10	62
R712969		<20	0.14	10	<10	166	<10	48
R712970		<20	0.13	<10	<10	175	<10	58
R712971		<20	0.10	<10	<10	158	<10	74
R712972		<20	0.14	<10	<10	152	<10	59
R712973		<20	0.08	<10	<10	39	<10	31
R712974		<20	0.12	<10	<10	61	<10	25
R712975		<20	0.44	<10	<10	74	<10	44
R712976		<20	<0.01	<10	<10	<1	<10	2
R712977		<20	0.14	<10	<10	52	<10	24
R712978		<20	0.14	<10	<10	66	<10	30
R712979		<20	0.16	<10	<10	77	<10	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120650

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA26	ME-ICP41