ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

CERTIFICATE TB16135736

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 16-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135736

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709330		2.92	0.01	0.3	4.75	4	<10	40	<0.5	<2	5.88	<0.5	38	215	146	6.38
R709331		3.06	0.04	0.4	4.50	3	<10	50	<0.5	3	3.14	<0.5	45	206	248	6.79
R709332		3.15	3.91	0.2	3.39	5	<10	40	<0.5	2	1.60	<0.5	37	146	123	5.95
R709333		2.98	0.24	0.4	4.03	4	<10	20	<0.5	<2	2.24	<0.5	45	180	146	6.45
R709334		2.94	0.19	1.4	5.10	20	<10	10	<0.5	<2	0.87	<0.5	58	203	753	7.28
R709335		2.74	0.04	0.4	4.63	56	<10	10	<0.5	2	0.06	<0.5	61	165	208	6.39
R709336		3.12	0.14	0.4	5.60	33	<10	10	<0.5	2	0.63	1.1	79	217	245	8.08
R709337		3.28	0.08	0.3	4.53	7	<10	10	<0.5	<2	2.86	<0.5	44	210	144	6.52
R709338		4.47	0.01	<0.2	2.99	4	<10	610	0.8	<2	6.39	<0.5	36	1120	47	4.33
R709339		3.19	0.81	0.2	4.85	2	<10	40	<0.5	<2	0.22	<0.5	48	245	72	6.70
R709340		3.29	1.60	1.1	5.02	8	<10	10	<0.5	4	0.13	1.1	56	188	548	6.83
R709341		3.13	0.01	<0.2	4.41	3	<10	10	<0.5	<2	5.42	<0.5	39	227	118	6.48
R709342		2.75	0.10	0.3	5.08	14	<10	<10	<0.5	<2	3.12	<0.5	49	237	204	7.14
R709343		2.86	0.01	<0.2	4.47	4	<10	20	<0.5	<2	5.73	<0.5	39	197	148	6.82
R709344		2.92	<0.01	0.2	4.69	3	<10	20	<0.5	<2	5.82	<0.5	40	202	153	6.85
R709345		2.99	0.31	<0.2	4.74	4	<10	10	<0.5	<2	6.03	<0.5	40	192	140	6.81
R709346		2.80	0.09	0.4	4.89	<2	<10	10	<0.5	<2	4.73	<0.5	43	185	247	6.85
R709347		2.93	0.02	<0.2	4.71	<2	<10	10	<0.5	<2	4.71	<0.5	40	189	118	6.87
R709348		2.92	0.01	<0.2	4.53	2	<10	30	<0.5	<2	5.11	<0.5	39	210	105	6.87
R709349		2.85	0.01	<0.2	4.67	3	<10	20	<0.5	<2	4.27	<0.5	39	200	74	7.17
R709350		0.05	6.13	22.0	0.28	239	<10	10	<0.5	<2	0.49	<0.5	9	25	76	1.76
R709351		0.16	<0.01	<0.2	0.05	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	3	0.42
R709352		2.91	0.18	0.6	3.80	2	<10	30	<0.5	11	3.76	<0.5	31	151	177	11.20
R709353		2.78	0.04	0.3	5.52	2	<10	20	<0.5	<2	2.32	<0.5	46	199	155	8.71
R709354		2.14	0.01	0.3	5.15	<2	<10	10	<0.5	<2	3.06	<0.5	47	184	183	8.42
R709355		2.71	0.06	0.6	4.32	3	<10	30	<0.5	2	3.08	<0.5	44	177	208	12.90
R709356		4.51	0.01	0.2	4.31	3	<10	20	<0.5	<2	5.47	<0.5	40	183	154	6.92
R709357		2.54	0.03	<0.2	4.25	2	<10	10	<0.5	<2	5.64	<0.5	38	225	129	6.44
R709358		2.99	<0.01	<0.2	4.51	3	<10	30	<0.5	2	4.24	<0.5	38	203	77	6.95
R709359		2.92	<0.01	<0.2	3.75	<2	<10	20	<0.5	<2	2.38	<0.5	29	182	90	5.84
R709360		3.08	0.01	<0.2	3.91	2	<10	20	<0.5	<2	5.02	<0.5	36	170	134	6.20
R709361		2.56	<0.01	<0.2	4.17	2	<10	20	<0.5	<2	4.86	<0.5	39	176	143	6.59
R709362		3.20	0.02	0.3	4.59	10	<10	40	<0.5	<2	2.11	<0.5	30	184	213	10.55
R709363		2.92	<0.01	<0.2	3.13	3	<10	40	<0.5	<2	1.62	<0.5	10	94	3	2.41
R709364		2.83	0.01	<0.2	2.75	3	<10	30	<0.5	<2	3.25	<0.5	19	110	68	3.69
R709365		4.07	<0.01	<0.2	3.16	2	<10	<10	<0.5	<2	5.15	<0.5	1	125	<1	1.39
R709366		2.86	0.13	<0.2	1.17	4	<10	40	<0.5	<2	1.11	<0.5	6	25	17	1.77
R709367		3.79	0.18	<0.2	4.28	3	<10	20	<0.5	<2	2.58	<0.5	25	187	39	4.09
R709368		4.49	0.02	<0.2	1.70	9	<10	70	<0.5	<2	3.29	<0.5	15	246	29	2.80
R709369		5.18	0.01	<0.2	3.00	4	<10	20	<0.5	<2	3.86	<0.5	33	142	132	4.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135736

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709330		10	<1	0.28	<10	3.33	1360	<1	0.12	123	190	<2	0.28	<2	8	22
R709331		10	<1	0.35	<10	2.88	1350	<1	0.14	133	200	<2	0.74	<2	7	18
R709332		10	<1	0.35	<10	2.13	1430	<1	0.09	109	200	3	0.86	<2	5	10
R709333		10	<1	0.17	<10	2.94	1080	<1	0.07	128	210	3	0.68	<2	8	10
R709334		10	<1	0.08	<10	4.08	886	<1	0.05	128	260	<2	0.36	<2	12	6
R709335		10	1	0.08	<10	4.00	606	<1	0.01	125	180	<2	0.14	<2	10	1
R709336		10	<1	0.03	<10	5.02	771	<1	0.01	130	210	<2	0.39	<2	19	2
R709337		10	<1	0.04	<10	4.11	952	<1	0.01	130	200	<2	0.13	<2	17	9
R709338		10	<1	2.22	20	6.92	812	<1	0.04	184	910	2	0.11	<2	22	380
R709339		10	<1	0.15	<10	4.30	687	<1	0.02	160	220	<2	0.15	<2	19	6
R709340		10	<1	0.07	<10	4.49	793	1	0.01	138	170	6	0.23	<2	17	3
R709341		10	<1	0.06	<10	3.92	992	<1	0.01	129	200	<2	0.14	<2	20	18
R709342		10	<1	0.05	<10	4.32	863	<1	0.02	137	220	<2	0.10	<2	20	13
R709343		10	<1	0.32	<10	3.85	1010	<1	0.02	116	240	<2	0.22	<2	19	19
R709344		10	<1	0.24	<10	3.81	1020	<1	0.06	118	220	2	0.46	<2	14	24
R709345		10	<1	0.10	<10	3.88	1070	<1	0.05	122	200	<2	0.29	<2	16	21
R709346		10	<1	0.07	<10	4.10	1010	<1	0.05	122	210	<2	0.22	<2	17	17
R709347		10	<1	0.12	<10	3.93	1010	<1	0.04	126	190	2	0.26	<2	18	16
R709348		10	<1	0.23	<10	3.95	1080	<1	0.02	127	220	<2	0.22	<2	23	20
R709349		10	<1	0.10	<10	4.14	951	<1	0.02	115	220	<2	0.38	<2	22	19
R709350		<10	<1	0.05	<10	0.20	187	26	0.05	107	230	11	0.38	3	1	12
R709351		<10	<1	0.01	<10	<0.01	44	<1	0.03	1	10	<2	0.02	<2	<1	1
R709352		10	<1	0.12	<10	3.70	917	1	0.01	92	180	<2	2.99	<2	18	17
R709353		10	<1	0.09	<10	5.12	825	<1	0.01	123	320	2	1.03	<2	21	11
R709354		10	<1	0.07	<10	4.87	871	<1	0.01	118	380	<2	1.10	<2	19	14
R709355		10	<1	0.19	<10	4.03	803	<1	0.01	122	220	<2	3.73	<2	18	15
R709356		10	<1	0.13	<10	4.06	1120	<1	0.02	116	210	3	0.36	<2	20	22
R709357		10	<1	0.06	<10	4.04	1000	<1	0.01	129	230	<2	0.11	<2	21	21
R709358		10	<1	0.13	<10	4.32	924	<1	0.01	110	210	<2	0.40	<2	23	14
R709359		10	<1	0.14	<10	3.74	636	<1	0.01	103	280	<2	0.66	<2	17	6
R709360		10	<1	0.13	<10	3.73	789	<1	0.02	114	220	<2	0.45	<2	12	12
R709361		10	<1	0.13	<10	3.92	748	<1	0.01	116	230	<2	0.39	<2	12	13
R709362		10	<1	0.28	<10	5.03	620	<1	0.01	102	200	2	3.99	<2	17	7
R709363		10	<1	0.42	10	3.28	479	<1	0.07	55	240	<2	0.02	<2	12	12
R709364		10	1	0.15	<10	2.68	618	<1	0.03	56	240	6	0.35	<2	12	12
R709365		<10	<1	0.06	<10	4.56	827	<1	<0.01	32	80	<2	<0.01	<2	15	35
R709366		10	<1	0.25	10	1.02	294	<1	0.04	15	290	<2	0.16	<2	3	7
R709367		10	<1	0.06	<10	5.22	631	<1	0.01	95	220	2	0.13	<2	21	13
R709368		10	<1	0.21	10	2.30	571	<1	0.03	99	530	2	0.25	<2	8	31
R709369		10	<1	0.07	<10	2.98	750	<1	0.04	94	230	<2	0.28	<2	8	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135736

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709330		<20	0.09	<10	<10	157	10	82
R709331		<20	0.10	<10	<10	145	<10	76
R709332		<20	0.12	<10	<10	104	<10	86
R709333		<20	0.08	<10	<10	139	<10	113
R709334		<20	0.06	<10	<10	151	<10	243
R709335		<20	0.03	<10	<10	100	<10	167
R709336		<20	0.04	<10	<10	172	<10	456
R709337		<20	0.04	<10	<10	168	<10	86
R709338		<20	0.21	<10	<10	103	<10	71
R709339		<20	0.04	<10	<10	158	<10	93
R709340		<20	0.03	<10	<10	139	<10	249
R709341		<20	0.05	<10	<10	183	<10	73
R709342		<20	0.05	<10	<10	204	<10	110
R709343		<20	0.08	<10	<10	195	<10	70
R709344		<20	0.07	<10	<10	185	<10	122
R709345		<20	0.06	<10	<10	186	10	92
R709346		<20	0.04	<10	<10	178	<10	108
R709347		<20	0.05	<10	<10	183	<10	95
R709348		<20	0.07	<10	<10	195	10	92
R709349		<20	0.05	<10	<10	192	10	105
R709350		<20	0.13	<10	<10	22	<10	71
R709351		<20	<0.01	<10	<10	<1	<10	<2
R709352		<20	0.04	<10	<10	148	<10	83
R709353		<20	0.03	<10	<10	181	<10	131
R709354		<20	0.03	<10	<10	172	<10	97
R709355		<20	0.04	<10	<10	151	<10	85
R709356		<20	0.06	<10	<10	175	<10	73
R709357		<20	0.05	<10	<10	170	<10	66
R709358		<20	0.05	<10	<10	203	<10	93
R709359		<20	0.04	<10	<10	161	<10	64
R709360		<20	0.06	<10	<10	147	<10	70
R709361		<20	0.06	<10	<10	160	<10	72
R709362		<20	0.05	<10	<10	148	<10	85
R709363		<20	0.04	<10	<10	82	<10	39
R709364		<20	0.05	<10	<10	105	<10	59
R709365		<20	<0.01	<10	<10	72	<10	47
R709366		<20	0.04	<10	<10	30	<10	27
R709367		<20	0.02	<10	<10	157	<10	62
R709368		<20	0.04	<10	<10	61	<10	41
R709369		<20	0.06	<10	<10	92	<10	57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135736

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709370		4.68	<0.01	<0.2	2.88	3	<10	30	<0.5	<2	3.81	<0.5	38	146	178	5.43
R709371		4.79	0.01	<0.2	2.64	4	<10	60	<0.5	<2	4.21	<0.5	29	328	123	3.76
R709372		0.06	2.70	1.5	0.64	55	<10	70	0.5	<2	0.94	<0.5	23	54	80	4.39
R709373		0.17	<0.01	<0.2	0.04	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.38
R709374		4.59	<0.01	<0.2	3.99	3	<10	20	<0.5	<2	5.26	<0.5	37	161	136	6.22
R709375		4.48	<0.01	<0.2	3.61	6	<10	30	<0.5	<2	4.99	<0.5	35	142	136	5.96
R709376		2.93	0.01	<0.2	3.35	4	<10	50	<0.5	<2	4.44	<0.5	35	202	102	5.77
R709377		2.21	0.15	0.9	2.49	6	<10	50	<0.5	16	1.33	<0.5	13	118	452	23.6
R709378		2.70	0.14	<0.2	5.47	8	<10	10	<0.5	<2	0.23	<0.5	30	224	6	4.64
R709379		3.64	0.63	<0.2	3.33	33	<10	30	<0.5	2	1.24	<0.5	15	217	9	2.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135736

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709370		10	<1	0.13	<10	3.16	839	<1	0.03	110	230	<2	0.89	<2	9	28
R709371		10	<1	0.21	20	2.86	612	<1	0.04	131	1010	<2	0.26	<2	5	39
R709372		<10	1	0.25	20	0.54	643	13	0.10	67	520	19	1.23	<2	5	124
R709373		<10	<1	0.01	<10	<0.01	40	1	0.02	1	10	<2	0.02	<2	<1	1
R709374		10	<1	0.08	<10	3.59	771	<1	0.03	109	240	<2	0.34	<2	9	25
R709375		10	<1	0.14	<10	3.25	787	<1	0.03	102	230	<2	0.57	<2	8	17
R709376		10	<1	0.18	<10	3.21	1030	<1	0.03	104	310	7	0.60	<2	9	19
R709377		<10	<1	0.34	10	2.16	429	<1	0.02	100	430	2	6.73	<2	9	12
R709378		10	<1	0.11	<10	6.84	671	<1	<0.01	120	580	<2	0.04	<2	26	2
R709379		10	<1	0.27	10	4.08	337	<1	0.01	190	500	<2	0.05	<2	12	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135736

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709370		<20	0.06	<10	<10	99	<10	61
R709371		<20	0.08	<10	<10	70	<10	43
R709372		<20	0.02	<10	<10	25	<10	119
R709373		<20	<0.01	<10	<10	<1	<10	<2
R709374		<20	0.06	<10	<10	132	<10	90
R709375		<20	0.08	<10	<10	113	<10	76
R709376		<20	0.10	<10	<10	142	<10	88
R709377		<20	0.08	<10	<10	129	10	56
R709378		<20	0.02	<10	<10	174	<10	69
R709379		<20	0.03	<10	<10	96	<10	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135736

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41