ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

CERTIFICATE TB16138075

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 20-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138075

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709401		4.68	0.01	<0.2	8.56	3	<10	10	<0.5	<2	6.79	<0.5	20	132	88	2.83
R709402		4.22	<0.01	<0.2	8.50	<2	<10	10	<0.5	<2	6.21	<0.5	17	84	15	2.87
R709403		4.38	<0.01	<0.2	9.11	7	<10	10	<0.5	<2	7.3	<0.5	21	105	27	2.53
R709404		2.75	0.02	<0.2	8.02	2	<10	10	<0.5	<2	7.3	<0.5	19	67	7	2.75
R709405		2.79	<0.01	<0.2	8.38	4	<10	10	<0.5	<2	6.55	<0.5	22	54	9	2.96
R709406		3.88	0.05	<0.2	7.38	<2	<10	10	<0.5	<2	7.5	<0.5	18	129	5	2.85
R709407		4.50	<0.01	<0.2	7.52	<2	<10	10	<0.5	<2	6.36	<0.5	18	128	10	3.18
R709408		4.14	<0.01	<0.2	7.63	3	10	10	<0.5	<2	5.86	<0.5	18	50	27	2.75
R709409		4.17	<0.01	<0.2	7.49	8	10	20	<0.5	2	6.83	<0.5	20	161	12	2.43
R709410		3.98	0.20	<0.2	5.98	8	<10	30	<0.5	2	5.69	<0.5	20	62	47	3.62
R709411		4.45	0.08	<0.2	5.84	2	<10	20	<0.5	2	5.85	<0.5	20	97	60	2.94
R709412		4.27	<0.01	<0.2	7.15	3	<10	10	<0.5	<2	7.3	<0.5	21	167	55	3.22
R709413		4.32	<0.01	<0.2	7.26	<2	<10	10	<0.5	<2	8.5	<0.5	16	58	9	2.70
R709414		4.28	<0.01	<0.2	6.87	3	<10	10	<0.5	<2	6.39	<0.5	22	82	58	3.10
R709415		4.29	0.01	<0.2	8.11	<2	<10	10	<0.5	<2	7.0	<0.5	18	108	80	2.56
R709416		4.32	0.01	<0.2	7.33	6	<10	10	<0.5	2	6.20	<0.5	22	89	113	2.60
R709417		4.37	<0.01	<0.2	6.40	2	<10	10	<0.5	<2	6.50	<0.5	17	65	27	2.40
R709418		4.33	<0.01	<0.2	7.75	3	<10	20	<0.5	<2	5.58	<0.5	17	98	12	2.46
R709419		4.17	<0.01	<0.2	6.08	2	<10	10	<0.5	<2	4.82	<0.5	21	62	56	2.52
R709420		4.21	<0.01	<0.2	7.70	<2	<10	10	<0.5	<2	5.53	<0.5	20	142	46	2.75
R709421		0.06	1.11	<0.2	0.87	<2	<10	20	<0.5	<2	0.64	<0.5	8	10	56	2.15
R709422		0.18	<0.01	<0.2	0.03	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.31
R709423		4.24	<0.01	<0.2	8.74	3	<10	10	<0.5	<2	6.96	<0.5	23	44	26	2.71
R709424		4.29	<0.01	<0.2	8.85	<2	<10	10	<0.5	<2	7.9	<0.5	17	135	39	2.79
R709425		4.11	<0.01	<0.2	10.15	2	<10	10	<0.5	2	7.9	<0.5	14	84	18	2.73
R709426		4.32	0.01	<0.2	7.50	<2	<10	10	<0.5	<2	6.47	<0.5	20	183	23	2.64
R709427		4.38	<0.01	<0.2	7.70	2	<10	10	<0.5	3	6.90	<0.5	17	130	30	2.66
R709428		4.48	0.02	<0.2	5.05	<2	<10	10	<0.5	<2	6.65	<0.5	17	125	67	2.67
R709429		4.37	<0.01	<0.2	7.13	2	<10	10	<0.5	3	11.7	<0.5	13	119	21	2.28
R709430		4.29	<0.01	<0.2	7.55	2	<10	10	<0.5	2	13.5	<0.5	13	60	14	2.47
R709431		4.37	0.05	<0.2	7.14	<2	<10	10	<0.5	<2	11.6	<0.5	11	106	26	2.63
R709432		4.44	0.09	<0.2	5.81	<2	<10	10	<0.5	3	10.2	<0.5	13	73	34	4.20
R709433		3.33	0.06	<0.2	5.08	3	<10	10	<0.5	3	9.5	<0.5	19	36	16	4.43
R709434		1.99	0.01	<0.2	0.49	<2	<10	<10	<0.5	<2	0.52	<0.5	3	23	6	0.90
R709435		4.33	0.01	<0.2	7.15	11	<10	10	<0.5	<2	7.4	<0.5	21	55	39	2.88
R709436		4.28	<0.01	<0.2	6.59	5	<10	10	<0.5	2	6.49	<0.5	18	31	13	2.57
R709437		4.65	0.02	<0.2	4.17	10	<10	<10	<0.5	<2	5.01	<0.5	22	48	54	2.36
R709438		4.32	0.01	<0.2	5.54	9	<10	10	<0.5	<2	6.06	<0.5	23	29	76	2.81
R709439		4.37	0.01	<0.2	5.32	6	10	<10	<0.5	<2	5.49	<0.5	17	43	24	2.54
R709440		4.32	0.13	<0.2	5.62	8	<10	<10	<0.5	2	5.31	<0.5	23	65	31	2.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138075

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709401		10	<1	0.02	<10	1.76	671	<1	0.55	57	70	<2	0.10	<2	2	63
R709402		10	<1	0.02	<10	1.97	614	<1	0.59	52	70	<2	<0.01	<2	2	61
R709403		10	<1	0.03	<10	1.57	603	<1	0.62	62	80	<2	0.01	<2	2	68
R709404		10	<1	0.02	<10	1.70	612	<1	0.51	57	50	<2	<0.01	<2	2	57
R709405		10	<1	0.02	<10	1.72	558	<1	0.55	71	60	<2	0.01	<2	2	59
R709406		10	<1	0.03	<10	1.86	592	<1	0.49	50	50	<2	<0.01	<2	3	49
R709407		10	<1	0.03	<10	1.97	632	<1	0.52	56	60	<2	<0.01	<2	2	51
R709408		10	<1	0.04	<10	1.74	629	<1	0.52	59	50	<2	<0.01	<2	2	56
R709409		10	<1	0.05	<10	1.64	639	<1	0.46	63	50	<2	<0.01	<2	2	57
R709410		10	<1	0.06	<10	1.65	863	<1	0.40	68	90	<2	0.16	<2	2	37
R709411		10	<1	0.04	<10	1.49	778	<1	0.37	65	40	<2	0.08	<2	2	40
R709412		10	<1	0.03	<10	1.77	725	<1	0.43	66	40	<2	0.13	<2	2	48
R709413		10	<1	0.02	<10	1.50	677	<1	0.45	52	50	<2	0.01	<2	2	54
R709414		10	<1	0.03	<10	1.73	615	<1	0.43	65	60	<2	0.06	<2	2	48
R709415		10	<1	0.01	<10	1.50	498	<1	0.50	45	100	<2	0.06	<2	2	62
R709416		10	<1	0.02	<10	1.71	491	<1	0.44	62	50	<2	0.01	<2	2	52
R709417		10	<1	0.03	<10	1.42	531	<1	0.38	50	70	<2	0.01	<2	2	46
R709418		10	<1	0.03	<10	1.45	497	<1	0.51	48	110	<2	0.01	<2	2	57
R709419		<10	<1	0.02	<10	1.41	526	<1	0.39	62	50	<2	0.08	<2	1	45
R709420		10	<1	0.02	<10	1.66	591	<1	0.48	50	80	<2	0.02	<2	2	59
R709421		<10	<1	0.05	10	0.25	240	1	0.22	9	770	2	0.04	<2	2	31
R709422		<10	<1	0.01	<10	<0.01	33	<1	0.02	1	10	<2	0.02	<2	<1	1
R709423		10	<1	0.02	<10	1.57	653	<1	0.46	69	70	<2	0.03	<2	2	71
R709424		10	<1	0.02	<10	1.53	594	<1	0.55	44	80	<2	0.01	<2	4	68
R709425		10	<1	0.02	<10	1.49	693	<1	0.75	38	130	<2	<0.01	<2	3	74
R709426		10	<1	0.02	<10	1.63	708	<1	0.51	59	50	<2	<0.01	<2	1	54
R709427		10	<1	0.02	<10	1.54	704	<1	0.52	49	70	<2	<0.01	<2	2	57
R709428		<10	<1	0.02	<10	1.39	900	<1	0.29	42	50	<2	0.11	<2	1	35
R709429		10	<1	0.02	<10	1.13	1450	<1	0.50	38	50	<2	0.01	<2	3	56
R709430		10	<1	0.03	<10	1.21	1930	<1	0.52	38	70	<2	<0.01	<2	5	61
R709431		10	<1	0.04	<10	0.93	1720	<1	0.53	40	60	<2	0.14	<2	3	57
R709432		10	<1	0.03	<10	1.35	1980	<1	0.36	50	60	<2	0.23	<2	3	39
R709433		10	<1	0.05	<10	1.70	1430	<1	0.25	44	200	<2	0.01	<2	5	35
R709434		<10	<1	0.01	<10	0.24	158	<1	0.03	6	10	<2	0.03	<2	1	2
R709435		10	<1	0.04	<10	1.23	735	<1	0.49	65	50	<2	0.06	<2	3	55
R709436		10	<1	0.04	<10	1.22	612	<1	0.45	49	70	<2	0.02	<2	2	47
R709437		<10	<1	0.04	<10	1.20	650	<1	0.24	60	40	<2	0.08	<2	1	32
R709438		10	<1	0.04	<10	1.40	719	<1	0.36	53	60	<2	0.08	<2	2	39
R709439		10	<1	0.04	<10	1.46	700	<1	0.38	38	70	<2	0.02	<2	2	37
R709440		10	<1	0.04	<10	1.09	650	<1	0.37	60	50	<2	0.04	<2	1	41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138075

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709401		<20	0.03	<10	<10	40	<10	20
R709402		<20	0.06	<10	<10	63	<10	23
R709403		<20	0.03	<10	<10	36	<10	20
R709404		<20	0.03	<10	<10	36	<10	21
R709405		<20	0.03	<10	<10	33	<10	23
R709406		<20	0.03	<10	<10	49	<10	22
R709407		<20	0.03	<10	<10	53	<10	25
R709408		<20	0.05	<10	<10	54	<10	29
R709409		<20	0.03	<10	<10	45	<10	26
R709410		<20	0.04	<10	<10	62	<10	34
R709411		<20	0.03	<10	<10	37	<10	29
R709412		<20	0.03	<10	<10	45	<10	29
R709413		<20	0.04	<10	<10	42	<10	20
R709414		<20	0.04	<10	<10	44	<10	23
R709415		<20	0.04	<10	<10	34	<10	18
R709416		<20	0.04	<10	<10	38	<10	21
R709417		<20	0.03	<10	<10	34	<10	20
R709418		<20	0.04	<10	<10	43	<10	20
R709419		<20	0.03	<10	<10	32	<10	19
R709420		<20	0.04	<10	<10	36	<10	22
R709421		<20	0.43	<10	<10	72	<10	47
R709422		<20	<0.01	<10	<10	<1	<10	<2
R709423		<20	0.04	<10	<10	43	<10	20
R709424		<20	0.05	<10	<10	57	<10	19
R709425		<20	0.06	<10	<10	57	<10	21
R709426		<20	0.04	<10	<10	40	<10	23
R709427		<20	0.03	<10	<10	36	<10	21
R709428		<20	0.03	<10	<10	28	<10	19
R709429		<20	0.03	<10	<10	37	<10	17
R709430		<20	0.03	<10	<10	53	<10	19
R709431		<20	0.03	<10	<10	42	<10	23
R709432		<20	0.03	<10	<10	46	<10	44
R709433		<20	0.05	<10	<10	76	<10	51
R709434		<20	0.01	<10	<10	13	<10	8
R709435		<20	0.02	<10	<10	41	<10	32
R709436		<20	0.02	<10	<10	39	<10	25
R709437		<20	0.02	<10	<10	24	<10	26
R709438		<20	0.02	<10	<10	37	<10	26
R709439		<20	0.02	<10	<10	44	<10	23
R709440		<20	0.03	<10	<10	39	<10	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138075

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709441		4.36	0.14	<0.2	8.81	5	<10	<10	<0.5	<2	7.7	<0.5	20	87	27	2.90
R709442		0.04	7.15	<0.2	1.26	40	<10	70	<0.5	2	0.93	<0.5	13	17	125	2.84
R709443		0.17	<0.01	<0.2	0.03	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.32
R709444		2.96	0.08	<0.2	7.88	3	<10	10	<0.5	<2	7.6	<0.5	21	15	66	3.17
R709445		2.75	0.35	<0.2	5.43	2	<10	10	<0.5	<2	7.3	<0.5	19	25	75	2.59
R709446		3.09	0.08	<0.2	4.92	<2	<10	10	<0.5	2	7.6	<0.5	13	94	37	3.08
R709447		2.86	1.68	<0.2	6.92	8	<10	10	<0.5	<2	6.35	<0.5	23	37	20	2.53
R709448		2.82	4.50	<0.2	6.99	8	<10	10	<0.5	<2	6.50	<0.5	26	52	35	3.20
R709449		2.84	0.25	<0.2	9.18	<2	<10	10	<0.5	<2	8.2	<0.5	13	39	43	2.39
R709450		2.88	0.95	<0.2	8.51	<2	<10	10	<0.5	2	7.6	<0.5	18	29	45	3.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138075

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709441		10	<1	0.03	<10	1.41	713	<1	0.62	46	80	<2	0.01	<2	4	64
R709442		<10	<1	0.09	10	0.45	319	1	0.30	43	740	6	0.07	3	3	44
R709443		<10	<1	0.01	<10	<0.01	35	<1	0.02	1	10	<2	0.02	<2	<1	1
R709444		10	<1	0.03	<10	1.49	788	<1	0.53	49	110	<2	0.02	<2	3	55
R709445		10	<1	0.05	<10	0.91	871	<1	0.39	44	70	<2	0.18	<2	2	44
R709446		<10	<1	0.06	<10	1.17	1100	<1	0.34	39	60	<2	0.19	<2	3	34
R709447		10	<1	0.07	<10	0.98	654	<1	0.59	55	90	<2	0.05	<2	4	50
R709448		10	<1	0.08	<10	1.55	754	<1	0.53	67	50	<2	0.06	<2	5	43
R709449		10	1	0.05	<10	1.22	666	<1	0.73	35	50	<2	<0.01	<2	6	62
R709450		10	<1	0.11	<10	1.75	924	<1	0.59	54	60	<2	0.01	<2	6	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138075

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709441		<20	0.03	<10	<10	58	<10	24
R709442		<20	0.47	<10	<10	79	<10	78
R709443		<20	<0.01	<10	<10	<1	<10	<2
R709444		<20	0.03	<10	<10	53	<10	29
R709445		<20	0.03	<10	<10	38	<10	20
R709446		<20	0.03	<10	<10	44	370	25
R709447		<20	0.04	<10	<10	49	<10	21
R709448		<20	0.03	<10	<10	47	<10	28
R709449		<20	0.05	<10	<10	61	<10	21
R709450		<20	0.04	<10	<10	73	<10	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 1-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138075

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41