ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

CERTIFICATE TB16129993

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129993

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708751		2.43	0.04	<0.2	7.84	38	<10	<10	<0.5	<2	0.12	<0.5	51	285	102	8.86
R708752		1.41	2.41	14.0	0.28	25	<10	<10	<0.5	7	1.19	2.6	14	22	5310	1.47
R708753		3.05	0.09	0.3	7.25	64	<10	<10	<0.5	<2	0.10	<0.5	53	243	144	8.53
R708754		2.64	0.45	<0.2	7.36	49	<10	<10	<0.5	<2	0.08	<0.5	46	245	140	8.94
R708755		2.77	0.32	<0.2	7.12	85	<10	10	<0.5	<2	0.10	<0.5	54	245	51	8.81
R708756		2.82	0.30	<0.2	6.16	41	<10	<10	<0.5	<2	0.08	<0.5	45	209	76	7.32
R708757		2.63	1.24	<0.2	4.16	42	<10	10	<0.5	<2	0.23	<0.5	29	160	3	4.24
R708758		2.55	0.04	<0.2	5.29	8	<10	<10	<0.5	<2	1.34	<0.5	34	170	1	5.78
R708759		2.98	3.78	<0.2	2.00	57	<10	10	<0.5	<2	0.55	<0.5	14	69	15	1.91
R708760		3.35	0.75	<0.2	4.95	27	<10	<10	<0.5	<2	1.65	<0.5	33	168	29	4.54
R708761		3.48	0.16	0.4	5.76	88	<10	<10	<0.5	<2	0.17	<0.5	60	201	374	5.15
R708762		2.76	0.36	<0.2	7.37	55	<10	<10	<0.5	<2	0.08	<0.5	52	249	89	7.87
R708763		2.38	1.13	<0.2	6.74	68	<10	10	<0.5	<2	0.07	<0.5	54	238	85	7.41
R708764		2.83	0.77	<0.2	5.74	106	<10	10	<0.5	<2	0.06	<0.5	63	213	216	7.45
R708765		2.33	2.57	0.3	5.47	182	<10	10	<0.5	<2	0.04	<0.5	69	206	19	7.46
R708766		4.22	0.61	<0.2	1.65	10	<10	280	<0.5	<2	0.84	<0.5	11	18	26	2.90
R708767		3.31	0.82	0.4	6.71	154	<10	<10	<0.5	<2	0.06	<0.5	53	227	15	7.61
R708768		2.22	0.47	<0.2	5.09	137	<10	<10	<0.5	<2	0.05	<0.5	35	183	9	5.17
R708769		2.87	4.21	0.3	5.63	46	<10	<10	<0.5	<2	0.04	<0.5	49	189	150	7.08
R708770		3.28	0.07	0.4	6.10	9	<10	<10	<0.5	<2	0.04	<0.5	54	212	344	7.85
R708771		0.05	2.70	<0.2	2.32	730	10	70	<0.5	<2	0.70	<0.5	17	736	159	13.00
R708772		0.16	<0.01	<0.2	0.27	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	4	1	0.48
R708773		2.04	0.11	0.5	3.98	29	<10	<10	<0.5	<2	0.04	<0.5	61	142	513	6.11
R708774		2.53	10.00	0.3	4.90	14	<10	<10	<0.5	2	0.07	<0.5	34	186	72	4.02
R708775		2.12	0.38	<0.2	1.10	6	<10	<10	<0.5	<2	0.06	<0.5	1	64	1	0.39
R708776		2.57	0.03	<0.2	5.53	7	<10	<10	<0.5	6	0.05	<0.5	28	186	<1	3.93
R708777		2.33	0.08	<0.2	5.43	19	<10	<10	<0.5	3	0.15	<0.5	27	193	7	4.47
R708778		3.09	2.88	1.9	2.64	56	<10	<10	<0.5	8	4.73	<0.5	18	109	1	1.78
R708779		2.51	0.05	<0.2	1.91	13	<10	<10	<0.5	<2	2.62	<0.5	6	75	<1	0.77
R708780		2.64	0.01	<0.2	1.82	27	<10	<10	<0.5	2	5.03	<0.5	17	75	22	1.49
R708781		2.55	0.02	<0.2	1.87	3	<10	<10	<0.5	<2	3.79	<0.5	5	68	<1	0.99
R708782		2.59	<0.01	<0.2	1.88	7	<10	<10	<0.5	4	9.2	<0.5	12	73	<1	1.74
R708783		2.34	0.01	<0.2	2.18	3	<10	<10	<0.5	3	8.3	<0.5	14	82	<1	2.03
R708784		2.45	0.02	<0.2	1.61	2	<10	<10	<0.5	2	2.96	<0.5	3	61	<1	0.81
R708785		2.98	0.97	<0.2	1.68	6	<10	30	<0.5	3	1.28	<0.5	10	34	54	2.86
R708786		3.43	0.08	<0.2	3.36	3	<10	10	<0.5	2	2.00	<0.5	11	102	8	3.63
R708787		2.52	0.11	<0.2	0.99	2	<10	10	<0.5	<2	1.46	<0.5	4	16	18	1.47
R708788		2.58	0.10	0.3	4.41	17	<10	10	<0.5	12	5.36	<0.5	33	176	179	11.00
R708789		3.17	0.02	<0.2	4.47	3	<10	40	<0.5	6	6.07	<0.5	38	209	68	7.05
R708790		4.23	0.05	<0.2	4.29	<2	<10	20	<0.5	7	6.46	<0.5	38	207	98	6.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129993

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708751		20	<1	0.01	<10	7.04	755	<1	0.01	148	240	<2	0.03	<2	30	2
R708752		<10	<1	<0.01	<10	0.45	309	<1	0.01	10	970	<2	0.75	92	2	2
R708753		10	<1	0.03	<10	6.20	741	<1	0.01	149	180	<2	0.09	7	26	1
R708754		10	<1	0.03	<10	6.12	787	<1	0.01	143	200	<2	0.07	<2	25	1
R708755		10	<1	0.06	<10	5.69	834	<1	0.02	168	160	<2	0.03	<2	20	1
R708756		10	<1	0.04	<10	5.35	653	<1	0.01	136	190	<2	0.04	<2	18	1
R708757		10	<1	0.08	<10	3.80	414	<1	0.03	140	530	<2	0.01	<2	14	3
R708758		10	<1	0.02	<10	4.52	672	<1	0.08	102	350	<2	0.01	<2	26	9
R708759		<10	<1	0.16	<10	1.54	246	<1	0.03	87	170	<2	0.07	<2	6	3
R708760		20	<1	0.05	<10	4.74	513	<1	0.03	129	1240	<2	0.08	<2	15	4
R708761		20	<1	0.05	<10	5.59	438	<1	0.01	148	760	<2	0.07	<2	16	1
R708762		10	<1	0.02	<10	6.45	703	<1	0.01	141	200	<2	0.03	2	26	1
R708763		10	<1	0.05	<10	5.68	640	<1	0.02	170	230	<2	0.06	<2	19	1
R708764		10	1	0.08	<10	4.25	453	<1	0.02	186	230	<2	0.23	<2	13	1
R708765		10	<1	0.08	<10	3.65	188	<1	0.02	218	150	<2	0.14	<2	14	1
R708766		10	<1	0.45	40	0.83	433	<1	0.05	9	1480	4	0.40	<2	4	64
R708767		20	<1	0.03	<10	5.76	395	<1	0.02	194	250	<2	0.04	<2	28	1
R708768		20	<1	0.05	<10	4.83	294	<1	0.02	203	220	2	0.05	<2	24	2
R708769		10	<1	0.06	<10	4.37	536	<1	0.02	132	170	<2	0.27	<2	22	1
R708770		10	<1	0.04	<10	4.76	661	<1	0.02	138	150	<2	0.37	<2	24	1
R708771		20	<1	0.06	10	0.36	265	1	0.03	94	190	6	0.12	<2	27	23
R708772		<10	<1	0.08	<10	0.01	52	<1	0.18	1	10	<2	0.03	<2	<1	2
R708773		10	<1	0.05	<10	3.10	278	<1	0.03	159	170	<2	0.88	<2	18	1
R708774		10	<1	0.03	<10	4.99	229	<1	0.02	82	300	<2	0.11	<2	17	1
R708775		<10	<1	0.09	<10	1.08	48	<1	0.02	29	200	<2	0.01	<2	4	1
R708776		10	<1	0.01	<10	6.33	327	<1	0.01	99	130	<2	0.01	<2	24	2
R708777		10	<1	0.01	<10	6.34	331	<1	0.01	103	60	<2	0.03	<2	24	2
R708778		10	<1	<0.01	<10	5.17	879	<1	0.01	123	1050	<2	0.02	<2	17	11
R708779		10	<1	<0.01	<10	4.61	695	<1	0.01	78	550	<2	0.01	<2	11	12
R708780		10	<1	<0.01	<10	5.57	1160	<1	0.01	84	650	<2	0.05	<2	15	31
R708781		<10	<1	<0.01	<10	4.98	909	<1	0.01	31	390	<2	0.01	<2	14	23
R708782		10	<1	<0.01	<10	7.40	1725	<1	0.01	69	520	<2	<0.01	<2	19	63
R708783		10	<1	<0.01	<10	7.51	1755	<1	0.01	75	450	<2	<0.01	<2	19	60
R708784		<10	<1	<0.01	<10	4.20	723	<1	0.01	22	180	<2	0.01	<2	12	18
R708785		<10	<1	0.17	10	1.81	395	1	0.04	13	460	<2	0.81	<2	5	9
R708786		10	<1	0.07	10	3.54	446	<1	0.04	59	220	<2	0.04	<2	11	10
R708787		<10	<1	0.09	10	0.71	266	1	0.05	12	290	2	0.12	<2	2	8
R708788		10	<1	0.07	<10	4.76	1145	<1	0.01	129	240	<2	3.19	3	18	27
R708789		10	<1	0.12	<10	3.91	1575	<1	0.03	106	240	<2	0.51	<2	20	28
R708790		10	<1	0.07	<10	3.71	1575	<1	0.03	102	230	<2	0.18	<2	15	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129993

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708751		<20	0.01	<10	<10	229	<10	87
R708752		<20	<0.01	<10	<10	8	210	120
R708753		<20	0.01	<10	<10	195	<10	89
R708754		<20	0.01	<10	<10	197	<10	77
R708755		<20	0.01	<10	<10	174	<10	87
R708756		<20	0.01	<10	<10	159	<10	76
R708757		<20	0.01	<10	<10	122	<10	58
R708758		<20	0.02	<10	<10	234	<10	82
R708759		<20	<0.01	<10	<10	58	<10	20
R708760		<20	0.01	<10	<10	160	<10	56
R708761		<20	0.01	<10	<10	151	<10	92
R708762		<20	0.01	<10	<10	199	<10	139
R708763		<20	0.01	<10	<10	166	<10	71
R708764		<20	0.01	<10	<10	134	<10	45
R708765		<20	0.01	<10	<10	135	<10	16
R708766		<20	0.08	<10	<10	52	<10	53
R708767		<20	0.01	<10	<10	186	<10	165
R708768		<20	0.01	<10	<10	150	<10	199
R708769		<20	0.01	<10	<10	158	<10	181
R708770		<20	0.01	<10	<10	176	<10	264
R708771		<20	0.08	<10	<10	388	<10	72
R708772		<20	<0.01	<10	<10	1	<10	2
R708773		<20	0.01	<10	<10	120	<10	179
R708774		<20	0.01	<10	<10	138	<10	125
R708775		<20	<0.01	<10	<10	32	<10	7
R708776		<20	0.01	<10	<10	159	<10	34
R708777		<20	0.01	<10	<10	163	<10	47
R708778		<20	0.01	<10	<10	106	<10	31
R708779		<20	<0.01	<10	<10	65	<10	9
R708780		<20	<0.01	<10	<10	118	<10	11
R708781		<20	<0.01	<10	<10	52	<10	9
R708782		<20	0.01	<10	<10	98	<10	14
R708783		<20	0.01	<10	<10	137	<10	19
R708784		<20	<0.01	<10	<10	48	<10	11
R708785		<20	0.03	<10	<10	37	<10	32
R708786		<20	0.01	<10	<10	83	<10	62
R708787		<20	0.01	<10	<10	19	<10	19
R708788		<20	0.01	<10	<10	125	10	72
R708789		<20	0.05	<10	<10	195	<10	104
R708790		<20	0.06	<10	<10	187	<10	70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129993

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708791		0.05	1.16	<0.2	0.84	<2	<10	20	<0.5	<2	0.63	<0.5	9	10	53	2.15
R708792		0.18	<0.01	<0.2	0.22	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	3	1	0.42
R708793		2.70	0.01	<0.2	4.58	2	<10	100	<0.5	5	7.4	<0.5	40	218	105	7.27
R708794		2.81	0.01	<0.2	4.34	2	<10	60	<0.5	3	6.94	<0.5	38	218	124	7.09
R708795		1.99	0.14	1.1	2.47	<2	<10	40	<0.5	28	3.45	<0.5	21	156	778	27.8
R708796		2.63	0.01	<0.2	3.74	5	<10	20	<0.5	6	6.9	<0.5	43	233	115	6.77
R708797		3.93	<0.01	<0.2	3.55	<2	<10	50	<0.5	5	6.76	<0.5	47	234	121	6.58
R708798		3.37	0.01	<0.2	2.61	2	<10	40	<0.5	2	8.3	<0.5	34	157	148	5.55
R708799		3.58	0.01	<0.2	3.16	3	<10	70	<0.5	5	6.48	<0.5	37	170	171	6.01
R708800		4.50	0.01	<0.2	3.15	2	<10	30	<0.5	4	6.92	<0.5	36	178	125	5.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129993

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708791		<10	<1	0.05	10	0.26	230	1	0.22	6	740	3	0.05	<2	2	30
R708792		<10	<1	0.07	<10	<0.01	45	<1	0.15	<1	10	<2	0.02	<2	<1	2
R708793		10	<1	0.33	<10	3.73	2000	<1	0.03	99	240	<2	0.19	<2	16	31
R708794		10	<1	0.22	<10	3.60	1760	<1	0.03	106	310	<2	0.26	<2	19	32
R708795		<10	<1	0.18	10	2.11	985	<1	0.02	116	350	2	7.78	<2	13	32
R708796		10	<1	0.05	<10	3.11	1800	<1	0.04	123	240	<2	0.60	3	23	21
R708797		10	<1	0.13	<10	2.58	1965	<1	0.04	131	200	<2	0.34	<2	17	18
R708798		10	<1	0.07	<10	1.77	2280	<1	0.07	101	170	<2	0.83	2	11	20
R708799		10	<1	0.09	<10	2.20	2010	<1	0.08	109	180	<2	0.70	<2	12	18
R708800		10	<1	0.04	<10	2.24	1625	<1	0.08	100	190	<2	0.36	<2	12	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129993

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708791		<20	0.44	<10	<10	73	<10	45
R708792		<20	<0.01	<10	<10	<1	<10	<2
R708793		<20	0.10	<10	<10	197	<10	76
R708794		<20	0.08	<10	<10	198	<10	74
R708795		<20	0.05	<10	<10	113	<10	50
R708796		<20	0.06	<10	<10	194	<10	86
R708797		<20	0.07	<10	<10	184	<10	85
R708798		<20	0.05	<10	<10	104	<10	63
R708799		<20	0.06	<10	<10	110	<10	67
R708800		<20	0.06	<10	<10	110	<10	65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129993

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41