ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

CERTIFICATE TB16135722

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 16-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135722

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709100		4.04	<0.01	<0.2	8.84	<2	<10	10	<0.5	<2	8.1	<0.5	17	149	48	2.53
R709101		4.15	0.02	<0.2	8.57	3	<10	20	<0.5	<2	6.79	<0.5	22	121	169	2.95
R709102		4.37	<0.01	<0.2	6.30	<2	<10	10	<0.5	<2	5.02	<0.5	19	74	29	2.51
R709103		3.96	<0.01	<0.2	9.62	5	<10	20	<0.5	<2	6.76	<0.5	21	165	50	2.71
R709104		3.85	0.01	<0.2	9.12	2	<10	10	<0.5	<2	6.75	<0.5	21	31	126	3.32
R709105		3.95	<0.01	<0.2	8.61	<2	<10	10	<0.5	<2	5.27	<0.5	19	14	95	3.37
R709106		4.09	<0.01	<0.2	9.12	<2	<10	30	<0.5	<2	7.0	<0.5	20	21	85	3.28
R709107		4.14	<0.01	<0.2	9.27	7	<10	10	<0.5	<2	7.8	<0.5	26	37	25	3.37
R709108		4.11	<0.01	<0.2	10.05	5	<10	10	<0.5	<2	8.1	<0.5	27	82	12	3.44
R709109		3.99	<0.01	<0.2	8.30	2	<10	10	<0.5	<2	7.7	<0.5	20	78	52	2.88
R709110		4.33	<0.01	<0.2	10.65	<2	<10	10	<0.5	<2	7.46	<0.5	16	44	9	2.56
R709111		4.23	<0.01	<0.2	10.60	<2	<10	10	<0.5	<2	8.9	<0.5	20	36	17	2.70
R709112		4.33	<0.01	<0.2	9.32	<2	<10	10	<0.5	<2	7.7	<0.5	17	51	48	2.88
R709113		4.25	<0.01	<0.2	9.41	5	<10	10	<0.5	<2	8.2	<0.5	19	24	26	2.56
R709114		4.05	<0.01	<0.2	8.75	<2	<10	10	<0.5	<2	7.8	<0.5	16	147	4	3.23
R709115		4.20	0.08	<0.2	7.54	<2	<10	10	<0.5	<2	6.31	<0.5	23	52	96	5.07
R709116		4.19	0.43	<0.2	5.43	<2	<10	20	<0.5	<2	5.51	<0.5	35	170	46	6.67
R709117		3.99	1.98	0.2	7.63	3	<10	10	<0.5	<2	5.23	<0.5	18	41	12	4.54
R709118		4.12	3.38	0.2	6.39	<2	<10	20	<0.5	<2	4.90	<0.5	18	129	12	4.42
R709119		4.27	0.70	<0.2	6.90	<2	<10	10	<0.5	<2	5.90	<0.5	16	114	78	4.68
R709120		4.18	0.04	<0.2	7.07	2	<10	10	<0.5	<2	6.49	<0.5	16	131	19	2.94
R709121		0.05	1.17	<0.2	0.89	<2	<10	20	<0.5	<2	0.63	<0.5	9	10	53	2.13
R709122		0.17	<0.01	<0.2	0.04	<2	<10	<10	<0.5	<2	0.01	<0.5	1	3	2	0.38
R709123		3.90	<0.01	<0.2	8.89	<2	<10	10	<0.5	<2	7.8	<0.5	13	83	2	2.61
R709124		4.20	0.01	<0.2	8.64	<2	<10	10	<0.5	<2	7.2	<0.5	15	58	35	2.83
R709126		4.16	0.01	<0.2	9.37	6	<10	10	<0.5	<2	7.8	<0.5	18	46	33	2.70
R709127		4.17	<0.01	<0.2	9.13	3	<10	10	<0.5	<2	8.4	<0.5	17	55	28	2.56
R709128		4.02	<0.01	<0.2	8.40	2	<10	10	<0.5	<2	8.0	<0.5	16	79	20	2.74
R709129		4.39	0.12	<0.2	7.81	<2	<10	<10	<0.5	<2	8.3	<0.5	16	78	59	2.76
R709130		4.25	0.01	<0.2	9.60	6	<10	<10	<0.5	<2	8.0	<0.5	19	95	42	2.64
R709131		4.27	<0.01	<0.2	8.52	3	<10	10	<0.5	<2	7.1	<0.5	16	43	40	2.56
R709132		4.20	<0.01	<0.2	8.92	3	<10	10	<0.5	<2	8.3	<0.5	15	56	16	2.48
R709133		4.29	<0.01	<0.2	8.75	3	<10	<10	<0.5	<2	8.0	<0.5	15	117	51	2.14
R709134		2.89	<0.01	<0.2	8.06	3	<10	10	<0.5	<2	7.6	<0.5	13	46	31	2.28
R709135		2.88	0.02	<0.2	7.55	<2	<10	<10	<0.5	<2	8.0	<0.5	14	46	47	2.29
R709136		3.45	0.37	<0.2	5.90	2	<10	10	<0.5	<2	12.7	<0.5	13	51	23	2.88
R709137		3.40	0.77	<0.2	4.62	<2	<10	10	<0.5	<2	9.2	<0.5	17	61	59	5.22
R709138		4.15	0.36	<0.2	4.11	<2	<10	20	<0.5	<2	4.67	<0.5	19	62	30	3.22
R709139		4.16	<0.01	<0.2	2.74	<2	<10	20	<0.5	<2	6.33	<0.5	26	164	35	3.00
R709140		4.15	<0.01	<0.2	2.68	<2	<10	30	<0.5	<2	4.80	<0.5	35	136	59	3.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135722

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709100		10	<1	0.02	<10	1.63	446	<1	0.62	55	60	<2	<0.01	2	3	73
R709101		10	1	0.02	<10	1.69	537	<1	0.56	59	90	<2	0.08	<2	2	65
R709102		10	1	0.01	<10	1.41	505	<1	0.35	54	50	<2	0.01	<2	2	47
R709103		10	<1	0.02	<10	1.78	465	<1	0.66	59	50	<2	<0.01	<2	3	75
R709104		10	<1	0.02	<10	1.66	482	<1	0.60	48	110	<2	0.03	<2	2	73
R709105		10	<1	0.01	<10	1.48	431	<1	0.60	45	200	<2	0.12	<2	2	68
R709106		10	<1	0.02	<10	1.41	453	<1	0.58	40	150	2	0.07	3	2	74
R709107		10	1	0.02	<10	1.62	617	<1	0.60	79	80	2	0.02	2	2	71
R709108		10	<1	0.02	<10	1.74	696	<1	0.67	91	50	<2	<0.01	<2	3	74
R709109		10	1	0.04	<10	1.26	701	<1	0.57	58	80	<2	0.04	<2	2	60
R709110		10	<1	0.02	<10	1.31	531	<1	0.71	43	130	<2	<0.01	<2	2	82
R709111		10	<1	0.01	<10	1.48	661	<1	0.68	62	90	3	<0.01	<2	2	82
R709112		10	<1	0.02	<10	1.40	740	<1	0.63	50	90	3	0.09	2	2	70
R709113		10	1	0.04	<10	1.15	616	<1	0.63	51	60	<2	0.03	2	2	75
R709114		10	1	0.04	<10	1.61	833	<1	0.60	50	70	<2	<0.01	<2	5	66
R709115		10	<1	0.04	<10	1.53	1085	<1	0.48	108	180	<2	0.53	<2	5	57
R709116		10	1	0.10	<10	3.07	1480	<1	0.16	141	290	2	0.16	<2	16	21
R709117		10	<1	0.08	<10	1.77	1230	<1	0.52	76	90	2	0.03	4	8	58
R709118		10	<1	0.09	<10	1.62	1220	<1	0.43	62	70	<2	0.08	<2	8	44
R709119		10	<1	0.10	<10	1.54	1375	<1	0.50	58	90	<2	0.25	<2	5	52
R709120		10	<1	0.05	<10	1.24	920	<1	0.45	55	70	<2	0.02	2	2	58
R709121		<10	<1	0.05	10	0.25	226	1	0.22	9	760	2	0.04	<2	2	33
R709122		<10	<1	0.01	<10	<0.01	40	<1	0.02	1	10	<2	0.02	<2	<1	1
R709123		10	1	0.03	<10	1.29	831	<1	0.57	40	80	2	<0.01	<2	2	72
R709124		10	1	0.02	<10	1.31	845	<1	0.56	43	80	<2	0.01	<2	1	67
R709126		10	1	0.02	<10	1.34	813	<1	0.60	46	90	2	<0.01	<2	1	73
R709127		10	1	0.02	<10	1.36	765	<1	0.59	48	90	<2	<0.01	3	1	73
R709128		10	1	0.03	<10	1.40	764	<1	0.55	48	80	<2	<0.01	<2	2	66
R709129		10	1	0.02	<10	1.40	922	<1	0.46	42	70	2	0.04	<2	2	60
R709130		10	1	0.01	<10	1.49	578	<1	0.56	55	70	<2	0.01	<2	2	77
R709131		10	1	0.02	<10	1.31	538	<1	0.53	46	80	6	0.05	<2	1	67
R709132		10	1	0.02	<10	1.30	756	<1	0.57	40	80	<2	0.01	<2	1	73
R709133		10	<1	0.01	<10	1.21	633	<1	0.54	51	50	5	0.02	<2	1	74
R709134		10	2	0.02	<10	1.18	749	<1	0.51	32	110	2	0.02	<2	1	69
R709135		10	1	0.01	<10	1.00	960	<1	0.46	36	90	<2	0.05	<2	1	63
R709136		10	<1	0.03	<10	1.15	2220	<1	0.39	46	70	<2	0.07	2	4	55
R709137		10	<1	0.08	<10	1.63	2530	<1	0.26	73	40	<2	0.33	2	7	35
R709138		10	<1	0.06	<10	1.40	937	<1	0.27	70	60	<2	0.07	<2	3	72
R709139		<10	<1	0.06	10	1.64	955	<1	0.12	92	340	3	0.12	<2	7	89
R709140		10	1	0.18	<10	1.58	723	<1	0.11	107	130	2	0.19	<2	12	98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135722

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709100		<20	0.03	<10	<10	41	<10	18
R709101		<20	0.07	<10	<10	45	<10	22
R709102		<20	0.05	<10	<10	35	<10	18
R709103		<20	0.04	<10	<10	50	<10	22
R709104		<20	0.08	<10	<10	57	<10	23
R709105		<20	0.06	<10	<10	38	<10	21
R709106		<20	0.06	<10	<10	48	<10	22
R709107		<20	0.05	<10	<10	52	<10	24
R709108		<20	0.03	<10	<10	45	<10	25
R709109		<20	0.03	<10	<10	36	<10	24
R709110		<20	0.07	<10	<10	49	<10	20
R709111		<20	0.04	<10	<10	43	<10	20
R709112		<20	0.04	<10	<10	40	<10	24
R709113		<20	0.02	<10	<10	36	<10	21
R709114		<20	0.05	<10	<10	67	<10	32
R709115		<20	0.05	<10	<10	91	<10	57
R709116		<20	0.09	<10	<10	167	<10	120
R709117		<20	0.07	<10	<10	81	<10	89
R709118		<20	0.05	<10	<10	64	<10	108
R709119		<20	0.05	<10	<10	80	<10	46
R709120		<20	0.04	<10	<10	39	<10	28
R709121		<20	0.44	<10	<10	73	<10	45
R709122		<20	<0.01	<10	<10	<1	<10	<2
R709123		<20	0.05	<10	<10	45	<10	24
R709124		<20	0.05	<10	<10	37	<10	24
R709126		<20	0.06	<10	<10	42	<10	24
R709127		<20	0.04	<10	<10	38	<10	21
R709128		<20	0.05	<10	<10	44	<10	24
R709129		<20	0.04	<10	<10	40	<10	24
R709130		<20	0.04	<10	<10	38	<10	19
R709131		<20	0.04	<10	<10	40	<10	25
R709132		<20	0.04	<10	<10	41	<10	22
R709133		<20	0.03	<10	<10	27	<10	19
R709134		<20	0.04	<10	<10	38	<10	20
R709135		<20	0.03	<10	<10	32	<10	20
R709136		<20	0.03	<10	<10	47	<10	26
R709137		<20	0.03	<10	<10	65	<10	62
R709138		<20	0.02	<10	<10	46	<10	55
R709139		<20	0.02	<10	<10	59	<10	31
R709140		<20	0.04	<10	<10	96	<10	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135722

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709144		0.05	3.29	1.3	0.50	8	<10	20	<0.5	2	0.63	<0.5	5	11	30	1.13
R709145		0.17	<0.01	<0.2	0.04	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.28
R709141		4.39	<0.01	<0.2	2.33	<2	<10	10	<0.5	<2	4.46	<0.5	18	52	43	2.60
R709142		4.24	<0.01	<0.2	4.94	<2	<10	10	<0.5	<2	6.30	<0.5	20	108	30	3.06
R709143		3.56	0.01	<0.2	5.76	<2	<10	40	<0.5	<2	5.49	<0.5	32	158	106	5.36
R709146		2.99	0.02	<0.2	4.63	3	<10	<10	<0.5	<2	5.82	<0.5	38	151	129	5.95
R709147		3.10	0.01	<0.2	3.93	<2	<10	20	<0.5	<2	5.66	<0.5	39	157	143	5.93
R709148		3.44	0.01	<0.2	2.94	7	<10	410	<0.5	<2	5.47	<0.5	30	338	54	4.54
R709149		3.21	0.01	<0.2	2.65	4	<10	470	<0.5	<2	4.77	<0.5	24	504	56	3.23
R709150		3.86	0.03	0.3	2.45	5	<10	70	<0.5	<2	3.75	<0.5	34	172	121	4.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135722

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709144		<10	<1	0.05	<10	0.17	122	4	0.12	16	300	5	0.03	2	1	21
R709145		<10	<1	0.01	<10	<0.01	29	<1	0.02	1	10	<2	0.02	<2	<1	1
R709141		<10	1	0.05	<10	1.30	720	<1	0.08	50	100	2	0.11	<2	3	58
R709142		10	1	0.04	<10	1.61	892	<1	0.34	59	80	<2	0.04	<2	6	68
R709143		10	<1	0.17	<10	2.76	885	1	0.22	96	190	2	0.18	2	10	73
R709146		10	1	0.02	<10	3.34	836	<1	0.05	107	210	<2	0.10	<2	5	34
R709147		10	<1	0.10	<10	3.33	783	1	<0.01	112	230	<2	0.27	<2	7	43
R709148		10	<1	1.44	40	3.51	612	<1	0.05	79	2410	<2	0.36	2	7	201
R709149		10	<1	1.33	30	3.54	586	<1	0.03	99	1510	5	0.11	<2	4	269
R709150		10	1	0.39	10	2.66	552	<1	0.04	78	450	<2	0.60	<2	11	53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135722

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709144		<20	0.19	<10	<10	30	<10	23
R709145		<20	<0.01	<10	<10	<1	<10	<2
R709141		<20	0.02	<10	<10	34	<10	28
R709142		<20	0.02	<10	<10	60	<10	31
R709143		<20	0.07	<10	<10	133	<10	55
R709146		<20	0.05	<10	<10	122	<10	63
R709147		<20	0.06	<10	<10	118	<10	68
R709148		<20	0.24	<10	<10	122	<10	47
R709149		<20	0.21	<10	<10	87	<10	41
R709150		<20	0.11	<10	<10	105	<10	41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135722

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41