ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

CERTIFICATE TB16123629

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123629

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708351		2.78	0.16	<0.2	7.10	2	<10	<10	<0.5	4	0.07	<0.5	38	217	4	7.94
R708352		2.88	0.03	<0.2	6.84	2	<10	<10	<0.5	3	0.09	<0.5	49	233	146	7.91
R708353		2.71	0.02	<0.2	6.69	<2	<10	<10	<0.5	2	0.20	0.9	45	231	51	7.50
R708354		3.98	0.04	<0.2	6.12	2	<10	10	<0.5	3	0.60	6.9	53	210	96	8.22
R708355		3.68	0.02	<0.2	5.26	2	<10	60	<0.5	<2	5.28	<0.5	37	204	105	6.58
R708356		3.36	0.01	<0.2	5.23	<2	<10	80	<0.5	2	3.04	<0.5	37	159	120	6.25
R708357		2.72	0.01	<0.2	4.63	3	<10	70	<0.5	<2	4.02	<0.5	33	120	130	5.31
R708358		2.86	<0.01	<0.2	5.62	2	<10	70	<0.5	3	4.86	<0.5	39	169	91	6.07
R708359		2.73	<0.01	<0.2	5.43	<2	<10	70	<0.5	3	4.31	0.8	43	200	135	6.81
R708360		2.88	0.03	<0.2	5.78	<2	<10	120	<0.5	5	5.53	<0.5	54	189	123	7.24
R708361		2.74	0.03	<0.2	6.19	2	<10	170	<0.5	5	3.74	<0.5	49	190	140	7.33
R708362		2.84	0.03	<0.2	5.15	3	<10	110	<0.5	<2	3.30	<0.5	43	186	133	6.83
R708363		2.88	0.02	<0.2	4.69	2	<10	130	<0.5	<2	3.35	<0.5	43	177	123	6.88
R708364		2.74	0.05	<0.2	4.62	3	<10	20	<0.5	3	6.29	<0.5	44	165	134	8.03
R708365		2.79	0.03	<0.2	4.89	3	<10	10	<0.5	3	6.32	<0.5	44	169	123	8.44
R708366		2.74	0.03	<0.2	4.94	2	<10	20	<0.5	7	6.54	<0.5	43	163	133	8.39
R708367		2.75	0.03	<0.2	4.38	2	<10	30	<0.5	3	5.15	<0.5	43	158	146	7.97
R708368		2.81	0.03	<0.2	3.06	3	<10	90	<0.5	<2	1.98	<0.5	41	210	137	6.72
R708369		2.77	0.03	<0.2	2.50	2	<10	50	<0.5	3	2.85	<0.5	39	183	134	6.49
R708370		2.84	0.01	<0.2	4.01	2	<10	60	<0.5	3	3.61	<0.5	41	188	144	7.60
R708371		0.05	2.62	<0.2	2.17	688	10	70	<0.5	4	0.69	<0.5	17	680	151	13.55
R708372		0.16	<0.01	<0.2	0.31	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	4	1	0.63
R708373		2.84	0.02	<0.2	3.90	2	<10	<10	<0.5	<2	5.05	<0.5	44	160	143	7.91
R708374		2.77	0.02	<0.2	4.68	2	<10	<10	<0.5	3	5.57	<0.5	44	182	127	8.29
R708375		2.78	0.02	<0.2	4.20	<2	<10	<10	<0.5	3	5.19	<0.5	42	153	140	7.14
R708376		2.97	0.02	<0.2	3.59	<2	<10	<10	<0.5	2	5.26	<0.5	40	128	136	7.11
R708377		2.70	0.01	<0.2	2.08	<2	<10	50	<0.5	4	1.94	<0.5	32	105	102	4.30
R708378		2.76	0.23	<0.2	2.64	<2	<10	60	<0.5	<2	2.42	<0.5	36	127	142	5.45
R708379		2.85	0.02	<0.2	2.81	15	<10	50	<0.5	3	3.33	<0.5	33	101	113	4.81
R708380		2.84	0.01	<0.2	3.50	2	<10	50	<0.5	<2	4.49	<0.5	33	111	91	4.88
R708381		2.88	0.01	<0.2	2.52	8	<10	30	<0.5	4	5.55	0.5	35	77	100	3.39
R708382		2.83	0.01	<0.2	2.89	2	<10	30	<0.5	2	5.10	<0.5	37	85	121	3.61
R708383		2.84	0.02	<0.2	4.34	2	<10	40	<0.5	2	2.26	<0.5	43	139	133	4.98
R708384		2.81	0.06	<0.2	5.67	2	<10	60	<0.5	2	3.39	<0.5	43	146	132	5.44
R708385		2.81	0.01	<0.2	5.24	4	<10	50	<0.5	3	2.55	<0.5	47	137	142	4.86
R708386		2.76	0.19	<0.2	2.81	2	<10	20	<0.5	<2	0.28	<0.5	40	89	94	4.56
R708387		2.82	0.13	<0.2	2.53	<2	<10	10	<0.5	<2	0.18	<0.5	39	94	83	4.43
R708388		4.24	0.10	<0.2	2.99	7	<10	20	<0.5	<2	0.58	<0.5	45	130	103	5.12
R708389		4.29	0.05	<0.2	3.04	15	<10	20	<0.5	<2	0.87	<0.5	44	153	109	4.81
R708390		2.82	0.11	0.2	2.59	33	<10	20	<0.5	<2	0.29	<0.5	39	114	123	5.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123629

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708351		20	<1	<0.01	<10	6.59	858	<1	0.01	126	220	2	0.01	<2	29	1
R708352		10	<1	0.03	<10	6.03	757	<1	0.02	142	180	<2	0.03	3	22	2
R708353		10	<1	0.03	<10	5.77	698	<1	0.02	134	150	<2	0.02	<2	24	4
R708354		10	<1	0.06	<10	5.04	755	<1	0.02	134	220	2	0.41	<2	19	3
R708355		10	<1	0.62	<10	3.11	1595	<1	0.16	117	210	3	0.17	<2	21	27
R708356		10	1	0.90	<10	2.03	1500	<1	0.26	101	270	3	0.49	<2	16	33
R708357		10	<1	0.83	10	1.66	1370	<1	0.25	87	270	4	0.57	<2	11	39
R708358		10	<1	0.95	<10	2.45	1440	<1	0.25	111	220	3	0.40	2	15	32
R708359		10	<1	0.72	<10	2.63	1660	<1	0.20	129	200	6	0.65	<2	17	26
R708360		10	1	1.15	<10	2.69	2010	<1	0.22	118	210	4	0.52	2	18	31
R708361		10	1	1.61	<10	2.29	1585	<1	0.31	125	230	4	0.79	<2	16	33
R708362		10	<1	1.16	<10	2.09	1475	<1	0.26	120	220	3	0.86	3	14	29
R708363		10	<1	1.31	<10	2.12	1600	<1	0.22	119	210	3	0.92	<2	14	24
R708364		10	<1	0.20	<10	3.29	1360	<1	0.04	99	290	<2	0.23	<2	21	33
R708365		10	<1	0.12	<10	3.77	1310	<1	0.03	100	290	<2	0.19	<2	21	21
R708366		10	<1	0.14	<10	3.67	1320	<1	0.03	92	300	<2	0.24	<2	19	20
R708367		10	2	0.20	<10	3.31	1495	<1	0.04	97	270	3	0.62	<2	16	17
R708368		10	<1	0.53	<10	2.21	1425	<1	0.08	120	240	<2	0.87	2	18	8
R708369		10	<1	0.30	<10	1.96	1505	<1	0.05	113	220	3	0.87	<2	16	7
R708370		10	<1	0.25	<10	2.99	1260	<1	0.05	108	250	3	0.70	<2	16	11
R708371		20	1	0.06	10	0.34	308	1	0.03	90	180	9	0.10	4	25	23
R708372		<10	<1	0.09	<10	0.01	66	<1	0.21	1	10	<2	0.01	<2	<1	2
R708373		10	<1	0.02	<10	3.68	1295	<1	0.04	98	300	2	0.37	2	16	16
R708374		10	<1	0.05	<10	3.72	1250	<1	0.04	98	310	2	0.16	2	24	34
R708375		10	<1	0.02	<10	3.47	1130	<1	0.07	92	290	<2	0.22	2	18	31
R708376		10	<1	0.03	<10	3.30	1320	<1	0.08	81	310	<2	0.22	<2	15	19
R708377		10	<1	0.39	<10	1.26	1245	<1	0.10	79	220	2	0.96	<2	9	10
R708378		10	<1	0.62	<10	1.64	2240	<1	0.14	105	220	<2	0.98	<2	11	15
R708379		10	<1	0.69	<10	1.46	2360	<1	0.22	99	200	2	0.99	2	8	23
R708380		10	1	0.68	<10	1.80	2190	<1	0.25	86	200	<2	0.59	<2	10	34
R708381		<10	<1	0.55	<10	1.47	1990	<1	0.24	109	190	2	0.47	<2	7	30
R708382		<10	1	0.56	<10	1.56	1625	<1	0.26	102	190	<2	0.39	3	8	31
R708383		10	1	0.68	<10	1.78	1060	<1	0.25	117	220	3	0.43	<2	11	24
R708384		10	<1	1.13	<10	1.89	1410	<1	0.36	122	240	3	0.51	2	12	35
R708385		10	<1	0.96	<10	1.83	1105	<1	0.33	135	240	5	0.58	3	11	29
R708386		10	<1	0.22	20	1.64	481	<1	0.06	212	150	3	0.75	3	6	8
R708387		10	<1	0.16	20	1.60	462	<1	0.02	217	160	4	0.70	2	5	5
R708388		10	<1	0.17	20	1.73	615	1	0.06	256	140	2	1.01	2	6	10
R708389		10	<1	0.22	20	1.63	768	<1	0.10	295	130	4	1.03	3	6	13
R708390		10	<1	0.17	20	1.50	567	<1	0.04	240	140	4	1.66	3	5	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123629

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708351		<20	0.01	<10	<10	198	<10	147
R708352		<20	0.01	<10	<10	181	<10	146
R708353		<20	0.01	<10	<10	184	<10	326
R708354		<20	0.01	<10	<10	160	<10	2830
R708355		<20	0.13	<10	<10	182	<10	98
R708356		<20	0.19	<10	<10	154	<10	86
R708357		<20	0.15	<10	<10	116	<10	102
R708358		<20	0.17	<10	<10	154	<10	130
R708359		<20	0.20	<10	<10	169	<10	172
R708360		<20	0.20	<10	<10	176	<10	96
R708361		<20	0.22	<10	<10	184	<10	89
R708362		<20	0.23	<10	<10	173	<10	93
R708363		<20	0.22	<10	<10	166	<10	76
R708364		<20	0.05	<10	<10	189	<10	89
R708365		<20	0.06	<10	<10	200	<10	90
R708366		<20	0.07	<10	<10	202	<10	88
R708367		<20	0.08	<10	<10	176	10	100
R708368		<20	0.12	<10	<10	201	10	79
R708369		<20	0.08	<10	<10	180	<10	64
R708370		<20	0.09	<10	<10	192	<10	86
R708371		<20	0.07	<10	<10	367	<10	65
R708372		<20	<0.01	<10	<10	1	<10	2
R708373		<20	0.06	<10	<10	177	<10	84
R708374		<20	0.04	<10	<10	195	<10	81
R708375		<20	0.07	<10	<10	149	<10	75
R708376		<20	0.08	<10	<10	145	<10	80
R708377		<20	0.08	<10	<10	100	<10	63
R708378		<20	0.12	<10	<10	125	<10	141
R708379		<20	0.10	<10	<10	101	<10	131
R708380		<20	0.11	<10	<10	112	<10	130
R708381		<20	0.09	<10	<10	73	<10	102
R708382		<20	0.10	<10	<10	76	<10	97
R708383		<20	0.15	<10	<10	120	<10	122
R708384		<20	0.16	<10	<10	130	<10	111
R708385		<20	0.14	<10	<10	117	<10	99
R708386		<20	0.04	<10	<10	40	<10	70
R708387		<20	0.03	<10	<10	34	<10	59
R708388		<20	0.03	<10	<10	45	<10	61
R708389		<20	0.04	<10	<10	46	<10	67
R708390		<20	0.03	<10	<10	34	<10	69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123629

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708391		0.06	1.40	<0.2	0.40	118	<10	10	<0.5	<2	0.14	<0.5	3	124	29	2.13
R708392		0.16	<0.01	<0.2	0.30	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	4	1	0.62
R708393		4.17	0.47	<0.2	2.73	4	<10	20	<0.5	<2	0.88	<0.5	37	112	79	4.23
R708394		4.09	0.26	<0.2	2.50	6	<10	10	<0.5	<2	0.10	<0.5	41	105	98	4.47
R708395		4.21	0.22	<0.2	2.25	4	<10	10	<0.5	<2	0.09	<0.5	37	107	94	4.30
R708396		4.21	0.07	<0.2	2.10	5	<10	20	<0.5	<2	0.17	<0.5	35	94	98	3.81
R708397		4.24	0.15	<0.2	2.53	7	<10	20	<0.5	<2	2.24	<0.5	41	117	89	4.66
R708398		4.20	0.09	<0.2	3.26	<2	<10	20	<0.5	<2	1.46	<0.5	40	139	104	5.50
R708399		4.46	0.07	<0.2	4.04	4	<10	50	<0.5	<2	2.75	<0.5	47	204	208	7.00
R708400		2.50	4.87	<0.2	2.83	3	<10	60	<0.5	<2	0.88	<0.5	41	208	161	6.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123629

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708391		<10	<1	0.04	<10	0.06	52	<1	0.01	19	60	<2	0.03	<2	4	5
R708392		<10	<1	0.09	<10	0.01	65	<1	0.20	1	10	<2	0.02	<2	<1	2
R708393		<10	<1	0.13	20	1.66	847	1	0.07	232	160	2	0.62	2	6	11
R708394		10	<1	0.17	20	1.49	501	1	0.01	241	130	4	0.84	4	4	5
R708395		<10	<1	0.16	20	1.37	395	<1	0.01	226	130	<2	0.86	2	4	5
R708396		<10	<1	0.17	20	1.27	368	<1	0.03	189	140	3	0.75	2	4	7
R708397		10	<1	0.17	20	1.69	957	1	0.04	266	180	3	0.82	<2	6	9
R708398		10	<1	0.13	10	2.11	784	<1	0.06	143	210	6	0.69	<2	9	8
R708399		10	<1	0.35	<10	2.94	1210	<1	0.06	120	210	2	0.84	<2	16	9
R708400		10	<1	0.40	<10	2.06	1075	<1	0.05	121	230	2	1.03	<2	18	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123629

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708391		<20	0.02	<10	<10	63	<10	13
R708392		<20	<0.01	<10	<10	<1	<10	<2
R708393		<20	0.03	<10	<10	39	<10	52
R708394		<20	0.02	<10	<10	30	<10	95
R708395		<20	0.02	<10	<10	27	<10	61
R708396		<20	0.03	<10	<10	28	10	40
R708397		<20	0.03	<10	<10	40	<10	47
R708398		<20	0.05	<10	<10	98	<10	64
R708399		<20	0.09	<10	<10	174	20	83
R708400		<20	0.10	<10	<10	191	<10	59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123629

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41