ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

CERTIFICATE TB16135726

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 16-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135726

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709151		1.85	0.02	<0.2	3.92	<2	<10	<10	<0.5	<2	0.99	<0.5	16	145	2	2.42
R709152		2.38	4.28	<0.2	4.56	<2	<10	<10	<0.5	9	0.47	<0.5	19	161	<1	3.28
R709153		2.59	6.96	0.2	4.85	3	<10	<10	<0.5	<2	0.20	<0.5	18	170	2	2.85
R709154		2.82	4.45	<0.2	3.81	2	<10	<10	<0.5	3	0.02	<0.5	15	138	<1	2.18
R709155		2.78	5.00	0.2	2.07	<2	<10	10	<0.5	<2	0.02	<0.5	6	72	<1	0.90
R709156		2.75	0.57	<0.2	1.77	2	<10	<10	<0.5	<2	0.01	<0.5	4	79	1	0.45
R709157		2.68	0.85	<0.2	1.60	<2	<10	<10	<0.5	<2	0.01	<0.5	4	68	<1	0.48
R709158		2.38	0.91	<0.2	2.42	4	<10	10	<0.5	<2	0.74	<0.5	11	102	22	1.48
R709159		2.64	0.01	<0.2	4.46	2	<10	<10	<0.5	<2	6.31	<0.5	40	180	125	6.78
R709160		2.81	0.02	<0.2	4.42	<2	<10	<10	<0.5	<2	5.79	<0.5	40	177	141	6.77
R709161		2.67	0.01	<0.2	3.58	<2	<10	20	<0.5	<2	2.27	<0.5	20	145	49	3.43
R709162		2.47	0.64	<0.2	2.02	<2	<10	10	<0.5	<2	0.07	<0.5	5	71	2	0.58
R709163		2.39	1.63	<0.2	2.72	<2	<10	<10	<0.5	<2	0.14	<0.5	7	100	<1	0.69
R709164		2.81	1.55	<0.2	2.66	2	<10	<10	<0.5	<2	0.08	<0.5	7	108	<1	0.76
R709165		2.56	6.03	0.4	1.74	17	<10	<10	<0.5	<2	0.06	<0.5	6	75	<1	0.36
R709166		2.80	2.99	<0.2	2.09	7	<10	<10	<0.5	<2	0.11	<0.5	9	103	<1	0.62
R709167		2.77	2.94	<0.2	4.62	28	<10	10	<0.5	<2	0.19	<0.5	35	185	6	3.58
R709168		2.60	0.02	0.2	5.34	10	<10	<10	<0.5	<2	3.08	<0.5	43	184	96	6.07
R709169		2.62	0.36	<0.2	5.52	42	<10	<10	<0.5	<2	0.07	<0.5	43	202	6	4.57
R709170		2.51	3.86	<0.2	5.29	83	<10	<10	<0.5	3	0.10	<0.5	48	195	1	4.61
R709171		0.05	8.53	1.4	0.13	164	<10	30	<0.5	<2	1.70	<0.5	140	14	3660	1.65
R709172		0.17	<0.01	<0.2	0.04	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	6	0.37
R709173		2.51	0.12	<0.2	6.03	67	<10	<10	<0.5	<2	0.07	<0.5	50	201	30	5.44
R709174		2.56	2.93	<0.2	6.06	71	<10	<10	<0.5	2	0.05	<0.5	51	216	8	5.84
R709175		2.68	0.20	<0.2	7.26	91	<10	<10	<0.5	3	0.06	<0.5	67	250	85	7.52
R709176		3.03	0.31	<0.2	6.57	58	<10	<10	<0.5	<2	0.06	<0.5	44	218	5	6.21
R709177		2.52	0.09	<0.2	6.94	78	<10	<10	<0.5	<2	0.06	<0.5	62	225	1	6.70
R709178		2.93	0.54	<0.2	7.37	79	<10	<10	<0.5	2	0.07	2.5	64	238	21	7.23
R709179		3.13	0.64	<0.2	6.93	58	<10	<10	<0.5	<2	0.07	<0.5	46	231	5	6.54
R709180		2.87	0.39	<0.2	7.04	51	<10	<10	<0.5	<2	0.23	<0.5	50	235	5	6.58
R709181		2.72	0.55	0.2	6.84	54	<10	<10	<0.5	<2	0.07	<0.5	50	233	160	7.14
R709182		3.01	0.33	0.2	6.74	102	<10	<10	<0.5	4	0.34	<0.5	80	254	85	7.14
R709183		2.90	0.72	0.6	6.16	121	<10	<10	<0.5	4	0.46	<0.5	91	254	223	6.79
R709184		2.89	0.24	<0.2	6.52	62	<10	10	<0.5	<2	0.09	<0.5	49	217	13	7.12
R709185		2.77	0.21	<0.2	7.30	76	<10	<10	<0.5	<2	0.06	<0.5	62	240	48	7.99
R709186		2.68	0.70	<0.2	6.78	63	<10	<10	<0.5	2	0.08	<0.5	56	225	152	7.29
R709187		2.80	0.69	0.2	7.13	25	<10	<10	<0.5	<2	0.10	<0.5	52	239	243	7.95
R709188		2.66	0.49	<0.2	5.94	5	<10	<10	<0.5	<2	0.06	<0.5	30	209	10	4.56
R709189		1.89	0.43	<0.2	5.94	7	<10	<10	<0.5	<2	0.13	<0.5	28	207	3	4.31
R709190		2.35	0.08	<0.2	5.69	7	<10	<10	<0.5	<2	0.40	<0.5	26	195	5	4.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135726

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
R709151		10	1	0.02	<10	4.97	308	<1	<0.01	69	410	<2	0.01	<2	18	8
R709152		10	<1	<0.01	<10	5.71	456	<1	<0.01	78	90	<2	<0.01	<2	22	3
R709153		10	1	0.03	<10	5.71	370	<1	<0.01	91	90	<2	0.01	<2	19	3
R709154		10	<1	0.03	<10	4.30	211	<1	<0.01	82	50	<2	<0.01	<2	13	1
R709155		<10	<1	0.14	<10	2.10	84	<1	0.02	38	30	<2	<0.01	<2	5	3
R709156		<10	1	0.10	<10	1.92	65	<1	0.01	41	10	<2	<0.01	<2	4	2
R709157		<10	<1	0.09	<10	1.79	69	<1	0.01	44	30	<2	<0.01	<2	3	2
R709158		<10	<1	0.09	<10	2.60	249	<1	0.01	70	190	<2	0.04	<2	7	4
R709159		10	<1	0.01	<10	3.52	1070	<1	0.02	115	200	<2	0.12	2	18	22
R709160		10	1	<0.01	<10	3.54	940	<1	0.02	114	230	2	0.11	3	10	24
R709161		10	<1	0.07	<10	3.52	612	<1	0.02	99	220	<2	0.06	2	13	11
R709162		<10	1	0.10	<10	2.46	146	<1	0.01	59	170	<2	0.01	<2	6	2
R709163		<10	<1	0.05	<10	3.43	129	<1	0.01	70	290	<2	<0.01	<2	9	3
R709164		10	<1	0.04	<10	3.40	103	<1	<0.01	70	270	<2	<0.01	<2	9	1
R709165		<10	<1	0.14	<10	1.83	32	<1	0.01	121	280	2	<0.01	<2	3	2
R709166		<10	1	0.12	<10	2.31	46	<1	0.01	88	480	<2	<0.01	<2	5	2
R709167		10	<1	0.08	<10	4.39	166	<1	0.02	134	580	<2	<0.01	<2	13	3
R709168		10	1	0.01	<10	4.40	770	<1	0.05	108	260	<2	0.12	2	24	11
R709169		10	<1	0.08	<10	5.23	243	<1	0.02	134	170	<2	0.01	<2	16	2
R709170		10	<1	0.12	<10	4.70	215	1	0.02	159	480	<2	<0.01	<2	12	2
R709171		<10	<1	0.04	10	0.73	380	1	0.03	27	60	195	1.38	<2	5	10
R709172		<10	<1	0.01	<10	<0.01	40	<1	0.03	2	10	<2	0.02	<2	<1	1
R709173		10	<1	0.05	<10	5.52	306	1	0.01	139	320	<2	0.01	<2	20	1
R709174		10	1	0.07	<10	5.29	448	1	0.02	135	250	<2	<0.01	<2	17	1
R709175		10	1	0.03	<10	6.53	625	1	0.01	148	230	<2	0.03	<2	25	1
R709176		10	<1	0.04	<10	5.91	491	1	0.01	141	200	<2	<0.01	3	18	2
R709177		10	1	<0.01	<10	7.06	533	1	0.01	122	170	<2	0.01	<2	29	1
R709178		10	1	<0.01	<10	6.75	566	1	0.01	130	210	<2	0.02	<2	29	1
R709179		10	<1	0.03	<10	6.46	524	<1	0.01	137	190	<2	<0.01	<2	21	1
R709180		10	1	0.01	<10	6.59	523	<1	0.01	126	160	<2	0.01	<2	30	1
R709181		10	1	<0.01	<10	7.09	532	1	0.01	121	210	<2	0.07	<2	31	1
R709182		10	<1	<0.01	<10	6.75	525	1	0.01	135	310	3	0.08	<2	30	2
R709183		10	<1	0.01	<10	5.66	546	1	0.02	136	310	<2	0.07	<2	25	4
R709184		10	<1	0.04	<10	5.78	711	1	0.01	141	140	<2	<0.01	<2	17	1
R709185		10	<1	0.03	<10	6.58	733	<1	0.01	141	140	<2	0.07	<2	24	1
R709186		10	1	0.04	<10	6.10	592	1	0.01	144	180	<2	0.05	<2	18	1
R709187		20	1	0.02	<10	6.60	544	1	0.01	139	200	<2	0.10	<2	27	1
R709188		10	<1	0.03	<10	6.33	459	1	0.01	119	100	<2	<0.01	<2	22	1
R709189		10	<1	0.01	<10	6.52	528	<1	0.02	119	230	<2	<0.01	2	26	2
R709190		10	<1	<0.01	<10	6.67	482	<1	0.01	109	150	<2	<0.01	2	26	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135726

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709151		<20	0.01	<10	<10	116	<10	19
R709152		<20	0.01	<10	<10	134	<10	27
R709153		<20	0.01	<10	<10	137	<10	23
R709154		<20	<0.01	<10	<10	102	<10	14
R709155		<20	<0.01	<10	<10	44	<10	6
R709156		<20	<0.01	<10	<10	41	<10	4
R709157		<20	<0.01	<10	<10	31	<10	4
R709158		<20	<0.01	<10	<10	66	<10	16
R709159		<20	0.04	<10	<10	185	<10	66
R709160		<20	0.05	<10	<10	173	<10	70
R709161		<20	0.01	<10	<10	128	<10	46
R709162		<20	<0.01	<10	<10	47	<10	13
R709163		<20	<0.01	<10	<10	73	240	9
R709164		<20	<0.01	<10	<10	72	10	9
R709165		<20	<0.01	<10	<10	40	<10	3
R709166		<20	<0.01	<10	<10	57	<10	4
R709167		<20	0.01	<10	<10	120	150	13
R709168		<20	0.02	<10	<10	192	<10	53
R709169		<20	0.01	<10	<10	141	<10	17
R709170		<20	<0.01	<10	<10	129	<10	18
R709171		<20	<0.01	<10	<10	2	<10	12
R709172		<20	<0.01	<10	<10	<1	<10	<2
R709173		<20	0.01	<10	<10	167	<10	26
R709174		<20	0.01	<10	<10	154	<10	32
R709175		<20	0.01	<10	<10	193	<10	59
R709176		<20	0.01	<10	<10	161	<10	166
R709177		<20	0.01	<10	<10	193	<10	676
R709178		<20	0.01	<10	<10	202	<10	846
R709179		<20	0.01	<10	<10	173	<10	384
R709180		<20	0.01	<10	<10	196	<10	347
R709181		<20	0.02	<10	<10	201	<10	71
R709182		<20	0.01	<10	<10	197	10	73
R709183		<20	0.01	<10	<10	186	<10	114
R709184		<20	0.01	<10	<10	155	<10	90
R709185		<20	0.01	<10	<10	184	10	93
R709186		<20	0.01	<10	<10	163	100	84
R709187		<20	0.01	<10	<10	195	<10	74
R709188		<20	0.01	<10	<10	163	<10	50
R709189		<20	0.01	<10	<10	186	<10	52
R709190		<20	0.01	<10	<10	173	<10	39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135726

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709191		0.05	7.17	<0.2	1.36	41	<10	70	<0.5	<2	0.93	<0.5	13	17	123	2.85
R709192		0.17	<0.01	<0.2	0.04	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.29
R709193		3.84	0.54	<0.2	5.86	33	<10	<10	<0.5	2	1.31	<0.5	33	196	65	4.99
R709194		3.25	0.26	0.4	6.44	100	<10	<10	<0.5	2	0.07	<0.5	53	215	471	8.14
R709195		2.30	3.34	<0.2	4.81	91	<10	<10	<0.5	<2	0.04	<0.5	39	185	5	5.11
R709196		3.59	0.05	<0.2	3.54	4	<10	<10	<0.5	<2	1.43	<0.5	8	125	1	1.21
R709197		3.21	0.21	<0.2	6.97	43	<10	<10	<0.5	<2	0.13	<0.5	57	246	11	6.52
R709198		3.56	1.78	<0.2	3.75	93	<10	<10	<0.5	<2	0.17	<0.5	34	138	25	4.10
R709199		2.68	1.35	<0.2	1.81	77	<10	10	<0.5	<2	0.13	<0.5	17	67	8	1.68
R709200		3.01	1.96	<0.2	0.77	33	<10	10	<0.5	2	0.02	<0.5	8	30	1	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135726

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709191		10	<1	0.09	10	0.45	310	1	0.32	45	720	6	0.07	2	3	47
R709192		<10	<1	0.01	<10	<0.01	30	<1	0.03	1	10	<2	0.02	<2	<1	1
R709193		10	<1	0.03	<10	6.19	468	1	0.01	118	140	<2	0.03	<2	21	3
R709194		10	1	0.04	<10	5.18	495	<1	0.01	153	240	<2	0.14	<2	19	1
R709195		10	<1	0.08	<10	4.20	289	1	0.01	160	140	<2	<0.01	<2	9	1
R709196		10	<1	0.01	<10	4.72	277	<1	0.01	63	100	<2	<0.01	<2	15	4
R709197		20	1	0.02	<10	6.44	619	1	0.02	140	320	<2	<0.01	<2	28	2
R709198		10	1	0.10	<10	3.03	275	<1	0.02	139	180	<2	0.01	<2	13	3
R709199		<10	<1	0.16	<10	1.32	111	<1	0.03	87	90	<2	0.01	<2	5	4
R709200		<10	<1	0.17	<10	0.37	43	<1	0.03	34	60	<2	<0.01	2	2	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135726

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709191		<20	0.49	<10	<10	80	<10	74
R709192		<20	<0.01	<10	<10	<1	<10	<2
R709193		<20	0.01	<10	<10	152	<10	45
R709194		<20	0.01	<10	<10	162	20	138
R709195		<20	0.01	<10	<10	99	<10	54
R709196		<20	<0.01	<10	<10	89	<10	43
R709197		<20	0.01	<10	<10	194	<10	170
R709198		<20	<0.01	<10	<10	102	<10	74
R709199		<20	<0.01	<10	<10	43	<10	26
R709200		<20	<0.01	<10	<10	21	<10	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 30-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16135726

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41