ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

CERTIFICATE TB16129996

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129996

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708901		3.95	0.01	<0.2	8.16	5	<10	10	<0.5	<2	6.69	<0.5	23	100	59	3.78
R708902		4.03	0.01	<0.2	7.93	<2	<10	10	<0.5	<2	6.21	<0.5	18	109	36	3.84
R708903		4.01	0.10	0.3	7.08	<2	<10	10	<0.5	<2	6.5	<0.5	17	57	56	3.71
R708904		2.41	0.03	<0.2	7.12	<2	<10	10	<0.5	<2	5.86	<0.5	19	152	158	4.90
R708905		2.88	0.24	<0.2	6.73	<2	<10	10	<0.5	<2	3.94	<0.5	26	106	35	6.80
R708906		2.58	0.36	<0.2	3.30	2	<10	<10	<0.5	<2	2.78	<0.5	4	122	12	0.85
R708907		2.59	0.03	<0.2	6.58	<2	<10	20	<0.5	<2	4.33	<0.5	34	211	73	6.51
R708908		2.70	0.31	<0.2	4.88	10	<10	10	<0.5	<2	4.49	<0.5	29	173	5	3.53
R708909		2.58	0.02	<0.2	3.59	<2	<10	<10	<0.5	<2	7.02	<0.5	3	108	1	1.09
R708910		2.57	2.81	<0.2	3.69	<2	<10	<10	<0.5	<2	0.38	<0.5	11	138	9	1.49
R708911		2.57	0.05	<0.2	4.91	<2	<10	<10	<0.5	<2	0.14	<0.5	19	176	1	2.79
R708912		2.60	0.03	<0.2	4.65	2	<10	<10	<0.5	<2	0.13	<0.5	21	162	1	2.59
R708913		2.72	0.01	<0.2	5.07	6	<10	<10	<0.5	<2	0.80	<0.5	26	164	3	3.79
R708914		2.70	0.01	<0.2	4.35	9	<10	<10	<0.5	<2	4.37	<0.5	27	124	41	3.69
R708915		2.71	0.01	0.2	5.48	15	<10	<10	<0.5	<2	6.8	0.5	42	150	186	7.62
R708916		2.62	0.01	<0.2	4.68	12	<10	<10	<0.5	<2	3.26	<0.5	29	146	67	4.63
R708917		2.51	0.23	<0.2	3.51	3	<10	<10	<0.5	<2	0.12	<0.5	10	129	1	1.34
R708918		2.33	1.03	<0.2	3.84	4	<10	<10	<0.5	<2	0.66	<0.5	14	126	2	2.28
R708919		2.46	0.32	<0.2	1.87	<2	<10	<10	<0.5	<2	0.02	<0.5	5	83	<1	0.67
R708920		2.71	1.04	<0.2	5.66	35	<10	<10	<0.5	<2	0.11	<0.5	38	225	12	5.34
R708921		0.06	6.04	22.4	0.28	239	<10	10	<0.5	<2	0.48	<0.5	10	24	76	1.67
R708922		0.17	<0.01	<0.2	0.22	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	2	1	0.39
R708923		2.75	0.83	<0.2	6.35	77	<10	<10	<0.5	<2	0.06	<0.5	48	221	55	7.16
R708924		2.73	0.68	<0.2	6.78	105	<10	<10	<0.5	<2	0.06	<0.5	54	231	186	8.45
R708925		2.63	0.81	0.2	6.75	27	<10	<10	<0.5	<2	0.07	<0.5	44	219	79	8.59
R708926		2.73	0.68	0.2	5.40	17	<10	<10	<0.5	<2	0.11	<0.5	44	183	211	7.21
R708927		2.32	0.22	<0.2	4.58	6	<10	<10	<0.5	<2	4.27	<0.5	35	144	103	6.26
R708928		2.28	0.80	<0.2	5.05	14	<10	<10	<0.5	<2	3.26	<0.5	29	167	46	5.53
R708929		3.24	1.00	<0.2	4.13	10	<10	<10	<0.5	<2	0.17	<0.5	18	152	<1	2.80
R708930		3.15	0.02	0.2	1.94	12	<10	<10	<0.5	<2	14.0	0.6	22	67	123	3.67
R708931		2.62	0.09	<0.2	6.69	38	<10	<10	<0.5	<2	0.15	<0.5	43	218	18	6.35
R708932		2.71	0.06	0.2	6.99	22	<10	<10	<0.5	<2	0.10	<0.5	43	230	225	7.68
R708933		2.55	1.23	0.2	5.87	85	<10	10	<0.5	<2	0.04	<0.5	51	221	143	7.45
R708934		2.74	0.72	0.2	3.91	92	<10	30	<0.5	<2	0.72	<0.5	45	146	165	5.92
R708935		2.64	1.00	<0.2	3.70	97	<10	70	<0.5	<2	0.34	<0.5	44	145	129	5.47
R708936		2.62	0.68	<0.2	4.26	62	<10	<10	<0.5	<2	0.05	<0.5	37	178	1	3.69
R708937		2.62	0.42	0.2	4.86	159	<10	<10	<0.5	<2	0.04	<0.5	55	181	97	5.82
R708938		2.63	0.48	3.2	5.94	99	<10	<10	<0.5	<2	0.05	2.6	91	198	2290	8.28
R708939		2.60	0.14	0.8	4.70	28	<10	<10	<0.5	<2	0.10	0.7	53	164	591	6.31
R708940		2.51	1.97	0.9	6.22	65	<10	<10	<0.5	<2	0.04	<0.5	60	219	907	7.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129996

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708901		10	<1	0.02	<10	1.68	859	<1	0.55	72	80	<2	0.03	<2	5	63
R708902		10	<1	0.03	<10	1.52	882	<1	0.56	64	80	<2	0.02	<2	6	63
R708903		10	<1	0.04	<10	1.16	892	<1	0.56	58	70	<2	0.18	<2	5	59
R708904		10	<1	0.06	<10	1.40	1020	<1	0.54	64	80	<2	0.58	<2	6	55
R708905		10	<1	0.07	<10	2.32	1220	<1	0.41	79	170	<2	0.47	3	15	39
R708906		<10	<1	<0.01	<10	5.72	353	<1	<0.01	37	80	<2	<0.01	2	15	5
R708907		10	<1	0.05	<10	2.72	1180	<1	0.36	100	70	<2	0.22	<2	17	33
R708908		10	<1	0.03	<10	3.40	914	<1	0.23	121	130	<2	<0.01	<2	17	23
R708909		<10	1	<0.01	<10	7.76	833	<1	<0.01	18	80	<2	<0.01	3	21	11
R708910		10	<1	<0.01	<10	5.02	217	<1	<0.01	67	130	<2	<0.01	<2	19	1
R708911		10	<1	0.02	<10	5.78	358	<1	0.01	92	110	<2	<0.01	<2	20	1
R708912		10	<1	0.01	<10	5.73	219	<1	<0.01	79	100	<2	<0.01	<2	20	1
R708913		10	<1	<0.01	<10	6.40	230	<1	<0.01	89	130	<2	<0.01	<2	22	2
R708914		10	<1	<0.01	<10	5.75	626	<1	<0.01	73	250	<2	0.03	3	20	8
R708915		10	<1	0.01	<10	3.51	1020	<1	0.09	92	270	3	0.16	<2	19	32
R708916		10	1	0.01	<10	4.61	591	<1	0.03	89	210	<2	0.09	<2	20	12
R708917		10	<1	0.04	<10	4.45	126	<1	0.01	72	80	<2	<0.01	<2	13	2
R708918		10	<1	0.03	<10	4.87	213	<1	0.01	70	80	<2	0.01	<2	18	2
R708919		<10	<1	0.08	<10	2.03	77	<1	0.01	58	40	<2	<0.01	<2	5	2
R708920		10	<1	0.04	<10	5.41	542	<1	0.01	134	210	<2	<0.01	<2	19	2
R708921		<10	<1	0.04	<10	0.20	184	29	0.05	109	230	11	0.37	4	1	13
R708922		<10	<1	0.06	<10	<0.01	43	<1	0.14	2	10	<2	0.01	<2	<1	2
R708923		10	<1	0.04	<10	5.30	647	<1	<0.01	152	170	<2	0.01	2	20	2
R708924		10	<1	0.04	<10	5.35	704	<1	<0.01	161	240	<2	0.06	2	19	1
R708925		10	<1	0.02	<10	5.43	703	<1	<0.01	138	210	<2	0.03	<2	22	1
R708926		10	<1	0.04	<10	4.88	294	<1	<0.01	120	230	<2	0.50	<2	20	1
R708927		10	<1	0.05	<10	3.30	898	<1	0.07	97	260	2	0.33	<2	15	15
R708928		10	<1	0.03	<10	4.49	832	<1	0.04	100	200	<2	0.15	4	24	10
R708929		10	<1	0.03	<10	4.54	431	<1	<0.01	89	90	<2	<0.01	<2	16	2
R708930		10	<1	<0.01	<10	7.88	6480	<1	0.01	46	60	<2	0.31	<2	10	19
R708931		10	<1	<0.01	<10	6.54	791	<1	<0.01	124	190	<2	0.01	4	26	2
R708932		10	<1	<0.01	<10	6.40	698	<1	<0.01	131	220	<2	0.37	<2	28	1
R708933		10	1	0.06	<10	4.65	499	<1	0.01	167	150	<2	0.16	<2	17	2
R708934		10	<1	0.11	10	2.66	453	1	0.02	158	490	2	0.21	<2	8	15
R708935		10	<1	0.19	10	2.49	390	<1	0.02	159	460	<2	0.13	<2	6	17
R708936		10	<1	0.04	<10	4.06	159	<1	0.01	128	200	<2	<0.01	2	17	2
R708937		10	<1	0.05	<10	3.94	240	<1	0.01	189	170	<2	0.07	2	22	2
R708938		20	<1	<0.01	<10	4.58	408	<1	<0.01	202	200	<2	0.49	<2	28	1
R708939		10	<1	0.05	<10	3.68	362	<1	0.01	106	160	<2	0.41	<2	19	2
R708940		10	<1	0.03	<10	4.97	425	<1	<0.01	136	150	<2	0.14	<2	23	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129996

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708901		<20	0.04	<10	<10	82	<10	31
R708902		<20	0.04	<10	<10	81	<10	31
R708903		<20	0.04	<10	<10	69	<10	27
R708904		<20	0.04	<10	<10	80	<10	31
R708905		<20	0.06	<10	<10	149	<10	42
R708906		<20	<0.01	<10	<10	70	<10	8
R708907		<20	0.06	<10	<10	141	10	46
R708908		<20	0.02	<10	<10	111	<10	31
R708909		<20	<0.01	<10	<10	61	<10	7
R708910		<20	<0.01	<10	<10	101	<10	11
R708911		<20	0.01	<10	<10	132	<10	21
R708912		<20	0.01	<10	<10	130	<10	13
R708913		<20	0.01	<10	<10	144	<10	15
R708914		<20	0.01	<10	<10	123	<10	25
R708915		<20	0.04	<10	<10	192	<10	75
R708916		<20	0.02	<10	<10	160	<10	43
R708917		<20	<0.01	<10	<10	101	<10	12
R708918		<20	<0.01	<10	<10	114	<10	21
R708919		<20	<0.01	<10	<10	47	<10	14
R708920		<20	0.01	<10	<10	148	<10	57
R708921		<20	0.12	<10	<10	22	<10	72
R708922		<20	<0.01	<10	<10	<1	<10	<2
R708923		<20	0.01	<10	<10	160	10	67
R708924		<20	0.01	<10	<10	168	10	64
R708925		<20	0.01	<10	<10	175	<10	118
R708926		<20	0.02	<10	<10	148	<10	186
R708927		<20	0.03	<10	<10	182	<10	78
R708928		<20	0.01	<10	<10	205	<10	67
R708929		<20	<0.01	<10	<10	119	<10	49
R708930		<20	<0.01	<10	<10	50	<10	53
R708931		<20	0.01	<10	<10	190	<10	98
R708932		<20	0.01	<10	<10	192	<10	90
R708933		<20	0.01	<10	<10	147	<10	56
R708934		<20	0.01	<10	<10	89	<10	56
R708935		<20	0.03	<10	<10	78	<10	45
R708936		<20	<0.01	<10	<10	131	<10	74
R708937		<20	0.01	<10	<10	139	<10	230
R708938		<20	0.01	<10	<10	173	<10	520
R708939		<20	0.01	<10	<10	131	<10	356
R708940		<20	0.01	<10	<10	174	<10	129

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129996

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708941		0.05	3.29	1.6	0.50	8	<10	30	<0.5	<2	0.66	<0.5	5	11	32	1.14
R708942		0.16	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.28
R708943		2.62	3.09	<0.2	2.23	130	<10	<10	<0.5	<2	0.05	<0.5	21	107	2	1.55
R708944		1.89	0.32	<0.2	1.89	42	<10	10	<0.5	<2	0.06	<0.5	18	84	10	1.25
R708945		2.47	0.31	1.6	5.45	12	<10	<10	<0.5	<2	0.84	<0.5	28	193	33	4.17
R708946		2.74	0.03	<0.2	3.25	<2	<10	<10	<0.5	<2	5.37	<0.5	9	104	3	2.38
R708947		2.81	<0.01	<0.2	3.06	10	<10	<10	<0.5	<2	7.5	<0.5	23	107	9	3.05
R708948		2.65	0.09	<0.2	2.66	27	<10	<10	<0.5	<2	5.18	<0.5	21	116	12	1.82
R708949		3.99	0.01	<0.2	2.09	3	<10	<10	<0.5	<2	3.86	<0.5	5	76	3	1.49
R708950		2.63	0.21	<0.2	2.87	8	<10	20	<0.5	<2	1.05	<0.5	19	81	51	3.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129996

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708941		<10	<1	0.05	<10	0.18	127	5	0.12	17	300	5	0.02	3	1	21
R708942		<10	<1	<0.01	<10	<0.01	29	<1	<0.01	3	10	<2	0.02	<2	<1	1
R708943		10	<1	0.08	<10	2.13	87	<1	0.01	141	210	<2	<0.01	<2	7	3
R708944		<10	<1	0.09	<10	1.73	89	<1	0.01	80	160	<2	0.01	2	4	3
R708945		10	1	0.02	<10	5.71	451	<1	<0.01	112	90	<2	0.10	5	23	4
R708946		<10	<1	<0.01	<10	6.04	1035	<1	<0.01	55	90	<2	<0.01	<2	16	12
R708947		10	<1	0.01	<10	6.66	1590	<1	<0.01	123	160	<2	0.05	<2	21	26
R708948		10	<1	0.01	<10	5.20	1200	<1	0.01	125	370	<2	0.02	<2	16	28
R708949		10	<1	0.01	<10	4.86	1110	<1	<0.01	36	310	<2	0.02	2	15	26
R708950		10	<1	0.10	10	2.90	428	<1	0.03	47	420	3	0.37	<2	9	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129996

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708941		<20	0.18	<10	<10	30	<10	24
R708942		<20	<0.01	<10	<10	<1	<10	<2
R708943		<20	<0.01	<10	<10	68	<10	21
R708944		<20	<0.01	<10	<10	43	<10	14
R708945		<20	0.01	<10	<10	155	<10	48
R708946		<20	0.01	<10	<10	80	<10	36
R708947		<20	0.01	<10	<10	85	<10	22
R708948		<20	<0.01	<10	<10	117	<10	26
R708949		<20	<0.01	<10	<10	64	<10	22
R708950		<20	0.01	<10	<10	64	<10	67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 23-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16129996

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41