ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

CERTIFICATE TB16138077

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 20-AUG-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138077

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709451		2.77	0.29	<0.2	7.40	<2	<10	10	<0.5	<2	8.9	<0.5	15	44	59	3.00
R709452		2.92	0.21	<0.2	6.44	<2	<10	10	<0.5	<2	6.05	<0.5	11	142	47	2.92
R709453		4.43	0.12	<0.2	6.99	<2	<10	10	<0.5	3	7.4	<0.5	14	95	68	3.58
R709454		4.17	0.43	<0.2	5.82	<2	<10	10	<0.5	2	6.74	<0.5	11	71	40	2.98
R709455		4.12	0.02	<0.2	7.55	<2	<10	<10	<0.5	<2	11.0	<0.5	13	87	10	3.08
R709456		4.13	0.02	<0.2	7.65	<2	<10	10	<0.5	<2	7.7	<0.5	15	69	56	4.89
R709457		4.05	0.01	<0.2	9.55	4	<10	<10	<0.5	<2	9.0	<0.5	20	76	63	3.51
R709458		4.12	0.11	<0.2	7.19	2	<10	10	<0.5	2	8.5	<0.5	20	113	32	4.19
R709459		4.18	<0.01	<0.2	7.08	2	<10	<10	<0.5	3	8.9	<0.5	23	246	20	3.52
R709460		4.11	0.01	<0.2	5.99	5	<10	10	<0.5	2	8.9	<0.5	22	168	19	4.42
R709461		4.20	0.05	<0.2	7.16	4	<10	10	<0.5	3	8.4	<0.5	19	74	29	3.87
R709462		4.13	0.21	<0.2	7.45	2	<10	10	<0.5	2	7.6	<0.5	18	90	18	3.49
R709463		4.15	0.02	<0.2	7.16	4	<10	10	<0.5	<2	7.6	<0.5	18	83	44	3.69
R709464		0.06	1.13	<0.2	0.81	<2	<10	20	<0.5	<2	0.59	<0.5	8	9	55	2.08
R709465		0.18	<0.01	<0.2	0.05	<2	<10	<10	<0.5	<2	0.01	<0.5	1	3	3	0.41
R709466		4.28	0.04	<0.2	7.23	7	<10	10	<0.5	3	6.28	<0.5	29	203	34	4.98
R709467		3.20	0.11	<0.2	4.36	6	<10	10	<0.5	<2	7.5	<0.5	20	190	12	3.73
R709468		3.93	0.01	<0.2	3.73	2	<10	20	<0.5	<2	7.7	<0.5	6	128	3	1.54
R709469		4.49	0.19	<0.2	3.62	68	<10	10	<0.5	2	5.44	<0.5	24	129	35	2.25
R709470		4.04	1.03	<0.2	5.37	30	<10	<10	<0.5	<2	0.58	<0.5	37	210	18	5.33
R709471		3.49	0.18	<0.2	3.11	9	<10	<10	<0.5	2	2.13	<0.5	16	112	232	1.76
R709472		3.95	1.02	<0.2	3.36	5	<10	<10	<0.5	<2	1.67	<0.5	14	115	18	1.36
R709473		3.12	5.23	<0.2	2.93	3	<10	<10	<0.5	3	3.82	<0.5	7	101	2	1.08
R709474		2.82	15.45	0.3	4.47	3	<10	<10	<0.5	<2	0.88	<0.5	5	150	<1	0.92
R709475		2.56	0.03	<0.2	3.31	2	<10	<10	<0.5	<2	1.45	<0.5	6	119	<1	0.85
R709476		2.56	0.04	<0.2	3.49	<2	<10	<10	<0.5	<2	2.57	<0.5	6	122	<1	1.02
R709477		2.19	0.08	<0.2	3.48	<2	<10	<10	<0.5	<2	3.01	<0.5	10	122	<1	1.56
R709478		3.64	0.21	<0.2	5.35	3	<10	<10	<0.5	3	3.73	<0.5	37	221	82	6.10
R709479		4.28	0.05	<0.2	5.21	3	<10	<10	<0.5	2	4.00	<0.5	42	223	73	6.82
R709480		4.10	0.76	0.2	5.90	4	<10	<10	<0.5	<2	3.59	<0.5	43	254	120	7.46
R709481		4.21	0.29	0.3	5.19	11	<10	<10	<0.5	<2	4.98	<0.5	42	245	120	6.67
R709482		2.59	0.49	0.2	4.32	30	<10	<10	<0.5	<2	4.16	<0.5	38	194	56	4.80
R709483		3.73	1.23	<0.2	4.04	17	<10	<10	<0.5	<2	1.33	<0.5	28	154	3	3.16
R709484		3.05	0.28	<0.2	2.74	9	<10	<10	<0.5	<2	0.38	<0.5	20	103	20	2.20
R709485		4.15	1.17	0.7	4.93	86	<10	<10	<0.5	3	0.41	<0.5	89	167	323	6.34
R709486		0.05	3.05	1.2	0.51	8	<10	30	<0.5	<2	0.67	<0.5	5	11	32	1.17
R709487		0.18	<0.01	<0.2	0.05	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	3	0.43
R709488		4.11	0.07	<0.2	4.70	4	<10	<10	<0.5	<2	4.49	<0.5	35	151	79	6.34
R709489		4.16	1.14	0.5	4.94	17	<10	10	<0.5	<2	0.27	<0.5	53	170	342	6.37
R709490		4.32	0.30	<0.2	4.79	<2	<10	10	<0.5	2	2.37	<0.5	45	197	142	7.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138077

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709451		10	<1	0.06	<10	1.19	1170	<1	0.53	45	90	<2	0.03	<2	3	54
R709452		10	<1	0.06	<10	0.98	962	<1	0.46	38	60	<2	0.07	<2	2	50
R709453		10	<1	0.06	<10	1.06	1060	<1	0.51	46	80	<2	0.13	<2	3	55
R709454		10	<1	0.06	<10	0.96	1130	<1	0.46	35	90	<2	0.05	<2	3	46
R709455		10	<1	0.04	<10	1.28	1520	<1	0.51	43	70	<2	0.01	<2	5	57
R709456		10	<1	0.03	<10	1.53	1450	<1	0.51	56	80	<2	0.52	<2	4	50
R709457		10	<1	0.02	<10	1.94	1050	<1	0.62	66	90	<2	0.05	<2	8	67
R709458		10	<1	0.04	<10	1.86	1340	<1	0.45	75	70	<2	0.08	<2	6	50
R709459		10	<1	0.02	<10	2.54	1180	<1	0.40	90	60	<2	<0.01	<2	8	48
R709460		10	<1	0.05	<10	2.08	1820	<1	0.33	85	70	<2	<0.01	<2	4	36
R709461		10	<1	0.08	<10	1.82	1530	<1	0.47	68	70	<2	0.02	<2	5	52
R709462		10	<1	0.07	<10	1.65	1230	<1	0.54	54	60	<2	<0.01	<2	7	57
R709463		10	<1	0.09	<10	1.56	1220	<1	0.47	58	60	<2	0.04	<2	6	57
R709464		<10	<1	0.05	10	0.24	232	1	0.21	9	760	2	0.04	<2	2	29
R709465		<10	<1	0.01	<10	0.01	45	<1	0.03	2	10	<2	0.02	<2	<1	1
R709466		10	<1	0.06	<10	2.42	1280	<1	0.40	106	150	<2	<0.01	<2	11	51
R709467		10	<1	0.08	<10	2.24	1070	<1	0.19	64	70	<2	0.01	<2	12	25
R709468		10	<1	0.15	<10	1.52	992	<1	0.34	29	10	<2	<0.01	<2	10	31
R709469		10	<1	0.04	<10	2.24	867	<1	0.23	90	50	<2	0.01	<2	11	19
R709470		10	<1	0.05	<10	4.59	610	<1	0.04	137	220	<2	<0.01	<2	19	5
R709471		<10	<1	0.04	<10	3.82	359	<1	0.01	67	80	<2	0.03	<2	9	5
R709472		<10	<1	0.01	<10	4.48	378	<1	0.02	59	60	<2	<0.01	<2	14	4
R709473		<10	<1	0.01	<10	3.72	436	<1	0.01	44	150	<2	<0.01	<2	11	8
R709474		10	<1	<0.01	<10	6.12	381	<1	0.01	69	10	<2	<0.01	<2	19	3
R709475		<10	<1	<0.01	<10	4.79	422	<1	0.01	58	10	<2	<0.01	<2	16	4
R709476		<10	<1	0.01	<10	4.87	591	<1	0.01	67	90	<2	<0.01	<2	16	6
R709477		10	<1	<0.01	<10	4.39	765	<1	0.01	66	130	<2	<0.01	<2	16	12
R709478		10	<1	0.03	<10	4.67	1340	<1	0.03	129	190	<2	0.04	<2	26	9
R709479		10	<1	0.02	<10	3.91	1290	<1	0.07	126	250	<2	0.12	<2	28	14
R709480		10	<1	0.02	<10	4.07	1330	<1	0.11	140	240	3	0.13	<2	31	20
R709481		10	<1	0.02	<10	3.90	1470	<1	0.07	134	230	<2	0.14	<2	30	18
R709482		10	<1	0.03	<10	4.02	1150	<1	0.04	112	180	<2	0.01	<2	25	11
R709483		10	<1	0.03	<10	4.54	416	<1	0.01	94	190	<2	0.01	<2	16	5
R709484		10	<1	0.06	<10	2.86	264	<1	<0.01	66	130	<2	0.01	<2	8	2
R709485		10	<1	0.05	<10	4.01	560	<1	0.01	115	320	<2	0.08	<2	13	4
R709486		<10	<1	0.05	<10	0.19	131	5	0.12	15	300	5	0.03	3	1	22
R709487		<10	<1	0.01	<10	0.01	47	<1	0.02	2	10	<2	0.02	<2	<1	2
R709488		10	<1	0.04	<10	4.33	1160	<1	0.03	95	210	<2	0.13	<2	18	15
R709489		10	1	0.06	<10	4.08	579	<1	0.02	110	270	<2	0.07	<2	12	3
R709490		10	<1	0.07	<10	3.12	1360	<1	0.11	124	210	<2	0.55	<2	11	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138077

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709451		<20	0.04	<10	<10	59	<10	23
R709452		<20	0.04	<10	<10	53	<10	22
R709453		<20	0.06	<10	<10	65	<10	25
R709454		<20	0.05	<10	<10	61	<10	21
R709455		<20	0.04	<10	<10	65	<10	22
R709456		<20	0.04	<10	<10	71	<10	33
R709457		<20	0.03	<10	<10	81	<10	26
R709458		<20	0.03	<10	<10	71	<10	30
R709459		<20	0.03	<10	<10	78	<10	24
R709460		<20	0.04	<10	<10	65	<10	31
R709461		<20	0.05	<10	<10	67	<10	29
R709462		<20	0.05	<10	<10	70	<10	29
R709463		<20	0.05	<10	<10	69	<10	28
R709464		<20	0.42	<10	<10	70	<10	45
R709465		<20	<0.01	<10	<10	<1	<10	<2
R709466		<20	0.06	<10	<10	107	<10	35
R709467		<20	0.04	<10	<10	87	<10	39
R709468		<20	0.03	<10	<10	72	<10	24
R709469		<20	<0.01	<10	<10	73	<10	48
R709470		<20	0.01	<10	<10	146	<10	69
R709471		<20	<0.01	<10	<10	68	10	21
R709472		<20	<0.01	<10	<10	87	<10	25
R709473		<20	<0.01	<10	<10	69	<10	22
R709474		<20	<0.01	<10	<10	118	80	29
R709475		<20	<0.01	<10	<10	89	<10	17
R709476		<20	<0.01	<10	<10	92	<10	35
R709477		<20	<0.01	<10	<10	100	<10	59
R709478		<20	0.01	<10	<10	183	<10	113
R709479		<20	0.02	<10	<10	207	<10	128
R709480		<20	0.04	<10	<10	227	10	181
R709481		<20	0.02	<10	<10	208	10	119
R709482		<20	0.01	<10	<10	172	<10	58
R709483		<20	<0.01	<10	<10	119	<10	44
R709484		<20	<0.01	<10	<10	69	<10	32
R709485		<20	0.01	<10	<10	123	20	157
R709486		<20	0.18	<10	<10	31	<10	24
R709487		<20	<0.01	<10	<10	1	<10	<2
R709488		<20	0.02	<10	<10	147	<10	96
R709489		<20	0.02	<10	<10	119	<10	132
R709490		<20	0.08	<10	<10	160	<10	74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138077

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709491		4.28	0.07	0.2	5.46	2	<10	40	<0.5	<2	3.93	<0.5	47	196	152	6.76
R709492		4.30	0.06	<0.2	5.24	2	<10	60	<0.5	<2	3.05	<0.5	46	186	133	6.96
R709493		3.18	0.01	<0.2	4.97	<2	<10	40	<0.5	<2	5.89	<0.5	47	159	144	8.09
R709494		3.84	0.01	0.2	3.97	2	<10	10	<0.5	<2	5.11	<0.5	44	143	146	7.38
R709495		4.35	0.03	0.2	4.32	2	<10	10	<0.5	<2	5.69	<0.5	45	165	196	7.55
R709496		4.29	0.03	0.3	3.84	2	<10	10	<0.5	<2	6.08	<0.5	42	146	312	6.95
R709497		2.85	0.02	<0.2	4.46	<2	<10	<10	<0.5	<2	5.94	<0.5	43	145	141	7.60
R709498		3.99	0.04	<0.2	3.90	<2	<10	10	<0.5	<2	3.62	<0.5	46	155	148	7.10
R709499		4.12	0.10	0.2	3.24	3	<10	10	<0.5	<2	2.69	<0.5	43	141	200	6.15
R709500		4.35	0.02	<0.2	3.59	3	<10	<10	<0.5	<2	4.33	<0.5	38	113	153	5.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138077

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709491		10	<1	0.40	<10	3.29	1510	<1	0.15	119	240	3	0.20	<2	14	20
R709492		10	<1	0.54	<10	2.88	1390	<1	0.17	120	240	3	0.57	<2	12	19
R709493		10	<1	0.27	<10	3.64	1170	<1	0.04	95	310	<2	0.55	<2	13	17
R709494		10	1	0.09	<10	3.40	1170	<1	0.02	90	310	<2	0.34	<2	13	14
R709495		10	<1	0.08	<10	3.74	1310	<1	0.02	98	250	<2	0.30	<2	14	19
R709496		10	<1	0.08	<10	3.26	1250	<1	0.01	88	220	2	0.59	2	11	31
R709497		10	<1	0.02	<10	3.29	1090	<1	0.01	83	300	<2	0.36	<2	15	24
R709498		10	<1	0.06	<10	2.82	947	<1	0.02	97	270	<2	0.64	<2	16	14
R709499		10	<1	0.06	<10	2.52	730	<1	0.03	105	270	<2	0.80	<2	13	10
R709500		10	<1	0.01	<10	2.91	726	<1	0.03	77	320	<2	0.20	<2	7	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138077

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709491		<20	0.12	<10	<10	181	<10	80
R709492		<20	0.14	<10	<10	165	<10	86
R709493		<20	0.08	<10	<10	188	<10	95
R709494		<20	0.05	<10	<10	174	<10	77
R709495		<20	0.05	<10	<10	177	<10	100
R709496		<20	0.04	<10	<10	143	10	92
R709497		<20	0.05	<10	<10	173	<10	80
R709498		<20	0.06	<10	<10	176	<10	67
R709499		<20	0.05	<10	<10	132	<10	60
R709500		<20	0.06	<10	<10	105	<10	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-SEP-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16138077

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41