ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

CERTIFICATE TB16120642

Project: 180.04E.84A12A

This report is for 45 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 25-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120642

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N527901		4.21	0.01	<0.2	2.72	7	<10	<10	<0.5	<2	3.10	<0.5	30	65	122	3.71
N527902		4.17	0.02	<0.2	2.72	5	<10	<10	<0.5	<2	4.05	<0.5	29	63	144	3.84
N527903		2.27	0.02	<0.2	3.98	3	<10	<10	<0.5	2	5.99	<0.5	36	159	134	5.93
N527904		2.92	0.02	0.2	4.39	3	<10	10	<0.5	<2	5.25	<0.5	40	193	132	6.55
N527905		2.63	1.77	0.3	3.74	3	<10	10	<0.5	4	4.57	<0.5	42	176	128	6.01
N527906		3.66	0.12	<0.2	4.79	3	<10	10	<0.5	4	1.72	<0.5	47	215	128	7.00
N527907		2.98	1.49	<0.2	3.76	4	<10	<10	<0.5	2	6.18	<0.5	35	140	124	5.83
N527908		4.16	0.03	<0.2	3.19	<2	<10	<10	<0.5	<2	4.57	<0.5	30	134	125	4.63
N527909		4.03	0.04	0.2	4.31	2	<10	10	<0.5	<2	5.40	<0.5	42	144	161	7.45
N527910		4.08	0.70	0.7	4.85	9	<10	10	<0.5	7	2.31	<0.5	47	214	111	7.13
N527911		3.99	0.78	<0.2	5.27	38	<10	10	<0.5	4	1.61	2.7	50	215	118	7.10
N527912		4.04	0.01	<0.2	4.90	<2	<10	10	<0.5	2	5.53	<0.5	43	204	149	7.20
N527913		2.91	0.10	<0.2	5.26	<2	<10	10	<0.5	3	4.58	0.6	44	203	142	7.45
N527914		2.96	0.16	<0.2	4.67	5	<10	20	<0.5	2	5.09	<0.5	43	187	136	6.77
N527915		3.83	0.01	<0.2	2.94	34	<10	<10	<0.5	<2	3.03	<0.5	35	45	147	3.29
N527916		4.25	0.01	<0.2	2.71	38	<10	<10	<0.5	<2	2.89	<0.5	36	37	150	3.42
N527917		4.16	0.01	<0.2	3.71	21	<10	<10	<0.5	<2	5.29	<0.5	39	128	147	5.34
N527918		4.14	0.02	<0.2	4.52	4	<10	<10	<0.5	<2	5.93	<0.5	40	191	144	6.78
N527919		3.52	0.01	0.2	4.76	<2	<10	10	<0.5	<2	5.33	<0.5	42	200	129	7.09
N527920		3.56	0.05	0.9	4.25	6	<10	40	<0.5	13	2.17	<0.5	44	217	516	18.50
N527921		0.03	7.09	<0.2	1.15	38	<10	70	<0.5	<2	0.82	<0.5	13	16	116	2.76
N527922		0.15	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.41
N527923		3.13	0.07	0.8	4.86	10	<10	110	<0.5	11	1.55	<0.5	35	416	675	18.80
N527924		2.99	0.05	1.2	4.68	13	<10	90	<0.5	20	1.49	<0.5	36	234	610	21.9
N527925		2.87	0.02	<0.2	4.47	4	<10	110	<0.5	2	1.99	<0.5	23	261	18	4.70
N527926		2.86	0.08	<0.2	4.23	5	<10	90	<0.5	<2	8.0	<0.5	40	567	62	5.06
N527927		3.43	1.27	<0.2	3.65	5	<10	100	<0.5	<2	5.20	<0.5	32	517	22	3.70
N527928		4.11	0.02	0.4	5.08	4	<10	130	<0.5	7	2.12	<0.5	23	272	250	11.90
N527929		3.12	0.12	<0.2	3.33	3	<10	40	<0.5	<2	5.58	<0.5	21	157	2	2.59
N527930		3.67	<0.01	<0.2	2.99	2	<10	<10	<0.5	<2	9.0	<0.5	19	116	1	2.37
N527931		2.73	0.20	<0.2	2.75	<2	<10	30	<0.5	<2	5.44	<0.5	7	79	11	1.38
N527932		2.39	0.03	<0.2	2.68	<2	<10	50	<0.5	<2	4.64	<0.5	7	40	1	1.32
N527933		2.07	0.02	<0.2	1.85	<2	<10	10	<0.5	<2	7.2	<0.5	2	16	1	0.55
N527934		2.34	0.01	<0.2	2.80	<2	<10	10	<0.5	<2	2.47	<0.5	3	58	12	0.89
N527935		2.96	0.02	<0.2	4.26	<2	<10	100	<0.5	2	2.85	<0.5	18	320	14	3.00
N527936		2.78	2.97	<0.2	5.51	2	<10	70	<0.5	2	0.80	<0.5	26	228	8	4.18
N527937		3.70	0.03	<0.2	6.03	3	<10	20	<0.5	2	0.32	<0.5	32	203	21	5.76
N527938		2.84	0.03	<0.2	5.46	3	<10	50	<0.5	2	1.25	<0.5	29	238	16	4.96
N527939		2.86	0.02	<0.2	3.36	<2	<10	40	<0.5	2	5.31	<0.5	43	162	140	6.13
N527940		3.37	0.01	<0.2	3.52	<2	<10	30	<0.5	<2	5.51	<0.5	35	182	112	5.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120642

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
N527901		10	<1	0.01	<10	2.37	497	<1	0.05	92	220	3	0.13	<2	5	11
N527902		10	<1	0.01	<10	2.43	575	<1	0.03	85	210	<2	0.14	<2	5	11
N527903		10	<1	0.01	<10	3.31	828	<1	0.02	99	210	<2	0.12	<2	9	16
N527904		10	<1	0.06	<10	3.54	938	<1	0.02	113	230	<2	0.18	2	12	13
N527905		10	<1	0.10	<10	2.70	1080	1	0.02	116	210	7	0.44	3	12	13
N527906		10	<1	0.05	<10	3.74	1020	<1	0.02	132	220	3	0.26	<2	18	7
N527907		10	1	0.02	<10	3.02	881	<1	0.02	85	270	2	0.20	<2	11	16
N527908		10	<1	0.01	<10	2.75	620	<1	0.03	78	270	<2	0.06	<2	8	14
N527909		10	<1	0.09	<10	3.34	980	<1	0.01	85	360	<2	0.66	3	13	18
N527910		10	<1	0.06	<10	3.88	896	<1	0.03	123	230	<2	0.44	5	17	10
N527911		10	1	0.09	<10	4.36	831	<1	0.02	130	220	<2	0.25	4	23	7
N527912		10	<1	0.09	<10	4.08	983	1	0.01	121	220	<2	0.26	<2	19	18
N527913		10	<1	0.05	<10	4.03	947	<1	0.05	126	230	<2	0.35	2	15	15
N527914		10	<1	0.11	<10	3.91	835	<1	0.02	120	220	<2	0.27	2	12	16
N527915		10	1	0.02	<10	1.92	455	<1	0.16	87	240	<2	0.13	<2	5	29
N527916		10	<1	0.01	<10	2.07	470	<1	0.11	90	240	<2	0.15	<2	4	20
N527917		10	1	0.01	<10	3.10	801	<1	0.03	101	230	<2	0.13	<2	8	18
N527918		10	<1	0.02	<10	3.79	1040	<1	0.01	107	220	<2	0.16	<2	17	20
N527919		10	<1	0.07	<10	4.12	1100	<1	0.01	118	210	<2	0.34	<2	21	26
N527920		10	<1	0.22	<10	4.12	679	1	0.01	193	260	2	6.33	2	18	13
N527921		<10	<1	0.08	10	0.42	307	1	0.26	42	700	7	0.08	2	3	40
N527922		<10	<1	<0.01	<10	<0.01	44	<1	<0.01	1	10	<2	0.03	<2	<1	1
N527923		10	<1	0.75	<10	4.68	748	1	0.01	153	260	2	5.52	<2	20	13
N527924		10	1	0.56	<10	4.77	836	1	0.01	185	210	<2	6.42	5	18	14
N527925		10	1	0.57	10	4.79	808	<1	0.02	110	470	3	0.21	2	19	21
N527926		10	1	0.48	30	5.41	1170	<1	0.01	179	1210	<2	0.19	<2	22	75
N527927		10	<1	0.46	10	4.16	930	<1	0.04	207	680	3	0.09	<2	16	66
N527928		10	<1	0.78	10	4.98	849	<1	0.01	139	700	3	3.25	<2	21	17
N527929		10	<1	0.20	<10	3.18	869	<1	0.09	105	40	<2	0.01	<2	20	39
N527930		10	<1	0.02	<10	6.34	1170	<1	<0.01	108	10	<2	<0.01	<2	17	49
N527931		<10	<1	0.12	<10	4.65	902	<1	0.01	32	180	<2	<0.01	<2	7	37
N527932		10	<1	0.24	<10	3.94	716	<1	0.01	30	320	<2	<0.01	<2	4	35
N527933		<10	<1	0.08	<10	3.85	972	<1	0.01	10	50	<2	0.02	3	4	46
N527934		<10	1	0.03	<10	5.07	517	1	<0.01	25	190	<2	0.02	<2	5	25
N527935		10	1	0.50	10	6.28	775	<1	0.01	85	470	<2	0.03	<2	18	52
N527936		10	<1	0.34	10	6.83	651	<1	0.01	102	300	<2	0.06	<2	26	16
N527937		10	<1	0.07	<10	6.96	857	<1	<0.01	107	310	<2	0.16	<2	26	5
N527938		10	<1	0.22	<10	6.68	1050	1	<0.01	112	280	<2	0.13	<2	25	16
N527939		10	<1	0.16	<10	2.96	1550	<1	0.03	93	350	<2	0.98	<2	11	22
N527940		10	<1	0.08	<10	3.17	1370	1	0.02	96	270	<2	0.41	<2	11	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120642

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N527901		<20	0.06	<10	<10	64	<10	53
N527902		<20	0.06	<10	<10	67	<10	51
N527903		<20	0.06	<10	<10	136	<10	67
N527904		<20	0.06	<10	<10	170	<10	91
N527905		<20	0.04	<10	<10	146	<10	88
N527906		<20	0.06	<10	<10	184	<10	127
N527907		<20	0.06	<10	<10	126	<10	66
N527908		<20	0.06	<10	<10	87	<10	56
N527909		<20	0.07	<10	<10	168	<10	83
N527910		<20	0.06	<10	<10	192	<10	102
N527911		<20	0.05	<10	<10	189	<10	377
N527912		<20	0.06	<10	<10	196	<10	86
N527913		<20	0.06	<10	<10	198	10	142
N527914		<20	0.06	<10	<10	169	280	93
N527915		<20	0.08	<10	<10	58	<10	40
N527916		<20	0.06	<10	<10	53	<10	40
N527917		<20	0.05	<10	<10	116	<10	59
N527918		<20	0.05	<10	<10	189	<10	72
N527919		<20	0.05	<10	<10	199	<10	82
N527920		<20	0.05	<10	<10	135	<10	63
N527921		<20	0.46	<10	<10	75	<10	71
N527922		<20	<0.01	<10	<10	<1	<10	<2
N527923		<20	0.12	<10	<10	174	10	91
N527924		<20	0.09	<10	<10	149	10	87
N527925		<20	0.07	<10	<10	136	<10	83
N527926		<20	0.07	<10	<10	139	<10	65
N527927		<20	0.05	<10	<10	103	<10	65
N527928		<20	0.12	<10	<10	177	<10	97
N527929		<20	0.04	<10	<10	81	<10	73
N527930		<20	0.01	<10	<10	20	<10	48
N527931		<20	0.01	<10	<10	29	<10	46
N527932		<20	0.02	<10	<10	37	20	44
N527933		<20	<0.01	<10	<10	17	<10	20
N527934		<20	0.01	<10	<10	30	<10	31
N527935		<20	0.07	<10	<10	125	<10	60
N527936		<20	0.04	<10	<10	173	<10	73
N527937		<20	0.02	<10	<10	174	<10	95
N527938		<20	0.04	<10	<10	174	<10	81
N527939		<20	0.08	<10	<10	144	<10	142
N527940		<20	0.06	<10	<10	138	<10	72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120642

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N527941		0.04	3.24	1.2	0.50	8	<10	20	<0.5	<2	0.65	<0.5	4	11	31	1.17
N527942		0.15	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.35
N527943		2.71	0.16	<0.2	0.89	6	<10	100	<0.5	<2	1.66	<0.5	6	20	23	1.84
N527944		3.73	0.01	<0.2	2.45	<2	<10	20	<0.5	<2	4.53	<0.5	25	126	92	3.88
N527945		4.44	<0.01	<0.2	2.35	2	<10	<10	<0.5	<2	4.89	<0.5	28	114	111	3.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120642

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
N527941		<10	<1	0.05	<10	0.18	133	4	0.12	15	310	6	0.03	2	1	21
N527942		<10	<1	<0.01	<10	<0.01	38	<1	<0.01	1	10	<2	0.03	<2	<1	1
N527943		<10	1	0.50	10	0.51	387	<1	0.05	10	280	<2	0.32	<2	2	17
N527944		10	<1	0.05	<10	2.21	1050	<1	0.04	66	230	<2	0.29	<2	9	22
N527945		10	<1	0.02	<10	2.02	1210	<1	0.06	67	240	<2	0.41	<2	9	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120642

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N527941		<20	0.19	<10	<10	30	<10	25
N527942		<20	<0.01	<10	<10	<1	<10	<2
N527943		<20	0.08	<10	<10	24	<10	21
N527944		<20	0.06	<10	<10	85	<10	47
N527945		<20	0.06	<10	<10	80	<10	42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16120642

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41