ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

CERTIFICATE TB16114363

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16114363

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N526851		2.81	3.84	<0.2	5.40	56	<10	<10	<0.5	<2	0.08	<0.5	39	195	<1	4.42
N526852		2.84	1.04	<0.2	5.51	52	<10	<10	<0.5	<2	0.12	<0.5	36	194	4	4.91
N526853		2.75	0.20	<0.2	6.60	116	<10	<10	<0.5	<2	0.06	<0.5	48	223	83	7.12
N526854		2.87	0.19	<0.2	5.68	115	<10	10	<0.5	<2	0.07	<0.5	49	206	29	6.14
N526855		2.72	1.74	<0.2	4.45	70	<10	10	<0.5	<2	0.17	<0.5	27	135	7	4.38
N526856		3.04	5.55	0.4	5.20	51	<10	10	<0.5	<2	0.11	<0.5	41	186	49	4.74
N526857		2.90	0.02	<0.2	4.64	2	<10	<10	<0.5	<2	5.50	<0.5	40	205	134	7.03
N526858		2.72	0.01	<0.2	4.31	2	<10	10	<0.5	<2	5.61	<0.5	41	176	145	6.95
N526859		2.88	0.01	<0.2	3.96	3	<10	<10	<0.5	<2	5.45	<0.5	41	163	180	6.81
N526860		2.86	<0.01	<0.2	4.18	6	<10	<10	<0.5	<2	5.55	<0.5	39	177	133	6.61
N526861		2.83	0.01	0.2	4.12	3	<10	10	<0.5	<2	5.32	<0.5	38	172	135	6.52
N526862		2.87	0.01	<0.2	4.56	4	<10	<10	<0.5	<2	5.47	<0.5	41	187	146	7.21
N526863		2.78	0.08	0.2	4.54	17	<10	10	<0.5	2	1.94	<0.5	42	186	108	6.59
N526864		2.93	0.02	<0.2	3.89	32	<10	<10	<0.5	<2	0.49	<0.5	35	192	39	5.70
N526865		2.97	0.01	<0.2	4.38	10	<10	<10	<0.5	<2	4.29	<0.5	37	175	88	6.44
N526866		2.89	<0.01	<0.2	4.11	3	<10	<10	<0.5	<2	5.20	<0.5	42	172	149	6.47
N526867		2.56	0.03	<0.2	3.41	8	<10	10	<0.5	<2	2.63	<0.5	41	212	51	5.01
N526868		2.70	<0.01	<0.2	1.61	4	<10	10	<0.5	<2	1.99	<0.5	27	77	140	2.82
N526869		4.58	0.01	<0.2	2.68	5	<10	710	<0.5	2	4.61	<0.5	27	459	87	3.55
N526870		4.16	0.01	<0.2	2.43	2	<10	780	<0.5	<2	3.62	<0.5	26	778	29	2.47
N526871		0.06	1.96	<0.2	0.81	<2	<10	10	<0.5	2	0.60	<0.5	8	10	54	2.10
N526872		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.31
N526873		2.67	<0.01	<0.2	2.23	<2	<10	770	<0.5	<2	3.71	<0.5	28	974	37	2.72
N526874		2.65	0.05	<0.2	2.53	4	<10	620	0.5	<2	5.46	<0.5	31	860	90	3.68
N526875		2.93	0.01	0.2	4.40	2	<10	50	<0.5	2	5.53	<0.5	44	190	177	7.55
N526876		2.83	0.01	0.2	4.38	<2	<10	30	<0.5	<2	5.26	<0.5	44	170	150	7.34
N526877		2.85	0.40	<0.2	4.65	<2	<10	<10	<0.5	2	5.37	<0.5	43	184	152	7.24
N526878		2.92	0.01	<0.2	4.67	<2	<10	30	<0.5	<2	5.94	<0.5	42	205	130	7.03
N526879		3.86	0.03	<0.2	5.20	6	<10	10	<0.5	<2	4.53	<0.5	43	233	108	6.69
N526880		3.79	3.06	1.7	6.16	13	<10	10	<0.5	15	0.74	<0.5	51	218	115	7.47
N526881		3.10	0.04	0.2	4.96	4	<10	10	<0.5	<2	3.90	<0.5	45	186	212	7.38
N526882		2.84	0.11	2.0	1.15	3	<10	20	<0.5	18	0.19	<0.5	61	47	1450	42.7
N526883		2.51	0.02	<0.2	4.71	<2	<10	20	<0.5	<2	4.04	<0.5	41	188	139	7.32
N526884		1.22	0.06	0.5	4.65	<2	<10	10	<0.5	4	4.57	<0.5	35	185	329	9.48
N526885		3.70	0.01	<0.2	3.34	<2	<10	30	<0.5	<2	6.24	<0.5	15	149	5	2.45
N526886		2.29	0.01	<0.2	4.28	<2	<10	10	<0.5	<2	4.12	<0.5	31	169	79	4.95
N526887		2.05	0.01	<0.2	4.41	<2	<10	40	<0.5	<2	6.14	<0.5	41	257	119	6.59
N526888		3.80	0.10	<0.2	0.92	6	<10	40	<0.5	<2	1.32	<0.5	8	18	23	1.84
N526889		3.20	0.03	<0.2	5.11	4	<10	30	<0.5	<2	3.70	<0.5	38	319	88	6.37
N526890		2.50	0.01	<0.2	5.31	<2	<10	<10	<0.5	<2	0.12	<0.5	28	192	2	4.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16114363

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
N526851		10	<1	0.04	<10	5.51	670	1	<0.01	121	260	<2	<0.01	<2	15	1
N526852		10	<1	0.03	<10	5.47	718	1	<0.01	113	190	<2	0.01	<2	17	1
N526853		10	<1	0.02	<10	6.24	811	<1	<0.01	128	190	<2	0.06	3	23	1
N526854		10	<1	0.07	<10	5.17	581	<1	<0.01	142	180	<2	0.02	<2	13	2
N526855		10	<1	0.04	10	4.49	498	<1	0.01	80	320	<2	0.02	<2	15	4
N526856		10	<1	0.07	<10	5.26	432	1	<0.01	136	130	<2	0.01	<2	11	2
N526857		10	<1	0.02	<10	3.94	1070	<1	0.01	121	200	<2	0.15	<2	20	19
N526858		10	<1	0.03	<10	3.75	979	<1	0.01	111	210	<2	0.20	<2	14	19
N526859		10	1	0.01	<10	3.47	894	<1	0.01	106	240	2	0.47	<2	12	18
N526860		10	<1	0.01	<10	3.59	940	<1	<0.01	111	200	<2	0.23	<2	9	19
N526861		10	<1	0.04	<10	3.52	911	<1	0.01	106	230	<2	0.21	<2	9	18
N526862		10	<1	0.01	<10	3.81	985	<1	<0.01	120	210	<2	0.24	<2	11	21
N526863		10	1	0.03	<10	3.90	1010	<1	0.01	114	200	10	0.21	<2	16	9
N526864		10	<1	0.03	<10	3.09	1140	1	0.03	107	190	4	0.12	<2	12	7
N526865		10	<1	0.01	<10	3.89	926	<1	<0.01	109	180	<2	0.16	<2	9	16
N526866		10	1	0.01	<10	3.50	963	<1	0.02	118	200	2	0.34	<2	5	21
N526867		10	<1	0.04	<10	3.05	777	1	0.03	122	170	<2	0.09	<2	17	21
N526868		<10	<1	0.06	<10	1.57	370	<1	0.07	80	230	<2	0.23	<2	6	15
N526869		10	<1	2.04	40	3.36	702	<1	0.07	98	1880	4	0.12	<2	5	342
N526870		10	1	2.10	20	3.88	445	<1	0.07	149	750	3	0.03	2	3	364
N526871		<10	<1	0.05	10	0.25	230	1	0.21	9	750	<2	0.03	<2	2	30
N526872		<10	<1	<0.01	<10	<0.01	33	<1	0.01	1	10	<2	0.01	<2	<1	1
N526873		10	<1	1.94	20	4.72	572	<1	0.06	166	710	<2	0.01	<2	4	343
N526874		10	<1	1.96	30	5.21	817	<1	0.05	153	1430	3	0.06	<2	9	365
N526875		10	<1	0.27	<10	3.70	1190	<1	0.02	112	300	4	0.56	<2	22	36
N526876		10	<1	0.15	<10	3.60	1120	<1	0.02	107	250	<2	0.50	<2	13	20
N526877		10	<1	0.02	<10	3.83	1100	<1	0.03	121	210	<2	0.37	<2	12	18
N526878		10	<1	0.38	<10	4.00	1190	<1	0.02	125	210	<2	0.16	<2	26	17
N526879		10	<1	0.12	<10	4.45	988	<1	0.05	138	210	<2	0.12	<2	22	17
N526880		10	<1	0.08	<10	5.35	730	<1	0.04	130	210	7	0.09	<2	24	7
N526881		10	<1	0.06	<10	4.04	946	<1	0.02	125	220	2	0.29	<2	19	15
N526882		<10	<1	0.14	<10	0.78	298	1	0.02	111	50	9	8.93	<2	5	<1
N526883		10	<1	0.14	<10	4.19	938	<1	0.02	110	220	2	0.38	<2	22	15
N526884		10	<1	0.03	<10	4.20	959	<1	0.02	117	180	<2	1.84	<2	20	15
N526885		10	<1	0.14	<10	3.01	708	<1	0.15	79	20	<2	0.20	<2	13	37
N526886		10	1	0.06	<10	4.33	758	<1	0.02	99	160	3	0.11	<2	21	20
N526887		10	<1	0.26	<10	4.01	1110	1	0.02	135	390	2	0.24	<2	22	36
N526888		10	<1	0.24	10	0.63	292	<1	0.06	13	300	10	0.30	<2	2	7
N526889		10	<1	0.16	10	5.61	937	<1	0.02	160	600	<2	0.15	<2	25	27
N526890		10	<1	0.02	<10	6.34	659	<1	0.01	102	360	<2	<0.01	<2	24	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16114363

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N526851		<20	0.01	<10	<10	131	<10	38
N526852		<20	0.01	<10	<10	139	<10	49
N526853		<20	0.01	<10	<10	175	<10	55
N526854		<20	0.01	<10	<10	126	10	45
N526855		<20	0.01	<10	<10	106	30	36
N526856		<20	0.01	<10	<10	112	<10	36
N526857		<20	0.04	<10	<10	189	<10	78
N526858		<20	0.06	<10	<10	178	<10	72
N526859		<20	0.07	<10	<10	151	<10	71
N526860		<20	0.04	<10	<10	162	<10	74
N526861		<20	0.04	<10	<10	163	<10	72
N526862		<20	0.04	<10	<10	175	<10	93
N526863		<20	0.04	<10	<10	169	<10	87
N526864		<20	0.06	<10	<10	150	10	63
N526865		<20	0.05	<10	<10	150	<10	80
N526866		<20	0.04	<10	<10	142	<10	83
N526867		<20	0.06	<10	<10	175	10	64
N526868		<20	0.07	<10	<10	61	<10	33
N526869		<20	0.24	<10	<10	90	<10	48
N526870		<20	0.22	<10	<10	55	<10	26
N526871		<20	0.42	<10	<10	70	<10	45
N526872		<20	<0.01	<10	<10	<1	<10	<2
N526873		<20	0.19	<10	<10	57	<10	26
N526874		<20	0.21	<10	<10	89	<10	36
N526875		<20	0.08	<10	<10	195	<10	100
N526876		<20	0.06	<10	<10	180	<10	87
N526877		<20	0.05	<10	<10	179	<10	88
N526878		<20	0.09	<10	<10	203	<10	80
N526879		<20	0.05	<10	<10	187	<10	74
N526880		<20	0.02	<10	<10	181	<10	150
N526881		<20	0.02	<10	<10	168	<10	165
N526882		<20	0.02	<10	<10	41	<10	39
N526883		<20	0.06	<10	<10	188	<10	93
N526884		<20	0.04	<10	<10	176	10	91
N526885		<20	0.02	<10	<10	71	<10	27
N526886		<20	0.03	<10	<10	158	<10	60
N526887		<20	0.07	<10	<10	176	<10	73
N526888		<20	0.06	<10	<10	24	<10	45
N526889		<20	0.03	<10	<10	185	<10	71
N526890		<20	0.01	<10	<10	162	<10	79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16114363

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N526891		0.05	2.56	<0.2	2.17	683	10	70	<0.5	<2	0.68	<0.5	17	681	152	12.55
N526892		0.17	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	1	3	2	0.34
N526893		2.57	0.05	<0.2	4.40	3	<10	30	<0.5	<2	0.15	<0.5	22	160	2	3.49
N526894		2.57	0.03	<0.2	4.88	<2	<10	60	<0.5	<2	0.06	<0.5	27	171	1	4.31
N526895		2.64	<0.01	<0.2	5.47	3	<10	20	<0.5	<2	0.27	<0.5	28	196	<1	4.59
N526896		2.59	0.02	<0.2	5.64	3	<10	10	<0.5	<2	0.10	<0.5	31	183	4	5.12
N526897		2.70	<0.01	<0.2	5.68	2	<10	80	<0.5	<2	1.92	<0.5	35	251	24	5.51
N526898		2.74	0.01	<0.2	6.34	3	<10	70	<0.5	<2	0.92	<0.5	39	288	10	6.04
N526899		2.75	0.01	<0.2	6.93	4	<10	30	<0.5	<2	0.06	<0.5	38	221	<1	6.26
N526900		2.54	1.47	<0.2	7.43	9	<10	<10	<0.5	<2	0.05	<0.5	43	241	<1	6.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16114363

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
N526891		20	<1	0.06	10	0.34	253	1	0.03	88	170	8	0.09	4	25	22
N526892		<10	<1	<0.01	<10	<0.01	35	<1	0.01	1	10	<2	0.02	<2	<1	1
N526893		10	1	0.07	<10	5.23	563	<1	0.02	86	150	<2	<0.01	<2	18	2
N526894		10	1	0.33	<10	5.56	610	<1	0.02	88	70	<2	0.01	<2	23	2
N526895		10	<1	0.13	<10	6.50	661	<1	0.01	95	200	<2	<0.01	<2	24	3
N526896		10	<1	0.09	<10	6.44	795	<1	0.01	100	200	<2	0.09	<2	24	2
N526897		10	<1	0.57	10	6.58	864	<1	0.01	105	490	<2	0.23	<2	27	21
N526898		10	<1	0.52	10	7.24	837	<1	0.02	132	160	2	0.05	<2	29	11
N526899		10	1	0.23	<10	7.76	949	<1	0.01	117	210	2	<0.01	<2	30	2
N526900		10	<1	0.01	<10	8.27	966	<1	0.01	126	160	<2	<0.01	<2	32	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16114363

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N526891		<20	0.07	<10	<10	360	<10	68
N526892		<20	<0.01	<10	<10	<1	<10	2
N526893		<20	0.02	<10	<10	124	<10	61
N526894		<20	0.04	<10	<10	151	<10	60
N526895		<20	0.02	<10	<10	153	<10	59
N526896		<20	0.02	<10	<10	164	<10	67
N526897		<20	0.07	<10	<10	175	<10	60
N526898		<20	0.07	<10	<10	187	<10	59
N526899		<20	0.03	<10	<10	195	<10	64
N526900		<20	0.02	<10	<10	208	<10	99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16114363

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41