ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

CERTIFICATE TB16110983

Project: 180.04E.84A12A

This report is for 47 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA26 check assay for sample N526756 are 17.8 ppm and 33.1 ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110983

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N526751		2.62	1.77	<0.2	3.68	9	<10	<10	<0.5	<2	0.11	<0.5	18	130	14	2.11
N526752		3.05	0.06	<0.2	4.19	13	<10	10	<0.5	<2	0.09	<0.5	18	149	1	2.90
N526753		2.53	0.48	<0.2	4.60	26	<10	10	<0.5	<2	0.06	<0.5	25	160	1	3.41
N526754		2.53	3.23	<0.2	5.34	15	<10	<10	<0.5	3	0.06	<0.5	28	185	3	4.62
N526755		2.30	5.10	<0.2	5.30	5	<10	<10	<0.5	<2	0.04	<0.5	32	181	7	4.70
N526756		2.65	12.10	0.4	4.87	4	<10	10	<0.5	18	0.08	<0.5	30	167	28	4.74
N526757		1.69	0.15	<0.2	6.18	2	<10	<10	<0.5	<2	0.05	4.6	36	223	5	6.11
N526758		3.72	0.02	<0.2	2.94	6	<10	680	<0.5	<2	4.51	<0.5	28	636	70	3.59
N526759		2.82	0.03	<0.2	2.73	4	<10	300	<0.5	<2	4.98	<0.5	30	280	115	4.44
N526760		3.00	0.52	<0.2	3.99	2	<10	20	<0.5	<2	2.47	<0.5	40	167	96	5.58
N526761		2.53	0.25	<0.2	4.54	<2	<10	30	<0.5	<2	0.49	<0.5	15	193	9	2.16
N526762		2.81	1.13	<0.2	4.96	4	<10	<10	<0.5	<2	0.79	<0.5	23	172	1	4.08
N526763		2.84	0.10	<0.2	5.85	2	<10	<10	<0.5	<2	0.47	<0.5	30	202	3	5.21
N526764		2.76	1.67	<0.2	3.42	7	<10	10	<0.5	<2	0.12	<0.5	19	118	1	2.76
N526765		2.73	5.13	<0.2	3.41	29	<10	<10	<0.5	<2	0.08	<0.5	21	114	2	2.89
N526766		2.71	0.94	<0.2	4.55	39	<10	<10	<0.5	<2	0.78	<0.5	31	181	8	4.24
N526767		2.67	0.12	<0.2	5.51	10	<10	<10	<0.5	<2	0.66	<0.5	29	200	2	4.80
N526768		2.72	0.57	<0.2	5.60	45	<10	<10	<0.5	<2	0.04	<0.5	39	190	<1	5.07
N526769		2.59	0.23	<0.2	5.88	37	<10	10	<0.5	<2	1.13	<0.5	49	217	43	6.54
N526770		2.52	0.08	0.2	5.38	10	<10	10	<0.5	2	2.12	<0.5	49	199	106	7.08
N526771		0.06	3.30	1.2	0.56	10	<10	30	<0.5	2	0.71	<0.5	5	10	32	1.22
N526772		0.18	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	2	0.31
N526773		4.03	0.01	<0.2	5.39	2	<10	10	<0.5	<2	4.32	<0.5	46	201	120	7.77
N526774		1.86	0.13	1.3	3.19	3	10	30	<0.5	11	0.85	<0.5	35	115	1375	32.9
N526775		2.45	0.01	0.2	4.50	2	<10	40	<0.5	<2	4.95	<0.5	42	191	130	7.56
N526776		2.77	0.03	0.2	5.66	3	<10	10	<0.5	<2	4.81	<0.5	43	222	101	7.69
N526777		2.75	0.07	<0.2	5.54	3	<10	10	<0.5	<2	5.11	<0.5	43	197	85	7.45
N526778		2.51	0.02	<0.2	4.98	3	<10	40	<0.5	<2	1.95	<0.5	21	194	64	6.70
N526779		2.74	0.02	0.2	4.64	5	<10	30	<0.5	<2	5.45	<0.5	51	192	124	8.89
N526780		2.97	0.05	<0.2	4.55	3	<10	20	<0.5	<2	5.94	<0.5	41	190	137	7.17
N526781		2.21	0.02	<0.2	4.13	4	<10	30	<0.5	<2	0.70	<0.5	21	145	8	3.80
N526782		2.94	0.12	<0.2	5.40	3	<10	<10	<0.5	<2	0.52	<0.5	29	195	5	4.47
N526783		3.45	0.63	<0.2	5.64	4	<10	10	<0.5	2	0.11	<0.5	29	188	5	4.78
N526784		1.96	0.64	<0.2	4.67	13	<10	20	<0.5	<2	1.60	<0.5	27	281	8	4.09
N526785		2.12	0.29	<0.2	5.96	22	<10	10	<0.5	2	0.82	<0.5	31	248	1	5.14
N526786		2.42	0.01	<0.2	5.69	8	<10	10	<0.5	2	0.05	<0.5	27	188	1	4.63
N526787		2.56	0.01	<0.2	6.30	36	<10	40	<0.5	2	0.13	<0.5	36	221	<1	5.46
N526788		2.98	0.01	<0.2	6.02	21	<10	<10	<0.5	2	0.10	<0.5	32	188	<1	5.11
N526789		1.75	0.01	<0.2	6.17	20	<10	10	<0.5	<2	0.07	<0.5	32	181	<1	5.51
N526790		3.43	<0.01	<0.2	6.45	28	<10	10	<0.5	3	0.14	<0.5	39	208	2	5.78

Comments: Additional Au-AA26 check assay for sample N526756 are 17.8 ppm and 33.1 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110983

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
N526751		10	<1	0.02	<10	4.58	169	<1	<0.01	73	380	<2	0.01	<2	13	2
N526752		10	<1	0.07	<10	4.77	253	<1	<0.01	109	200	<2	<0.01	<2	10	2
N526753		10	<1	0.05	<10	5.12	250	<1	<0.01	126	250	<2	<0.01	<2	14	2
N526754		10	<1	<0.01	<10	5.85	285	<1	<0.01	92	270	<2	<0.01	<2	23	1
N526755		10	<1	0.03	<10	5.59	382	<1	<0.01	103	190	<2	<0.01	<2	16	2
N526756		10	<1	0.02	<10	5.18	400	<1	<0.01	95	280	<2	0.04	<2	17	3
N526757		10	<1	0.01	<10	6.85	505	1	<0.01	112	150	<2	0.01	<2	30	3
N526758		10	<1	2.15	30	4.05	601	<1	0.04	127	1760	5	0.03	<2	6	314
N526759		10	<1	0.89	30	2.86	888	1	0.04	95	1310	4	0.18	<2	6	247
N526760		10	<1	0.07	10	3.77	860	1	0.01	105	230	<2	0.31	<2	15	18
N526761		10	<1	0.10	<10	6.32	434	<1	<0.01	73	110	<2	<0.01	<2	20	14
N526762		10	<1	0.01	<10	6.45	657	<1	<0.01	86	120	<2	<0.01	<2	23	5
N526763		10	<1	0.01	<10	6.91	664	<1	<0.01	104	180	<2	<0.01	<2	27	2
N526764		10	<1	0.05	<10	3.89	292	<1	<0.01	82	220	<2	<0.01	<2	7	2
N526765		10	<1	0.08	<10	3.68	237	<1	<0.01	96	300	<2	<0.01	<2	5	2
N526766		10	<1	0.04	<10	5.10	466	<1	<0.01	108	280	<2	0.01	<2	14	4
N526767		10	<1	0.01	<10	6.40	618	<1	<0.01	104	240	<2	<0.01	<2	23	2
N526768		10	<1	0.05	<10	5.84	480	1	<0.01	126	130	<2	<0.01	<2	14	1
N526769		10	<1	0.05	<10	5.41	697	<1	0.02	140	240	<2	0.06	<2	21	5
N526770		10	<1	0.05	<10	4.59	718	1	0.01	127	200	<2	0.14	<2	20	7
N526771		<10	<1	0.06	<10	0.20	128	5	0.13	16	310	6	0.03	<2	1	23
N526772		<10	<1	<0.01	<10	<0.01	32	<1	<0.01	<1	10	<2	0.02	<2	<1	1
N526773		10	<1	0.07	<10	4.58	872	<1	0.03	135	200	<2	0.44	<2	21	18
N526774		10	<1	0.25	<10	2.69	506	1	<0.01	97	90	<2	8.98	<2	13	4
N526775		10	<1	0.25	<10	4.14	1105	<1	0.01	119	190	<2	0.60	<2	26	26
N526776		10	<1	0.04	<10	5.21	1180	<1	0.01	134	210	<2	0.07	<2	25	25
N526777		10	<1	0.05	<10	5.20	1240	<1	0.01	125	180	<2	0.11	<2	25	25
N526778		10	<1	0.25	<10	5.71	713	<1	0.01	101	180	<2	1.16	<2	18	11
N526779		10	1	0.19	<10	4.70	1035	<1	0.01	123	160	2	1.87	<2	24	29
N526780		10	<1	0.16	<10	3.91	1060	1	0.01	115	200	<2	0.16	<2	25	29
N526781		10	<1	0.20	<10	4.94	423	<1	0.01	83	330	<2	0.06	<2	19	5
N526782		10	<1	0.02	<10	6.52	491	<1	<0.01	112	910	<2	0.01	<2	25	3
N526783		10	<1	0.04	<10	6.52	625	<1	<0.01	103	410	<2	<0.01	<2	25	2
N526784		10	<1	0.14	<10	5.55	591	<1	<0.01	138	230	<2	0.05	<2	23	9
N526785		10	<1	0.07	<10	7.29	761	<1	<0.01	128	200	<2	<0.01	3	28	6
N526786		10	<1	0.07	<10	6.71	584	<1	<0.01	94	90	<2	<0.01	<2	26	2
N526787		10	<1	0.23	<10	7.34	773	<1	<0.01	109	230	<2	<0.01	<2	29	2
N526788		10	<1	0.03	<10	7.16	756	<1	<0.01	96	200	<2	<0.01	2	27	2
N526789		10	<1	0.06	<10	7.16	769	<1	<0.01	94	200	<2	<0.01	<2	28	2
N526790		10	<1	0.07	<10	7.46	760	<1	<0.01	108	140	3	<0.01	<2	29	2

Comments: Additional Au-AA26 check assay for sample N526756 are 17.8 ppm and 33.1 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110983

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N526751		<20	<0.01	<10	<10	98	<10	40
N526752		<20	<0.01	<10	<10	90	<10	56
N526753		<20	0.01	<10	<10	113	<10	209
N526754		<20	0.01	<10	<10	151	<10	148
N526755		<20	0.01	<10	<10	131	<10	290
N526756		<20	0.01	<10	<10	127	<10	257
N526757		<20	0.01	<10	<10	186	<10	664
N526758		<20	0.23	<10	<10	91	<10	44
N526759		<20	0.14	<10	<10	108	<10	61
N526760		<20	0.04	<10	<10	149	<10	102
N526761		<20	0.02	<10	<10	134	10	63
N526762		<20	0.01	<10	<10	152	80	46
N526763		<20	0.01	<10	<10	173	10	61
N526764		<20	<0.01	<10	<10	74	<10	57
N526765		<20	<0.01	<10	<10	68	<10	118
N526766		<20	0.01	<10	<10	114	<10	167
N526767		<20	0.01	<10	<10	161	<10	44
N526768		<20	0.01	<10	<10	132	<10	38
N526769		<20	0.01	<10	<10	167	<10	63
N526770		<20	0.03	<10	<10	158	<10	167
N526771		<20	0.20	<10	<10	32	<10	38
N526772		<20	<0.01	<10	<10	<1	<10	<2
N526773		<20	0.05	<10	<10	191	<10	119
N526774		<20	0.05	<10	<10	100	<10	117
N526775		<20	0.07	<10	<10	202	<10	89
N526776		<20	0.04	<10	<10	203	10	103
N526777		<20	0.04	<10	<10	209	10	108
N526778		<20	0.03	<10	<10	145	<10	84
N526779		<20	0.05	<10	<10	171	<10	82
N526780		<20	0.06	<10	<10	203	<10	76
N526781		<20	0.04	<10	<10	129	<10	48
N526782		<20	0.01	<10	<10	166	<10	52
N526783		<20	0.02	<10	<10	163	<10	62
N526784		<20	0.02	<10	<10	150	<10	44
N526785		<20	0.02	<10	<10	176	<10	84
N526786		<20	0.01	<10	<10	167	<10	57
N526787		<20	0.03	<10	<10	187	20	77
N526788		<20	0.01	<10	<10	172	<10	64
N526789		<20	0.02	<10	<10	173	<10	54
N526790		<20	0.02	<10	<10	187	<10	52

Comments: Additional Au-AA26 check assay for sample N526756 are 17.8 ppm and 33.1 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110983

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N526791		0.06	1.18	<0.2	0.79	<2	<10	20	<0.5	<2	0.59	<0.5	8	10	53	2.11
N526792		0.18	0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.31
N526793		3.37	0.38	<0.2	3.72	42	<10	40	<0.5	<2	0.64	<0.5	14	163	10	2.30
N526794		3.01	0.23	<0.2	2.25	2	<10	20	<0.5	<2	0.01	<0.5	4	82	<1	0.67
N526795		3.84	0.38	<0.2	3.87	2	<10	30	<0.5	2	2.31	<0.5	26	193	38	3.84
N526796		4.05	0.06	<0.2	2.92	5	<10	100	<0.5	3	4.52	<0.5	31	222	101	4.74
N526797		4.07	0.01	<0.2	3.14	2	<10	40	<0.5	2	5.04	<0.5	33	201	93	4.96

Comments: Additional Au-AA26 check assay for sample N526756 are 17.8 ppm and 33.1 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110983

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
N526791		<10	<1	0.05	10	0.25	222	1	0.20	9	740	4	0.03	<2	2	29
N526792		<10	<1	<0.01	<10	<0.01	32	<1	<0.01	1	10	<2	0.01	<2	<1	<1
N526793		10	<1	0.22	<10	4.57	308	<1	<0.01	88	140	<2	0.05	<2	11	6
N526794		<10	<1	0.10	<10	3.01	98	<1	<0.01	54	10	<2	<0.01	<2	4	2
N526795		10	<1	0.17	<10	4.52	752	<1	0.01	98	340	<2	0.29	<2	14	27
N526796		10	<1	0.39	<10	2.89	972	<1	0.03	106	410	<2	0.39	<2	9	37
N526797		10	<1	0.12	<10	3.06	1040	<1	0.03	102	380	2	0.34	<2	9	23

Comments: Additional Au-AA26 check assay for sample N526756 are 17.8 ppm and 33.1 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110983

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N526791		<20	0.41	<10	<10	70	<10	44
N526792		<20	<0.01	<10	<10	<1	<10	<2
N526793		<20	0.02	<10	<10	82	<10	25
N526794		<20	<0.01	<10	<10	28	<10	9
N526795		<20	0.04	<10	<10	110	<10	56
N526796		<20	0.08	<10	<10	103	<10	62
N526797		<20	0.06	<10	<10	104	<10	60

Comments: Additional Au-AA26 check assay for sample N526756 are 17.8 ppm and 33.1 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110983

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41