ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

CERTIFICATE TB16123621

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123621

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708051		1.67	<0.01	<0.2	5.52	<2	<10	10	<0.5	<2	5.16	<0.5	24	48	49	4.62
R708052		2.54	0.01	<0.2	7.38	2	<10	10	<0.5	2	5.94	<0.5	17	23	79	2.75
R708053		3.99	0.01	<0.2	9.27	<2	<10	10	<0.5	<2	7.5	<0.5	19	143	63	3.07
R708054		3.99	0.01	<0.2	7.45	<2	<10	10	<0.5	<2	6.34	<0.5	17	34	39	3.24
R708055		2.32	0.10	<0.2	5.91	<2	<10	50	<0.5	<2	5.64	<0.5	19	118	50	3.82
R708056		2.19	0.02	<0.2	6.39	9	<10	30	<0.5	<2	6.11	<0.5	40	174	38	4.89
R708057		3.22	<0.01	<0.2	5.63	2	<10	<10	<0.5	<2	6.57	<0.5	47	221	114	7.47
R708058		3.82	<0.01	<0.2	5.20	9	<10	10	<0.5	<2	6.57	<0.5	46	220	87	7.40
R708059		2.63	<0.01	<0.2	5.47	<2	<10	<10	<0.5	<2	6.46	<0.5	46	211	128	7.11
R708060		2.27	<0.01	<0.2	7.86	2	<10	10	<0.5	<2	6.51	<0.5	23	82	6	4.13
R708061		1.85	0.02	<0.2	5.29	3	<10	30	<0.5	<2	7.0	<0.5	18	78	71	3.83
R708062		2.70	0.01	<0.2	9.26	2	<10	20	<0.5	2	7.6	<0.5	12	50	11	2.60
R708063		2.81	0.01	<0.2	8.68	<2	<10	30	<0.5	2	5.40	<0.5	19	114	54	4.05
R708064		2.59	<0.01	<0.2	4.59	<2	<10	10	<0.5	2	5.68	<0.5	23	208	1	3.31
R708065		2.57	0.02	<0.2	5.73	3	<10	<10	<0.5	<2	2.46	<0.5	34	220	37	5.37
R708066		2.95	0.01	<0.2	5.10	4	<10	<10	<0.5	<2	5.55	<0.5	45	192	137	6.96
R708067		3.13	0.01	<0.2	5.03	<2	<10	<10	<0.5	<2	6.50	<0.5	44	181	173	7.36
R708068		2.78	0.02	<0.2	4.99	<2	<10	<10	<0.5	<2	5.67	<0.5	44	186	157	7.19
R708069		2.79	0.01	<0.2	4.81	3	<10	<10	<0.5	<2	6.54	<0.5	45	190	157	7.24
R708070		4.10	0.01	<0.2	4.94	4	<10	<10	<0.5	<2	6.08	<0.5	45	187	164	7.21
R708071		0.05	1.43	<0.2	0.42	124	<10	10	<0.5	<2	0.16	<0.5	3	128	29	2.20
R708072		0.19	<0.01	<0.2	0.19	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	4	1	0.55
R708073		1.45	2.40	<0.2	5.19	2	<10	<10	<0.5	<2	2.26	<0.5	23	168	7	3.90
R708074		2.54	0.30	<0.2	5.73	<2	<10	<10	<0.5	<2	0.29	<0.5	30	188	3	4.69
R708075		2.51	0.01	<0.2	6.34	2	<10	<10	<0.5	<2	0.15	<0.5	35	207	<1	5.40
R708076		2.71	0.01	<0.2	6.08	2	<10	<10	<0.5	<2	0.20	<0.5	31	180	1	4.72
R708077		2.56	0.01	<0.2	6.34	<2	<10	<10	<0.5	<2	0.14	<0.5	31	182	<1	4.58
R708078		2.41	<0.01	<0.2	5.69	<2	<10	<10	<0.5	<2	1.05	<0.5	30	180	4	4.48
R708079		1.95	0.01	<0.2	5.01	3	<10	260	<0.5	<2	5.10	<0.5	35	426	83	5.08
R708080		4.18	0.01	0.2	1.78	<2	<10	10	<0.5	<2	3.35	<0.5	34	75	228	3.92
R708081		2.15	<0.01	<0.2	3.12	<2	<10	520	0.8	<2	7.7	<0.5	38	1030	28	4.75
R708082		2.11	0.01	<0.2	2.59	<2	<10	680	0.6	<2	5.72	<0.5	33	1215	16	3.54
R708083		4.25	0.02	<0.2	2.40	<2	<10	740	<0.5	<2	3.84	<0.5	27	819	33	2.66
R708084		2.46	0.03	<0.2	2.91	<2	<10	470	0.9	<2	6.65	<0.5	41	1120	72	4.49
R708085		2.22	0.11	0.4	5.20	3	<10	10	<0.5	<2	3.96	<0.5	42	403	258	6.01
R708086		2.28	0.09	0.3	6.00	7	<10	<10	<0.5	<2	0.18	<0.5	35	208	77	6.37
R708087		2.74	1.41	<0.2	6.19	20	<10	10	<0.5	<2	0.18	<0.5	38	225	60	6.47
R708088		2.30	0.25	<0.2	5.85	32	<10	<10	<0.5	<2	0.22	<0.5	48	200	102	6.39
R708089		2.69	0.07	0.3	6.56	42	<10	<10	<0.5	<2	0.11	<0.5	45	219	107	7.11
R708090		2.60	0.21	1.3	6.57	73	<10	<10	<0.5	2	0.20	1.0	55	211	718	7.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123621

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708051		10	<1	0.04	<10	2.16	909	1	0.32	82	90	<2	0.09	<2	3	27
R708052		10	<1	0.03	<10	1.42	545	<1	0.51	54	90	<2	0.05	<2	2	53
R708053		10	<1	0.03	<10	1.91	627	<1	0.62	55	80	<2	0.01	<2	4	66
R708054		10	<1	0.04	<10	1.64	676	<1	0.50	54	100	<2	<0.01	<2	5	50
R708055		10	<1	0.43	<10	1.51	975	<1	0.51	60	80	<2	0.19	<2	10	33
R708056		10	<1	0.25	<10	2.29	1085	<1	0.44	122	80	<2	0.12	<2	12	35
R708057		10	<1	0.02	<10	4.06	1040	<1	0.07	133	230	<2	0.14	<2	7	15
R708058		10	<1	0.02	<10	4.03	943	<1	0.01	123	220	<2	0.01	<2	10	9
R708059		10	<1	0.02	<10	3.91	985	<1	0.09	130	220	2	0.21	<2	7	17
R708060		10	<1	0.03	<10	2.21	682	<1	0.51	74	100	<2	0.01	<2	8	57
R708061		10	<1	0.14	<10	1.50	997	<1	0.23	56	70	<2	0.17	<2	7	28
R708062		10	<1	0.07	<10	1.01	703	<1	0.72	35	50	<2	0.05	<2	5	78
R708063		10	<1	0.06	<10	1.71	780	<1	0.69	49	70	<2	0.12	<2	6	66
R708064		10	<1	0.03	<10	2.48	965	<1	0.24	69	110	<2	<0.01	<2	16	30
R708065		10	<1	0.01	<10	6.15	779	<1	0.01	116	300	3	0.05	<2	25	6
R708066		10	<1	0.01	<10	4.35	940	<1	0.03	119	230	3	0.16	<2	15	17
R708067		10	<1	<0.01	<10	4.14	1040	<1	0.02	115	220	2	0.16	<2	10	19
R708068		10	1	0.01	<10	4.10	942	<1	0.03	116	230	<2	0.11	<2	9	20
R708069		10	<1	<0.01	<10	3.97	1040	<1	0.02	124	220	<2	0.19	<2	11	22
R708070		10	<1	0.01	<10	4.09	997	<1	0.01	120	230	3	0.21	<2	12	27
R708071		<10	<1	0.04	<10	0.07	55	<1	0.01	19	60	2	0.02	<2	5	5
R708072		<10	<1	0.05	<10	<0.01	56	<1	0.11	1	10	<2	0.02	<2	<1	1
R708073		10	<1	0.01	<10	6.17	723	<1	0.01	94	520	4	0.01	<2	24	9
R708074		10	<1	0.01	<10	6.56	644	<1	<0.01	93	330	<2	0.01	<2	26	2
R708075		10	<1	0.01	<10	7.29	677	<1	<0.01	101	250	<2	<0.01	<2	29	1
R708076		10	<1	0.01	<10	7.16	604	<1	0.01	95	190	2	0.01	<2	26	2
R708077		10	<1	<0.01	<10	7.72	612	<1	<0.01	98	140	<2	<0.01	<2	28	1
R708078		10	<1	0.01	<10	6.92	675	<1	<0.01	95	180	<2	0.01	<2	26	9
R708079		10	<1	1.56	30	6.08	821	<1	0.01	107	1230	4	0.08	2	22	129
R708080		10	<1	0.06	10	1.67	561	1	0.05	70	320	4	0.68	4	11	51
R708081		10	<1	1.88	20	7.45	847	<1	0.02	176	990	5	0.09	3	29	393
R708082		10	<1	2.27	10	6.64	646	<1	0.03	177	390	3	0.03	2	18	327
R708083		10	<1	1.96	30	4.24	532	<1	0.05	157	880	3	0.02	2	4	277
R708084		10	<1	1.70	20	7.33	917	<1	0.02	222	950	2	0.17	<2	19	404
R708085		10	<1	0.02	20	6.57	886	<1	<0.01	133	880	3	0.24	<2	27	63
R708086		10	<1	<0.01	<10	7.07	473	<1	<0.01	99	230	<2	0.09	<2	27	1
R708087		10	<1	0.04	<10	7.42	583	<1	<0.01	107	200	<2	0.09	<2	29	6
R708088		10	<1	<0.01	<10	6.85	513	<1	<0.01	106	210	<2	0.23	<2	28	1
R708089		10	<1	<0.01	<10	7.23	533	<1	<0.01	110	230	3	0.12	<2	31	1
R708090		10	<1	<0.01	<10	6.84	516	<1	<0.01	117	440	3	0.36	<2	28	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123621

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708051		<20	0.05	<10	<10	66	<10	43
R708052		<20	0.03	<10	<10	52	<10	27
R708053		<20	0.04	<10	<10	68	<10	31
R708054		<20	0.04	<10	<10	76	<10	31
R708055		<20	0.08	<10	<10	99	<10	30
R708056		<20	0.08	<10	<10	99	<10	41
R708057		<20	0.05	<10	<10	176	<10	67
R708058		<20	0.02	<10	<10	171	<10	67
R708059		<20	0.06	<10	<10	174	<10	63
R708060		<20	0.04	<10	<10	91	<10	32
R708061		<20	0.04	<10	<10	87	<10	26
R708062		<20	0.03	<10	<10	47	<10	19
R708063		<20	0.05	<10	<10	76	<10	34
R708064		<20	0.03	<10	<10	124	<10	30
R708065		<20	0.03	<10	<10	178	<10	43
R708066		<20	0.05	<10	<10	197	<10	66
R708067		<20	0.05	<10	<10	192	<10	77
R708068		<20	0.05	<10	<10	187	<10	72
R708069		<20	0.05	<10	<10	186	<10	70
R708070		<20	0.04	<10	<10	187	<10	73
R708071		<20	0.02	<10	<10	66	<10	13
R708072		<20	<0.01	<10	<10	<1	<10	<2
R708073		<20	0.03	<10	<10	160	<10	54
R708074		<20	0.03	<10	<10	168	<10	46
R708075		<20	0.04	<10	<10	192	<10	52
R708076		<20	0.04	<10	<10	171	<10	42
R708077		<20	0.06	<10	<10	177	<10	43
R708078		<20	0.04	<10	<10	164	<10	45
R708079		<20	0.18	<10	<10	158	<10	58
R708080		<20	0.05	<10	<10	87	<10	38
R708081		<20	0.19	<10	<10	121	<10	47
R708082		<20	0.21	<10	<10	83	<10	31
R708083		<20	0.21	<10	<10	62	<10	29
R708084		<20	0.17	<10	<10	97	<10	37
R708085		<20	0.02	<10	<10	163	<10	71
R708086		<20	0.02	<10	<10	173	<10	159
R708087		<20	0.02	<10	<10	182	<10	154
R708088		<20	0.02	<10	<10	173	<10	202
R708089		<20	0.02	<10	<10	190	<10	324
R708090		<20	0.01	<10	<10	180	<10	418

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123621

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708091		0.04	7.42	<0.2	1.14	40	<10	70	<0.5	<2	0.84	<0.5	13	16	119	2.74
R708092		0.16	<0.01	<0.2	0.16	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	4	1	0.59
R708093		2.81	0.29	0.4	6.79	77	<10	<10	<0.5	<2	0.15	16.4	53	220	237	7.49
R708094		2.50	0.10	<0.2	6.64	42	<10	<10	<0.5	<2	0.09	1.2	47	218	194	7.21
R708095		2.56	0.20	<0.2	6.77	27	<10	<10	<0.5	<2	0.63	0.5	49	225	135	7.67
R708096		2.72	0.36	1.3	6.08	32	<10	<10	<0.5	<2	1.34	4.2	45	229	566	6.66
R708097		2.58	0.23	0.2	6.58	26	<10	<10	<0.5	<2	0.36	<0.5	51	218	113	7.25
R708098		2.38	0.57	<0.2	6.18	51	<10	<10	<0.5	<2	0.04	<0.5	44	211	42	7.18
R708099		2.34	0.79	<0.2	6.20	57	<10	<10	<0.5	<2	0.20	<0.5	48	207	61	7.89
R708100		2.41	0.96	<0.2	6.36	46	<10	<10	<0.5	<2	0.08	<0.5	46	207	67	7.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123621

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708091		10	1	0.09	10	0.43	293	1	0.27	43	720	6	0.08	<2	3	40
R708092		<10	<1	0.05	<10	<0.01	59	<1	0.10	1	10	<2	0.02	<2	<1	1
R708093		10	<1	<0.01	<10	7.13	548	<1	<0.01	114	230	<2	0.31	<2	30	1
R708094		10	<1	<0.01	<10	6.98	591	<1	<0.01	113	220	<2	0.10	<2	29	<1
R708095		10	<1	<0.01	<10	7.44	639	<1	<0.01	121	260	2	0.22	<2	31	2
R708096		10	<1	<0.01	<10	7.03	706	<1	<0.01	124	330	2	0.20	<2	28	7
R708097		10	<1	<0.01	<10	7.14	552	<1	<0.01	112	250	<2	0.14	<2	29	1
R708098		10	<1	0.05	<10	5.53	578	<1	<0.01	134	150	<2	0.02	<2	18	1
R708099		10	<1	0.05	<10	5.18	649	<1	<0.01	137	180	2	0.04	<2	17	1
R708100		10	<1	0.02	<10	5.88	698	<1	<0.01	120	200	<2	0.03	<2	23	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123621

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708091		<20	0.46	<10	<10	76	<10	72
R708092		<20	<0.01	<10	<10	<1	<10	<2
R708093		<20	0.01	<10	<10	189	<10	2330
R708094		<20	0.01	<10	<10	185	<10	733
R708095		<20	0.02	<10	<10	195	<10	601
R708096		<20	0.01	<10	<10	173	<10	793
R708097		<20	0.01	<10	<10	184	<10	215
R708098		<20	0.01	<10	<10	148	<10	103
R708099		<20	0.01	<10	<10	146	<10	96
R708100		<20	0.01	<10	<10	168	<10	84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123621

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41