ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

CERTIFICATE TB16123626

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123626

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708201		2.63	0.33	<0.2	3.40	97	<10	<10	<0.5	<2	0.12	<0.5	31	126	12	2.73
R708202		2.61	0.20	<0.2	3.85	77	<10	<10	<0.5	<2	0.74	<0.5	35	143	1	3.50
R708203		2.97	0.29	0.2	4.51	86	<10	<10	<0.5	<2	0.14	<0.5	44	161	17	3.92
R708204		2.65	0.16	<0.2	4.88	21	<10	<10	<0.5	<2	2.73	<0.5	40	190	73	5.86
R708205		2.64	0.01	<0.2	4.84	<2	<10	<10	<0.5	<2	6.07	<0.5	41	226	133	6.79
R708206		2.74	<0.01	<0.2	4.89	<2	<10	10	<0.5	<2	5.98	<0.5	41	229	125	6.75
R708207		2.75	0.08	0.2	5.46	<2	<10	30	<0.5	<2	4.00	<0.5	42	215	146	6.70
R708208		2.56	0.02	<0.2	6.37	<2	<10	90	<0.5	<2	2.56	<0.5	45	223	62	7.15
R708209		2.93	0.17	<0.2	4.80	<2	<10	60	<0.5	<2	2.19	<0.5	45	183	101	5.89
R708210		4.34	0.19	<0.2	4.09	<2	<10	50	<0.5	<2	1.24	<0.5	44	145	161	6.16
R708211		2.95	0.39	0.2	3.38	<2	<10	30	<0.5	<2	0.81	<0.5	48	137	198	6.37
R708212		4.06	0.05	<0.2	3.89	<2	<10	20	<0.5	2	1.13	<0.5	48	150	144	5.61
R708213		2.70	0.02	0.2	4.87	<2	<10	30	<0.5	<2	4.51	<0.5	42	214	154	6.80
R708214		2.66	0.04	<0.2	4.68	<2	<10	30	<0.5	<2	5.84	<0.5	44	276	136	7.05
R708215		2.57	0.01	<0.2	4.53	<2	<10	<10	<0.5	<2	5.92	<0.5	43	237	137	6.95
R708216		2.67	<0.01	<0.2	4.71	<2	<10	10	<0.5	<2	5.81	<0.5	45	243	152	7.25
R708217		2.83	<0.01	<0.2	4.63	<2	<10	10	<0.5	<2	5.75	<0.5	45	236	156	7.10
R708218		2.80	0.03	<0.2	4.61	3	<10	<10	<0.5	<2	5.88	<0.5	43	231	146	6.76
R708219		2.60	0.01	<0.2	4.77	2	<10	<10	<0.5	<2	5.19	<0.5	44	239	143	7.09
R708220		2.73	0.03	<0.2	4.50	<2	<10	<10	<0.5	<2	5.55	<0.5	42	230	138	6.62
R708221		0.06	1.95	<0.2	0.89	<2	<10	20	<0.5	<2	0.66	<0.5	9	10	56	2.24
R708222		0.17	0.01	<0.2	0.24	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	4	1	0.59
R708223		2.65	0.03	<0.2	4.50	4	<10	20	<0.5	<2	3.37	<0.5	48	213	143	6.72
R708224		2.65	0.02	<0.2	4.56	<2	<10	10	<0.5	2	5.12	<0.5	47	169	197	8.12
R708225		2.62	0.02	<0.2	5.04	<2	<10	10	<0.5	<2	5.64	<0.5	45	246	129	7.44
R708226		2.70	0.02	<0.2	4.70	<2	<10	10	<0.5	<2	6.00	<0.5	43	238	139	7.00
R708227		2.75	0.02	0.3	4.71	9	<10	20	<0.5	<2	4.50	<0.5	57	239	311	7.68
R708228		2.78	<0.01	<0.2	4.74	5	<10	100	<0.5	<2	2.26	<0.5	44	199	128	6.27
R708229		2.82	0.06	<0.2	5.18	2	<10	120	<0.5	<2	1.46	<0.5	44	182	120	6.20
R708230		3.02	0.05	<0.2	4.44	7	<10	50	<0.5	<2	2.12	<0.5	44	186	119	6.26
R708231		2.35	0.85	0.2	7.04	14	<10	<10	<0.5	<2	0.06	<0.5	53	214	169	8.70
R708232		2.36	0.04	<0.2	7.31	2	<10	<10	<0.5	<2	0.52	<0.5	42	238	31	8.27
R708233		2.70	0.07	<0.2	7.07	4	<10	<10	<0.5	<2	0.62	<0.5	41	219	38	7.67
R708234		3.06	0.06	<0.2	6.96	5	<10	<10	<0.5	<2	1.05	<0.5	42	229	12	7.73
R708235		2.56	0.13	<0.2	7.31	<2	<10	<10	<0.5	<2	1.08	<0.5	47	241	53	8.70
R708236		2.71	<0.01	<0.2	6.76	2	<10	<10	<0.5	<2	0.13	<0.5	37	224	11	8.41
R708237		2.83	0.04	<0.2	7.48	6	<10	<10	<0.5	<2	0.52	<0.5	41	246	20	9.23
R708238		2.38	0.78	<0.2	6.17	2	<10	<10	<0.5	3	0.40	<0.5	44	235	56	7.94
R708239		1.82	0.20	<0.2	6.42	7	<10	10	<0.5	<2	1.48	0.5	45	239	21	8.18
R708240		2.56	0.05	<0.2	7.01	2	<10	<10	<0.5	<2	1.45	<0.5	41	231	23	8.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123626

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708201		10	1	0.05	<10	3.66	266	<1	<0.01	115	170	<2	0.01	<2	11	1
R708202		10	<1	0.04	<10	4.05	457	<1	0.01	103	240	<2	0.01	<2	14	3
R708203		10	<1	0.06	<10	4.66	264	<1	0.01	116	340	<2	0.01	4	11	2
R708204		10	<1	0.02	<10	4.34	673	<1	0.01	111	260	<2	0.05	<2	19	8
R708205		10	1	0.01	<10	3.88	1065	<1	0.03	129	210	3	0.13	2	21	20
R708206		10	1	0.05	<10	3.95	1115	<1	0.04	133	200	4	0.18	2	20	22
R708207		10	<1	0.18	<10	3.90	1200	<1	0.11	122	190	3	0.04	<2	20	23
R708208		10	<1	0.70	<10	3.24	1765	<1	0.24	129	220	4	0.12	<2	19	27
R708209		10	1	0.74	<10	2.32	1415	<1	0.18	140	160	<2	0.37	<2	12	18
R708210		10	1	0.79	<10	1.79	1030	<1	0.18	128	210	2	1.01	<2	9	14
R708211		10	<1	0.46	<10	1.73	987	<1	0.14	138	220	<2	1.39	<2	7	12
R708212		10	1	0.16	<10	2.26	970	<1	0.13	136	220	2	0.57	2	9	13
R708213		10	<1	0.18	<10	3.70	1165	<1	0.08	125	220	2	0.31	<2	14	16
R708214		10	1	0.29	<10	4.60	1225	<1	0.01	144	340	2	0.36	<2	21	28
R708215		10	<1	0.02	<10	4.06	1100	<1	0.01	141	210	2	0.28	2	19	17
R708216		10	1	0.12	<10	4.26	1185	<1	0.01	144	210	2	0.32	<2	20	16
R708217		10	<1	0.06	<10	4.13	1110	<1	0.02	142	220	4	0.31	3	13	16
R708218		10	<1	0.01	<10	4.10	1015	<1	0.01	137	210	3	0.11	3	10	17
R708219		10	<1	0.01	<10	4.28	1055	<1	0.01	146	220	4	0.19	<2	10	16
R708220		10	<1	0.02	<10	4.03	983	<1	0.01	138	210	4	0.10	3	10	17
R708221		<10	<1	0.05	10	0.26	236	1	0.22	9	770	<2	0.05	<2	2	32
R708222		<10	1	0.07	<10	0.01	62	<1	0.15	2	10	<2	0.02	<2	<1	2
R708223		10	<1	0.07	<10	3.75	845	<1	0.01	143	200	2	0.21	<2	12	9
R708224		10	<1	0.07	<10	3.74	1180	<1	0.01	104	290	2	0.76	<2	10	12
R708225		10	<1	0.09	<10	4.33	955	<1	0.01	144	210	2	0.20	2	19	13
R708226		10	<1	0.10	<10	4.06	924	<1	0.01	138	200	3	0.14	<2	21	16
R708227		10	<1	0.10	<10	4.05	1080	<1	0.02	134	230	3	0.68	2	14	12
R708228		10	1	0.55	<10	3.02	1230	<1	0.15	130	200	2	0.45	<2	12	14
R708229		10	<1	0.81	<10	2.36	1095	<1	0.28	115	220	2	0.63	<2	7	22
R708230		10	<1	0.26	<10	2.68	1280	<1	0.16	112	220	<2	0.64	<2	10	17
R708231		10	<1	0.04	<10	6.26	993	<1	<0.01	135	190	<2	0.03	<2	23	1
R708232		10	<1	0.01	<10	7.53	738	<1	<0.01	121	210	3	0.04	<2	32	2
R708233		10	1	0.02	<10	7.25	687	<1	<0.01	130	210	2	0.04	<2	30	2
R708234		10	<1	0.01	<10	6.99	804	<1	<0.01	125	930	3	0.01	<2	30	4
R708235		20	<1	0.03	<10	7.04	843	<1	0.01	130	250	2	0.02	<2	30	4
R708236		10	<1	0.01	<10	6.23	776	<1	<0.01	113	180	<2	0.02	<2	26	1
R708237		10	<1	0.01	<10	6.98	1045	<1	<0.01	128	170	2	0.01	<2	29	3
R708238		10	<1	0.04	<10	5.43	891	<1	0.02	126	170	2	0.07	<2	23	4
R708239		10	<1	0.09	<10	5.76	934	<1	0.02	139	160	6	0.15	<2	23	7
R708240		10	1	0.02	<10	6.81	856	<1	<0.01	124	240	<2	0.02	<2	26	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123626

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708201		<20	<0.01	<10	<10	88	<10	191
R708202		<20	<0.01	<10	<10	105	10	127
R708203		<20	<0.01	<10	<10	99	<10	111
R708204		<20	0.01	<10	<10	155	<10	104
R708205		<20	0.03	<10	<10	183	<10	71
R708206		<20	0.05	<10	<10	185	<10	71
R708207		<20	0.07	<10	<10	185	10	76
R708208		<20	0.13	<10	<10	200	<10	81
R708209		<20	0.12	<10	<10	140	20	76
R708210		<20	0.12	<10	<10	122	<10	84
R708211		<20	0.09	<10	<10	98	<10	60
R708212		<20	0.05	<10	<10	102	<10	59
R708213		<20	0.07	<10	<10	168	10	77
R708214		<20	0.07	<10	<10	186	<10	83
R708215		<20	0.04	<10	<10	181	<10	70
R708216		<20	0.06	<10	<10	187	<10	71
R708217		<20	0.06	<10	<10	168	<10	74
R708218		<20	0.05	<10	<10	160	<10	74
R708219		<20	0.06	<10	<10	167	<10	94
R708220		<20	0.05	<10	<10	157	<10	72
R708221		<20	0.45	<10	<10	75	<10	47
R708222		<20	<0.01	<10	<10	<1	<10	<2
R708223		<20	0.05	<10	<10	158	<10	93
R708224		<20	0.06	<10	<10	170	10	93
R708225		<20	0.05	<10	<10	195	<10	82
R708226		<20	0.06	<10	<10	190	<10	78
R708227		<20	0.06	<10	<10	192	<10	189
R708228		<20	0.11	<10	<10	168	<10	89
R708229		<20	0.16	<10	<10	149	<10	83
R708230		<20	0.08	<10	<10	152	<10	81
R708231		<20	0.02	<10	<10	183	<10	190
R708232		<20	0.02	<10	<10	214	<10	99
R708233		<20	0.02	<10	<10	193	<10	98
R708234		<20	0.02	<10	<10	198	<10	101
R708235		<20	0.02	<10	<10	207	<10	341
R708236		<20	0.03	<10	<10	193	<10	292
R708237		<20	0.05	<10	<10	214	<10	249
R708238		<20	0.06	<10	<10	198	<10	161
R708239		<20	0.06	<10	<10	211	<10	200
R708240		<20	0.03	<10	<10	210	<10	140

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123626

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R708241		0.05	8.56	1.3	0.13	164	<10	30	<0.5	<2	1.75	<0.5	140	13	3610	1.68
R708242		0.17	<0.01	<0.2	0.16	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	3	2	0.44
R708243		2.47	0.08	<0.2	5.63	2	<10	<10	<0.5	<2	1.18	<0.5	68	186	143	9.07
R708244		2.58	1.37	<0.2	4.67	7	<10	10	<0.5	<2	3.24	<0.5	43	169	58	6.09
R708245		2.62	0.09	<0.2	5.75	<2	<10	20	<0.5	<2	1.65	<0.5	49	210	85	7.37
R708246		3.34	0.28	<0.2	5.04	3	<10	10	<0.5	<2	1.41	<0.5	43	207	35	6.02
R708247		3.29	1.74	<0.2	6.09	2	<10	10	<0.5	<2	0.61	<0.5	50	212	67	8.03
R708248		2.52	0.04	<0.2	5.44	3	<10	10	<0.5	<2	0.10	<0.5	45	190	24	7.07
R708249		3.21	0.09	<0.2	6.26	3	<10	10	<0.5	<2	0.20	<0.5	42	211	30	7.66
R708250		2.79	0.16	<0.2	5.18	3	<10	10	<0.5	2	0.19	<0.5	52	203	71	6.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123626

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R708241		<10	<1	0.04	20	0.75	380	1	0.02	25	60	191	1.38	<2	5	10
R708242		<10	<1	0.05	<10	<0.01	47	<1	0.10	1	10	<2	0.02	<2	<1	1
R708243		10	<1	0.05	<10	5.11	739	<1	<0.01	117	280	2	1.08	<2	17	4
R708244		10	<1	0.08	<10	3.90	1020	<1	0.04	134	150	3	0.11	<2	17	14
R708245		10	<1	0.14	<10	4.10	1045	<1	0.11	141	200	3	0.16	<2	18	17
R708246		10	<1	0.11	<10	3.40	908	<1	0.15	121	190	2	0.08	<2	18	20
R708247		10	<1	0.06	<10	5.20	843	<1	0.03	129	190	4	0.13	<2	22	6
R708248		10	1	0.05	<10	4.89	492	<1	<0.01	113	240	<2	0.14	<2	17	2
R708249		10	<1	0.05	<10	5.79	618	<1	<0.01	123	230	<2	0.03	<2	21	2
R708250		10	1	0.05	<10	4.65	704	<1	0.01	118	190	2	0.07	<2	19	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123626

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R708241		<20	<0.01	<10	<10	2	<10	13
R708242		<20	<0.01	<10	<10	<1	<10	<2
R708243		<20	0.04	<10	<10	164	<10	102
R708244		<20	0.04	<10	<10	133	10	92
R708245		<20	0.07	<10	<10	170	10	96
R708246		<20	0.09	<10	<10	174	10	80
R708247		<20	0.05	<10	<10	184	20	131
R708248		<20	0.02	<10	<10	140	<10	154
R708249		<20	0.03	<10	<10	168	<10	127
R708250		<20	0.04	<10	<10	163	<10	166

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 10-AUG-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16123626

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41