ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

CERTIFICATE TB16110975

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110975

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N526601		3.91	0.04	<0.2	9.28	6	<10	<10	<0.5	<2	8.0	<0.5	21	15	25	3.15
N526602		2.89	0.01	<0.2	8.83	9	<10	<10	<0.5	2	8.1	<0.5	17	11	4	2.63
N526603		5.43	4.36	0.8	7.64	7	<10	10	<0.5	<2	8.1	<0.5	24	34	63	3.15
N526604		4.29	0.02	<0.2	9.77	12	<10	10	<0.5	<2	8.6	<0.5	28	111	21	2.96
N526605		2.63	0.27	<0.2	6.07	3	<10	10	<0.5	<2	5.49	<0.5	16	41	9	2.73
N526606		2.93	0.79	<0.2	6.36	<2	<10	10	<0.5	<2	5.59	<0.5	13	126	<1	2.63
N526607		2.77	1.31	0.2	7.03	9	<10	10	<0.5	<2	6.54	<0.5	19	64	8	2.08
N526608		2.82	0.13	<0.2	7.83	4	<10	10	<0.5	<2	8.1	<0.5	19	131	17	2.69
N526609		4.16	0.16	<0.2	4.72	5	<10	10	<0.5	3	6.03	<0.5	18	64	3	3.31
N526610		3.67	1.68	<0.2	6.46	<2	<10	20	<0.5	3	5.45	<0.5	18	224	1	4.05
N526611		2.23	0.07	<0.2	6.40	3	<10	10	<0.5	3	5.14	<0.5	26	124	47	6.55
N526612		4.10	0.25	<0.2	6.84	7	<10	10	<0.5	2	7.3	<0.5	23	96	52	4.17
N526613		4.09	0.55	<0.2	8.14	2	<10	20	<0.5	2	6.49	<0.5	18	149	29	3.70
N526614		3.92	0.05	<0.2	10.45	3	<10	10	<0.5	2	7.6	<0.5	15	83	<1	2.97
N526615		4.48	1.17	<0.2	6.83	10	<10	10	<0.5	<2	5.84	<0.5	23	94	31	4.65
N526616		3.74	0.02	<0.2	2.76	80	<10	<10	<0.5	<2	10.1	<0.5	20	129	<1	2.52
N526617		3.59	0.54	<0.2	2.15	44	<10	<10	<0.5	<2	10.0	<0.5	6	120	<1	1.72
N526618		2.30	0.02	<0.2	5.23	19	<10	<10	<0.5	<2	0.87	<0.5	28	186	2	4.14
N526619		2.70	0.03	<0.2	4.52	20	<10	<10	<0.5	<2	1.37	<0.5	25	144	2	3.60
N526620		2.46	0.20	<0.2	4.42	19	<10	10	<0.5	<2	0.28	<0.5	26	153	<1	3.32
N526621		0.06	3.21	1.3	0.48	10	<10	30	<0.5	<2	0.66	<0.5	5	11	31	1.15
N526622		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	1	2	2	0.30
N526623		2.65	1.05	<0.2	3.78	29	<10	10	<0.5	<2	0.12	<0.5	23	134	<1	2.73
N526624		2.51	0.12	<0.2	4.96	152	<10	<10	<0.5	<2	0.10	<0.5	49	170	<1	4.79
N526625		2.52	0.09	<0.2	5.96	74	<10	<10	<0.5	2	0.06	<0.5	47	204	<1	6.32
N526626		2.78	1.18	1.0	4.93	48	<10	<10	<0.5	<2	0.06	<0.5	35	174	<1	4.44
N526627		2.47	0.25	<0.2	6.30	46	<10	<10	<0.5	<2	0.07	<0.5	43	209	1	6.09
N526628		2.36	3.32	0.4	6.00	43	<10	<10	<0.5	2	0.09	<0.5	39	202	2	5.38
N526629		2.56	2.70	<0.2	6.28	71	<10	<10	<0.5	<2	0.04	<0.5	45	214	5	6.06
N526630		2.52	2.04	<0.2	4.87	153	<10	<10	<0.5	<2	0.06	<0.5	51	191	4	4.79
N526631		3.06	6.38	0.2	5.07	90	<10	<10	<0.5	<2	0.08	<0.5	44	182	2	4.65
N526632		3.41	0.21	<0.2	5.40	56	<10	<10	<0.5	2	0.15	<0.5	37	181	<1	4.58
N526633		1.75	0.49	<0.2	3.21	59	<10	10	<0.5	<2	1.50	<0.5	28	89	53	3.76
N526634		2.92	0.01	<0.2	4.99	7	<10	<10	<0.5	2	6.08	<0.5	40	181	169	7.36
N526635		2.67	0.01	0.3	4.69	2	<10	<10	<0.5	<2	5.90	<0.5	41	186	218	7.19
N526636		2.60	<0.01	<0.2	4.45	<2	<10	10	<0.5	3	5.79	<0.5	40	176	142	6.92
N526637		2.80	0.02	0.2	4.75	3	<10	<10	<0.5	<2	5.63	<0.5	41	192	150	7.34
N526638		2.48	0.01	0.2	4.47	2	<10	<10	<0.5	<2	5.80	<0.5	39	184	138	7.20
N526639		2.64	0.01	0.2	4.42	2	<10	20	<0.5	2	6.16	<0.5	39	216	128	6.72
N526640		2.66	0.02	0.2	4.48	3	<10	10	<0.5	<2	6.17	<0.5	38	217	126	6.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110975

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
N526601		10	<1	0.03	<10	1.30	678	<1	0.65	60	100	<2	0.07	2	4	70
N526602		10	<1	0.04	<10	1.16	717	<1	0.64	50	100	<2	0.02	<2	5	66
N526603		10	<1	0.05	<10	1.41	761	<1	0.55	73	150	<2	0.07	<2	5	54
N526604		10	<1	0.02	<10	1.59	607	<1	0.67	74	70	<2	<0.01	<2	6	77
N526605		10	<1	0.07	<10	1.34	667	<1	0.47	45	70	<2	0.01	<2	5	57
N526606		10	<1	0.04	<10	1.40	660	<1	0.55	41	60	<2	<0.01	<2	6	56
N526607		10	<1	0.04	<10	0.95	599	<1	0.61	46	60	<2	0.01	<2	4	65
N526608		10	<1	0.04	<10	1.26	662	<1	0.60	50	80	<2	<0.01	<2	5	67
N526609		10	<1	0.06	<10	1.68	899	<1	0.36	64	50	<2	<0.01	<2	8	31
N526610		10	<1	0.13	<10	2.08	1140	<1	0.42	79	70	<2	<0.01	<2	10	40
N526611		10	<1	0.12	<10	2.97	1435	<1	0.29	106	60	<2	0.12	<2	12	24
N526612		10	<1	0.10	<10	1.45	1245	<1	0.58	84	50	<2	0.40	<2	6	46
N526613		10	<1	0.11	<10	1.37	958	<1	0.67	58	60	<2	0.10	2	8	58
N526614		10	<1	0.02	<10	1.63	505	<1	0.80	40	80	<2	<0.01	<2	8	74
N526615		10	<1	0.05	<10	1.80	1190	<1	0.51	80	80	<2	0.22	<2	10	39
N526616		10	<1	0.01	<10	6.79	2020	<1	0.02	157	390	2	<0.01	<2	15	11
N526617		10	<1	0.01	<10	7.03	1740	<1	0.02	107	490	<2	<0.01	<2	14	13
N526618		10	<1	<0.01	<10	6.14	626	<1	<0.01	98	90	<2	<0.01	<2	23	2
N526619		10	<1	<0.01	<10	5.31	603	<1	0.01	74	220	<2	<0.01	<2	21	3
N526620		10	<1	0.03	<10	5.09	340	<1	0.01	86	270	<2	<0.01	<2	18	2
N526621		<10	<1	0.05	<10	0.18	124	5	0.12	15	300	6	0.03	2	1	21
N526622		<10	<1	<0.01	<10	<0.01	31	<1	0.01	1	10	<2	0.03	<2	<1	1
N526623		10	<1	0.05	<10	4.32	232	<1	0.01	89	420	<2	<0.01	<2	14	1
N526624		20	<1	0.03	<10	5.21	253	<1	0.01	158	420	<2	0.01	<2	21	1
N526625		10	<1	0.02	<10	5.51	559	<1	0.01	119	230	<2	0.01	<2	24	1
N526626		10	<1	0.05	<10	4.79	636	<1	0.01	107	140	<2	0.01	<2	15	2
N526627		10	<1	0.01	<10	5.94	1085	<1	0.01	109	220	<2	<0.01	2	25	1
N526628		10	<1	0.02	<10	5.97	881	<1	0.01	110	300	<2	<0.01	<2	23	1
N526629		10	1	0.04	<10	5.82	634	<1	0.01	127	100	<2	0.02	3	19	1
N526630		10	<1	0.08	<10	4.29	353	<1	0.02	155	160	<2	0.01	<2	10	1
N526631		10	<1	0.05	<10	4.96	385	<1	0.01	125	180	<2	0.01	<2	13	2
N526632		10	<1	0.04	<10	5.72	461	<1	0.01	114	200	<2	<0.01	<2	16	1
N526633		10	<1	0.06	10	2.35	589	1	0.08	68	310	<2	0.06	<2	10	11
N526634		10	<1	0.01	<10	3.85	1110	<1	0.04	107	200	<2	0.35	2	20	16
N526635		10	<1	0.02	<10	3.72	1120	<1	0.03	115	200	<2	0.40	<2	16	18
N526636		10	<1	0.08	<10	3.75	1070	<1	0.02	115	200	2	0.27	<2	22	17
N526637		10	<1	0.01	<10	4.04	1010	<1	0.02	113	220	2	0.15	2	24	20
N526638		10	<1	0.04	<10	3.74	1010	<1	0.02	100	240	<2	0.19	<2	22	18
N526639		10	<1	0.16	<10	3.88	1045	<1	0.02	125	180	<2	0.19	2	22	19
N526640		10	<1	0.06	<10	3.93	1055	<1	0.02	124	200	<2	0.12	<2	23	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110975

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N526601		<20	0.03	<10	<10	59	<10	27
N526602		<20	0.03	<10	<10	52	10	24
N526603		<20	0.03	<10	<10	60	<10	33
N526604		<20	0.02	<10	<10	61	<10	24
N526605		<20	0.03	<10	<10	48	<10	25
N526606		<20	0.02	<10	<10	49	<10	26
N526607		<20	0.02	<10	<10	36	<10	19
N526608		<20	0.03	<10	<10	52	<10	24
N526609		<20	0.04	<10	<10	72	<10	32
N526610		<20	0.06	<10	<10	92	<10	36
N526611		<20	0.04	<10	<10	96	<10	52
N526612		<20	0.03	<10	<10	49	10	30
N526613		<20	0.05	<10	<10	68	10	27
N526614		<20	0.03	<10	<10	73	<10	24
N526615		<20	0.03	<10	<10	73	70	32
N526616		<20	<0.01	<10	<10	62	<10	17
N526617		<20	<0.01	<10	<10	56	<10	16
N526618		<20	0.01	<10	<10	146	<10	41
N526619		<20	0.01	<10	<10	126	<10	35
N526620		<20	0.01	<10	<10	126	<10	23
N526621		<20	0.18	<10	<10	30	<10	23
N526622		<20	<0.01	<10	<10	<1	<10	<2
N526623		<20	<0.01	<10	<10	99	<10	12
N526624		<20	0.01	<10	<10	141	<10	12
N526625		<20	0.01	<10	<10	170	<10	23
N526626		<20	0.01	<10	<10	121	<10	31
N526627		<20	0.01	<10	<10	169	<10	60
N526628		<20	0.01	<10	<10	157	<10	48
N526629		<20	0.01	<10	<10	153	10	41
N526630		<20	<0.01	<10	<10	104	<10	26
N526631		<20	<0.01	<10	<10	120	<10	28
N526632		<20	0.01	<10	<10	131	20	36
N526633		<20	0.01	<10	<10	82	50	31
N526634		<20	0.03	<10	<10	194	<10	71
N526635		<20	0.04	<10	<10	185	<10	69
N526636		<20	0.05	<10	<10	188	<10	65
N526637		<20	0.06	<10	<10	210	<10	81
N526638		<20	0.07	<10	<10	197	<10	76
N526639		<20	0.07	<10	<10	181	<10	69
N526640		<20	0.06	<10	<10	188	<10	70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110975

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
N526641		0.05	9.03	1.5	0.12	164	<10	20	<0.5	3	1.75	<0.5	140	12	3520	1.66
N526642		0.21	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	4	0.29
N526643		2.52	0.01	<0.2	4.47	2	<10	10	<0.5	<2	5.90	<0.5	41	230	132	6.85
N526644		2.57	0.01	0.2	4.69	11	<10	<10	<0.5	2	5.75	<0.5	42	231	138	6.93
N526645		2.71	0.32	<0.2	5.02	30	<10	<10	<0.5	2	5.25	<0.5	42	237	119	6.91
N526646		3.23	0.71	0.2	4.55	4	<10	<10	<0.5	2	6.14	<0.5	39	220	134	6.65
N526647		3.34	0.01	<0.2	4.41	2	<10	<10	<0.5	<2	5.70	<0.5	41	172	111	7.01
N526648		3.84	0.01	0.2	3.59	<2	<10	30	<0.5	<2	5.05	<0.5	36	186	138	5.34
N526649		2.53	0.01	0.2	4.41	2	<10	40	<0.5	2	5.53	<0.5	40	216	146	6.51
N526650		2.16	0.02	<0.2	4.58	<2	<10	30	<0.5	2	5.87	<0.5	41	230	131	6.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110975

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
N526641		<10	<1	0.04	10	0.76	380	1	0.02	24	50	190	1.39	<2	5	10
N526642		<10	<1	<0.01	<10	<0.01	30	<1	0.01	1	10	<2	0.03	<2	<1	1
N526643		10	<1	0.09	<10	3.92	992	<1	0.02	133	190	<2	0.13	4	22	20
N526644		10	<1	0.03	<10	4.08	1075	<1	0.02	131	200	<2	0.16	<2	25	17
N526645		10	<1	0.02	<10	4.30	1190	<1	0.02	137	200	<2	0.16	<2	19	15
N526646		10	<1	0.01	<10	3.93	1325	<1	0.02	129	190	<2	0.22	<2	18	16
N526647		10	<1	0.01	<10	3.61	967	<1	0.02	104	250	<2	0.19	<2	9	20
N526648		10	<1	0.21	<10	3.31	782	<1	0.03	118	200	<2	0.11	<2	7	19
N526649		10	<1	0.24	<10	3.94	870	<1	0.02	133	210	<2	0.11	3	8	23
N526650		10	<1	0.15	<10	4.10	1025	1	0.02	136	200	<2	0.20	<2	16	41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110975

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
N526641		<20	<0.01	<10	<10	2	<10	12
N526642		<20	<0.01	<10	<10	<1	<10	<2
N526643		<20	0.06	<10	<10	184	<10	68
N526644		<20	0.03	<10	<10	189	<10	69
N526645		<20	0.03	<10	<10	191	10	72
N526646		<20	0.03	<10	<10	177	10	70
N526647		<20	0.05	<10	<10	151	<10	78
N526648		<20	0.08	<10	<10	127	<10	57
N526649		<20	0.08	<10	<10	156	<10	70
N526650		<20	0.06	<10	<10	183	<10	73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-JUL-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16110975

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41