ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

QC CERTIFICATE TB16120641

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 25-JUL-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16120641

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BP-13		0.36														
Target Range - Lower Bound		0.33														
Upper Bound		0.39														
CDNGS-1P5E		1.48														
Target Range - Lower Bound		1.42														
Upper Bound		1.62														
G909-4		7.19														
Target Range - Lower Bound		7.06														
Upper Bound		7.98														
MRGeo08			4.6	2.76	31	10	480	0.8	4	1.14	2.1	20	95	646	3.75	10
MRGeo08			4.7	2.62	33	10	460	0.8	<2	1.12	2.2	19	93	629	3.73	10
Target Range - Lower Bound			3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22	<10
Upper Bound			5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96	30
OREAS 502b		0.49														
Target Range - Lower Bound		0.46														
Upper Bound		0.53														
OREAS 602			>100	0.65	682	<10	30	<0.5	65	0.56	26.0	10	31	5340	2.13	<10
OREAS 602			>100	0.63	701	<10	30	<0.5	65	0.58	27.1	11	36	5520	2.16	<10
Target Range - Lower Bound			106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94	<10
Upper Bound			100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40	30
OxJ111		2.18														
Target Range - Lower Bound		2.03														
Upper Bound		2.31														
OxP91		15.05														
OxP91		14.95														
Target Range - Lower Bound		13.90														
Upper Bound		15.70														
BLANKS																
BLANK		<0.01														
BLANK		0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Target Range - Lower Bound			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound			0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16120641

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDNGS-1P5E																
Target Range - Lower Bound																
Upper Bound																
G909-4																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		<1	1.38	40	1.24	430	14	0.36	731	1060	1100	0.33	<2	7	86	20
MRGeo08		<1	1.29	30	1.20	418	14	0.34	690	1040	1105	0.31	<2	7	83	20
Target Range - Lower Bound		<1	1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71	<20
Upper Bound		2	1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89	60
OREAS 502b																
Target Range - Lower Bound																
Upper Bound																
OREAS 602		1	0.09	10	0.11	221	4	0.03	63	230	854	2.15	58	1	50	<20
OREAS 602		1	0.09	10	0.11	226	4	0.03	63	250	904	2.14	69	1	51	<20
Target Range - Lower Bound		<1	0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44	<20
Upper Bound		3	0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56	40
OxJ111																
Target Range - Lower Bound																
Upper Bound																
OxP91																
OxP91																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20
Target Range - Lower Bound		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20
Upper Bound		2	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16120641

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS					
BP-13							
Target Range - Lower Bound							
Upper Bound							
CDNGS-1P5E							
Target Range - Lower Bound							
Upper Bound							
G909-4							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		0.40	<10	<10	106	<10	796
MRGeo08		0.38	<10	<10	103	<10	781
Target Range - Lower Bound		0.33	<10	<10	90	<10	708
Upper Bound		0.43	20	30	112	20	870
OREAS 502b							
Target Range - Lower Bound							
Upper Bound							
OREAS 602		0.01	<10	<10	11	<10	4200
OREAS 602		<0.01	<10	<10	11	<10	4400
Target Range - Lower Bound		<0.01	<10	<10	8	<10	3680
Upper Bound		0.03	20	20	14	20	4500
OxJ111							
Target Range - Lower Bound							
Upper Bound							
OxP91							
OxP91							
Target Range - Lower Bound							
Upper Bound							
		BLANKS					
BLANK							
BLANK							
Target Range - Lower Bound							
Upper Bound							
BLANK		<0.01	<10	<10	<1	<10	<2
BLANK		<0.01	<10	<10	<1	<10	<2
Target Range - Lower Bound		<0.01	<10	<10	<1	<10	<2
Upper Bound		0.02	20	20	2	20	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16120641

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		<0.01														
DUP		0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
N527855			<0.2	5.88	<2	<10	30	<0.5	<2	12.3	<0.5	12	44	11	3.23	10
DUP			<0.2	6.29	<2	<10	40	<0.5	<2	12.80	<0.5	12	45	10	3.42	10
Target Range - Lower Bound			<0.2	5.77	<2	<10	20	<0.5	<2	11.90	<0.5	10	41	9	3.15	<10
Upper Bound			0.4	6.40	4	20	50	1.0	4	13.20	1.0	14	48	12	3.50	20
N527859		0.02														
DUP		0.03														
Target Range - Lower Bound		<0.01														
Upper Bound		0.04														
N527891			24.9	0.28	248	<10	10	<0.5	<2	0.50	<0.5	11	25	78	1.76	<10
DUP			24.3	0.26	221	<10	10	<0.5	<2	0.46	<0.5	9	22	68	1.59	<10
Target Range - Lower Bound			23.2	0.25	221	<10	<10	<0.5	<2	0.45	<0.5	9	21	69	1.58	<10
Upper Bound			26.0	0.29	248	20	20	1.0	4	0.51	1.0	12	26	77	1.77	20
R712805		0.01														
DUP		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
R712855		0.55														
DUP		0.57														
Target Range - Lower Bound		0.52														
Upper Bound		0.60														
ORIGINAL		4.90														
DUP		4.65														
Target Range - Lower Bound		4.53														
Upper Bound		5.02														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16120641

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
N527855		<1	0.53	<10	1.58	2270	<1	0.47	38	40	<2	0.01	<2	7	36	<20
DUP		<1	0.56	<10	1.64	2330	<1	0.50	41	40	<2	0.01	<2	8	39	<20
Target Range - Lower Bound		<1	0.51	<10	1.52	2180	<1	0.45	37	30	<2	<0.01	<2	6	35	<20
Upper Bound		2	0.58	20	1.70	2420	2	0.52	42	50	4	0.02	4	9	40	40
N527859																
DUP																
Target Range - Lower Bound																
Upper Bound																
N527891		<1	0.05	<10	0.21	186	29	0.05	104	240	11	0.39	3	1	13	<20
DUP		<1	0.04	<10	0.19	170	27	0.05	95	210	11	0.35	<2	1	12	<20
Target Range - Lower Bound		<1	0.03	<10	0.18	164	26	0.04	94	200	8	0.34	<2	<1	11	<20
Upper Bound		2	0.06	20	0.22	192	30	0.06	105	250	14	0.40	4	2	14	40
R712805																
DUP																
Target Range - Lower Bound																
Upper Bound																
R712855																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16120641

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES					
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
N527855		0.06	<10	<10	64	<10	24
DUP		0.06	<10	<10	67	<10	24
Target Range - Lower Bound		0.05	<10	<10	61	<10	21
Upper Bound		0.07	20	20	70	20	27
N527859							
DUP							
Target Range - Lower Bound							
Upper Bound							
N527891		0.12	<10	<10	23	<10	72
DUP		0.11	<10	<10	20	<10	66
Target Range - Lower Bound		0.10	<10	<10	19	<10	64
Upper Bound		0.13	20	20	24	20	74
R712805							
DUP							
Target Range - Lower Bound							
Upper Bound							
R712855							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 9-AUG-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16120641

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41