ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

QC CERTIFICATE TB16215018

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	Au-AA26 Au Check ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
STANDARDS																
G909-4		7.49														
Target Range - Lower Bound		7.06														
Upper Bound		7.98														
LEA-16		0.51	0.51													
Target Range - Lower Bound		0.46	0.46													
Upper Bound		0.54	0.54													
MRGeo08				4.5	2.62	33	<10	440	0.7	<2	1.09	2.3	19	91	639	3.68
Target Range - Lower Bound				3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22
Upper Bound				5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96
OGGeo08				19.4	2.12	115	<10	90	0.6	9	0.87	17.9	94	80	8350	5.07
OGGeo08				20.7	2.18	119	<10	120	0.7	11	0.92	18.9	98	82	8690	5.24
Target Range - Lower Bound				18.0	2.05	105	<10	60	<0.5	6	0.82	16.2	86	75	7800	4.51
Upper Bound				22.4	2.53	133	30	110	1.8	15	1.02	21.0	108	93	8980	5.53
OREAS 602				>100	0.63	673	<10	30	<0.5	60	0.55	25.7	10	34	5320	2.11
Target Range - Lower Bound				106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94
Upper Bound				100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40
OREAS-45b				0.2	3.94	2	<10	150	0.6	<2	0.30	<0.5	73	630	456	15.25
OREAS-45b				0.2	3.92	4	<10	150	0.6	<2	0.30	<0.5	75	638	451	15.30
Target Range - Lower Bound				<0.2	3.73	<2	<10	120	<0.5	<2	0.25	<0.5	65	599	417	13.60
Upper Bound				0.6	4.58	7	20	190	1.8	4	0.33	1.1	82	735	481	16.60
OxJ120		2.32														
Target Range - Lower Bound		2.21														
Upper Bound		2.52														
OxP91		15.20	15.20													
Target Range - Lower Bound		13.90	13.90													
Upper Bound		15.70	15.70													
BLANKS																
BLANK		<0.01														
BLANK		<0.01	<0.01													
Target Range - Lower Bound		<0.01	<0.01													
Upper Bound		0.02	0.02													
BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	<1	<0.01
Target Range - Lower Bound				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
Upper Bound				0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
STANDARDS																
G909-4																
Target Range - Lower Bound																
Upper Bound																
LEA-16																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		10	<1	1.29	30	1.18	416	13	0.33	716	1010	1085	0.31	3	7	81
Target Range - Lower Bound		<10	<1	1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71
Upper Bound		30	2	1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89
OGGeo08		10	<1	1.05	30	0.94	378	861	0.28	8820	780	7080	2.69	19	6	63
OGGeo08		10	<1	1.09	30	0.97	401	889	0.29	8980	830	7360	2.77	21	6	64
Target Range - Lower Bound		<10	<1	0.94	<10	0.84	350	810	0.26	7760	700	6510	2.51	15	4	59
Upper Bound		30	3	1.18	50	1.05	438	992	0.34	9480	880	7970	3.09	27	9	74
OREAS 602		<10	1	0.09	10	0.11	219	4	0.03	64	230	871	2.03	66	1	50
Target Range - Lower Bound		<10	<1	0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44
Upper Bound		30	3	0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56
OREAS-45b		20	<1	0.07	20	0.12	772	2	0.01	214	440	22	0.04	2	42	18
OREAS-45b		20	<1	0.07	20	0.12	798	1	0.01	213	460	21	0.03	<2	41	16
Target Range - Lower Bound		<10	<1	0.05	<10	0.09	727	<1	<0.01	188		16	<0.01	<2	41	14
Upper Bound		40	2	0.09	40	0.15	899	3	0.04	232		26	0.06	4	52	20
OxJ120																
Target Range - Lower Bound																
Upper Bound																
OxP91																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1
BLANK		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	0.01	<2	<1	<1
BLANK		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1
Target Range - Lower Bound		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1
Upper Bound		20	2	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
					STANDARDS			
G909-4								
Target Range - Lower Bound								
Upper Bound								
LEA-16								
Target Range - Lower Bound								
Upper Bound								
MRGeo08		20	0.38	<10	<10	100	<10	793
Target Range - Lower Bound		<20	0.33	<10	<10	90	<10	708
Upper Bound		60	0.43	20	30	112	20	870
OGGeo08		<20	0.31	<10	<10	77	<10	6870
OGGeo08		20	0.31	<10	<10	80	<10	7150
Target Range - Lower Bound		<20	0.27	<10	<10	70	<10	6500
Upper Bound		60	0.36	20	30	88	20	7950
OREAS 602		<20	0.01	<10	<10	10	<10	4150
Target Range - Lower Bound		<20	<0.01	<10	<10	8	<10	3680
Upper Bound		40	0.03	20	20	14	20	4500
OREAS-45b		<20	0.21	<10	<10	212	<10	164
OREAS-45b		<20	0.21	<10	<10	213	<10	170
Target Range - Lower Bound		<20	0.19	<10	<10	198	<10	154
Upper Bound		50	0.25	20	20	244	20	192
OxJ120								
Target Range - Lower Bound								
Upper Bound								
OxP91								
Target Range - Lower Bound								
Upper Bound								
					BLANKS			
BLANK								
BLANK								
Target Range - Lower Bound								
Upper Bound								
BLANK		<20	<0.01	<10	<10	<1	<10	<2
BLANK		<20	<0.01	<10	<10	<1	<10	<2
BLANK		<20	<0.01	<10	<10	<1	<10	<2
Target Range - Lower Bound		<20	<0.01	<10	<10	<1	<10	<2
Upper Bound		40	0.02	20	20	2	20	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	Au-AA26 Au Check ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
DUPLICATES																
ORIGINAL		0.02														
DUP		0.02	0.02													
Target Range - Lower Bound		<0.01	<0.01													
Upper Bound		0.03	0.03													
ORIGINAL		0.01														
DUP		0.01	0.01													
Target Range - Lower Bound		<0.01	<0.01													
Upper Bound		0.02	0.02													
ORIGINAL				0.4	1.24	57	<10	30	<0.5	<2	1.82	<0.5	6	7	14	1.77
DUP				0.5	1.27	58	<10	30	<0.5	<2	1.83	<0.5	6	8	14	1.80
Target Range - Lower Bound				<0.2	1.18	53	<10	20	<0.5	<2	1.72	<0.5	5	6	13	1.69
Upper Bound				0.7	1.33	62	20	40	1.0	4	1.93	1.0	7	9	15	1.88
V350669				<0.2	6.28	13	<10	<10	<0.5	<2	5.50	<0.5	30	55	19	5.36
DUP				3.0	6.42	14	<10	<10	<0.5	<2	5.50	<0.5	31	56	19	5.41
Target Range - Lower Bound				1.3	6.02	11	<10	<10	<0.5	<2	5.22	<0.5	28	52	17	5.11
Upper Bound				1.9	6.68	16	20	20	1.0	4	5.79	1.0	33	59	21	5.66
V350671		7.34	8.85													
DUP		5.89														
Target Range - Lower Bound		6.27														
Upper Bound		6.96														
V350691		0.30														
DUP		0.33														
Target Range - Lower Bound		0.29														
Upper Bound		0.34														
V350705				<0.2	3.34	2	<10	<10	<0.5	<2	3.47	<0.5	41	169	137	6.32
DUP				<0.2	3.22	<2	<10	<10	<0.5	<2	3.38	<0.5	39	164	135	6.11
Target Range - Lower Bound				<0.2	3.11	<2	<10	<10	<0.5	<2	3.24	<0.5	37	157	130	5.89
Upper Bound				0.4	3.45	4	20	20	1.0	4	3.61	1.0	43	176	142	6.54
V350711		0.12														
DUP		0.14														
Target Range - Lower Bound		0.11														
Upper Bound		0.15														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		<10	<1	0.14	10	0.71	632	<1	0.08	8	350	23	1.06	<2	1	40
DUP		<10	<1	0.14	10	0.72	636	<1	0.08	8	370	23	1.08	<2	1	41
Target Range - Lower Bound		<10	<1	0.12	<10	0.67	597	<1	0.07	7	330	20	1.01	<2	<1	37
Upper Bound		20	2	0.16	20	0.76	671	2	0.09	9	390	26	1.13	4	2	44
V350669		10	<1	0.02	<10	2.85	1395	<1	0.36	66	210	<2	0.04	<2	18	27
DUP		10	<1	0.02	<10	2.89	1400	<1	0.37	66	210	<2	0.04	3	18	27
Target Range - Lower Bound		<10	<1	<0.01	<10	2.72	1325	<1	0.34	62	190	<2	0.03	<2	16	25
Upper Bound		20	2	0.03	20	3.02	1470	2	0.39	70	230	4	0.05	4	20	29
V350671																
DUP																
Target Range - Lower Bound																
Upper Bound																
V350691																
DUP																
Target Range - Lower Bound																
Upper Bound																
V350705		10	1	0.03	<10	2.64	858	<1	0.03	102	270	<2	0.69	4	15	10
DUP		10	<1	0.02	<10	2.55	830	<1	0.03	99	260	<2	0.67	2	15	10
Target Range - Lower Bound		<10	<1	<0.01	<10	2.46	797	<1	0.02	94	240	<2	0.64	<2	13	9
Upper Bound		20	2	0.04	20	2.73	891	2	0.04	107	290	4	0.72	4	17	12
V350711																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES						
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		<20	<0.01	<10	<10	6	<10	86
DUP		<20	<0.01	<10	<10	6	<10	87
Target Range - Lower Bound		<20	<0.01	<10	<10	5	<10	80
Upper Bound		40	0.02	20	20	7	20	93
V350669		<20	0.03	<10	<10	121	10	47
DUP		<20	0.03	<10	<10	122	10	47
Target Range - Lower Bound		<20	0.02	<10	<10	114	<10	43
Upper Bound		40	0.04	20	20	129	20	51
V350671								
DUP								
Target Range - Lower Bound								
Upper Bound								
V350691								
DUP								
Target Range - Lower Bound								
Upper Bound								
V350705		<20	0.09	<10	<10	172	10	69
DUP		<20	0.09	<10	<10	167	10	66
Target Range - Lower Bound		<20	0.08	<10	<10	160	<10	62
Upper Bound		40	0.10	20	20	179	20	73
V350711								
DUP								
Target Range - Lower Bound								
Upper Bound								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215018

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41