ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

CERTIFICATE TB16179329

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-OCT-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179329

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711001		4.49	1.06	0.2	6.44	14	<10	50	<0.5	<2	7.4	<0.5	21	84	58	2.93
R711002		4.36	0.85	<0.2	6.11	17	<10	80	<0.5	<2	8.1	<0.5	21	139	78	4.23
R711003		4.34	0.73	<0.2	5.36	11	<10	40	<0.5	<2	6.65	<0.5	23	124	6	4.69
R711004		4.14	1.31	<0.2	5.32	6	<10	30	<0.5	<2	10.5	<0.5	17	98	20	4.36
R711005		4.24	0.08	<0.2	5.52	<2	<10	10	<0.5	<2	5.04	<0.5	21	126	6	3.95
R711006		4.52	0.05	<0.2	6.14	2	<10	<10	<0.5	<2	0.96	<0.5	30	198	8	4.91
R711007		4.65	0.06	<0.2	6.64	27	<10	<10	<0.5	<2	0.29	<0.5	33	213	1	5.19
R711008		4.13	0.09	<0.2	5.52	35	<10	<10	<0.5	<2	0.32	<0.5	29	185	1	4.29
R711009		4.42	0.01	<0.2	5.89	21	<10	<10	<0.5	<2	0.08	<0.5	28	189	<1	3.72
R711010		4.39	1.85	<0.2	2.55	7	<10	10	<0.5	<2	0.04	<0.5	9	100	1	1.39
R711011		4.46	2.58	<0.2	3.07	6	<10	10	<0.5	<2	0.03	<0.5	10	118	1	1.51
R711012		4.00	2.90	<0.2	3.05	47	<10	<10	<0.5	<2	0.03	<0.5	17	140	<1	1.37
R711013		2.53	0.16	<0.2	3.73	52	<10	<10	<0.5	<2	0.01	<0.5	23	149	<1	1.99
R711014		4.08	0.15	<0.2	5.88	34	<10	<10	<0.5	<2	0.06	<0.5	33	197	<1	3.94
R711015		4.07	0.84	<0.2	3.75	17	<10	<10	<0.5	<2	0.03	<0.5	17	156	1	2.04
R711016		4.44	3.78	0.2	2.20	32	<10	<10	<0.5	<2	0.01	<0.5	10	95	<1	0.80
R711017		4.50	12.65	0.2	2.85	43	<10	10	<0.5	3	0.22	<0.5	9	101	1	1.43
R711018		4.26	0.03	0.2	5.73	35	<10	<10	<0.5	<2	5.47	<0.5	48	204	120	7.57
R711019		4.73	0.19	0.2	3.93	22	<10	10	<0.5	<2	3.51	<0.5	28	156	72	4.75
R711020		4.59	<0.01	0.2	5.21	2	<10	10	<0.5	<2	6.06	<0.5	46	240	157	7.94
R711021		0.05	7.23	<0.2	1.33	41	<10	70	<0.5	<2	0.96	<0.5	13	18	123	2.94
R711022		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.38
R711023		4.58	0.02	0.2	5.29	2	<10	10	<0.5	<2	5.74	<0.5	46	208	154	7.94
R711024		4.66	<0.01	0.2	5.27	3	<10	10	<0.5	<2	5.99	<0.5	44	208	135	7.67
R711025		5.13	<0.01	<0.2	5.44	4	<10	30	<0.5	<2	4.68	<0.5	46	212	143	7.77
R711026		3.63	<0.01	0.2	5.31	4	<10	30	<0.5	<2	5.92	<0.5	43	197	150	7.61
R711027		4.20	0.11	0.2	5.82	4	<10	20	<0.5	2	0.50	<0.5	52	213	55	7.20
R711028		4.46	0.76	0.3	5.38	2	<10	20	<0.5	2	0.64	<0.5	51	202	259	7.43
R711029		4.49	1.79	0.3	5.24	<2	<10	20	<0.5	8	0.60	<0.5	51	200	142	7.06
R711030		4.16	0.06	0.2	5.59	3	<10	20	<0.5	<2	1.05	<0.5	57	233	212	7.72
R711031		4.46	0.01	0.2	5.51	3	<10	20	<0.5	<2	0.40	<0.5	51	215	171	7.82
R711032		4.25	0.08	0.5	5.24	4	<10	20	<0.5	<2	0.24	<0.5	60	223	277	7.58
R711033		4.43	0.04	0.6	4.02	4	<10	30	<0.5	<2	2.35	<0.5	49	183	305	7.23
R711034		4.72	0.03	0.2	3.37	5	<10	10	<0.5	<2	4.47	<0.5	37	135	138	5.71
R711035		4.34	0.03	0.3	3.68	2	<10	<10	<0.5	<2	4.72	<0.5	37	78	263	5.51
R711036		5.23	0.02	0.3	3.44	3	<10	<10	<0.5	<2	4.66	<0.5	40	89	213	5.66
R711037		4.22	<0.01	<0.2	4.30	3	<10	20	<0.5	<2	5.60	<0.5	43	142	169	7.43
R711038		4.54	0.06	<0.2	5.69	24	<10	20	<0.5	<2	1.40	<0.5	51	208	89	7.92
R711039		4.31	0.02	<0.2	6.62	38	<10	10	<0.5	<2	1.03	<0.5	50	219	75	8.06
R711040		4.49	<0.01	0.2	4.08	3	<10	10	<0.5	<2	5.09	<0.5	42	129	140	6.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179329

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
R711001		10	<1	0.42	<10	1.04	1380	<1	0.68	61	60	2	0.17	<2	8	44
R711002		10	1	0.55	<10	1.62	1530	<1	0.51	64	170	3	0.17	<2	18	37
R711003		10	<1	0.19	<10	2.25	1340	<1	0.34	68	100	<2	0.01	<2	22	27
R711004		10	<1	0.15	<10	2.11	1580	<1	0.37	51	130	<2	0.03	<2	18	34
R711005		10	<1	0.03	<10	5.29	1090	<1	0.15	76	590	<2	0.01	<2	22	18
R711006		10	<1	0.01	<10	7.44	649	1	0.01	105	380	<2	0.04	3	27	4
R711007		10	1	<0.01	<10	7.90	551	<1	0.01	109	280	<2	0.01	<2	29	2
R711008		10	1	0.02	<10	6.67	446	1	0.01	103	290	<2	0.01	3	23	2
R711009		10	<1	0.02	<10	6.50	324	1	0.01	117	240	<2	0.01	<2	22	2
R711010		<10	<1	0.11	<10	2.66	133	<1	0.02	49	70	<2	0.01	2	6	4
R711011		<10	<1	0.12	<10	3.34	170	<1	0.03	60	40	<2	0.01	<2	6	3
R711012		10	1	0.12	<10	3.26	157	<1	0.03	103	20	<2	0.01	<2	7	4
R711013		10	1	0.09	<10	4.06	206	<1	0.02	124	10	<2	0.01	<2	8	3
R711014		10	<1	0.05	<10	6.25	370	<1	0.01	129	230	<2	0.01	<2	19	2
R711015		10	<1	0.07	<10	4.09	190	<1	0.01	97	80	<2	0.01	<2	12	3
R711016		<10	<1	0.11	<10	2.39	89	<1	0.02	96	20	<2	0.01	<2	4	3
R711017		10	1	0.08	10	2.93	236	1	0.03	125	320	<2	0.01	<2	8	5
R711018		10	1	0.01	<10	4.64	1240	<1	0.05	128	270	<2	0.15	<2	31	20
R711019		10	<1	0.10	<10	3.42	716	1	0.03	135	250	2	0.24	<2	15	12
R711020		10	<1	0.06	<10	4.44	1230	1	0.02	139	270	<2	0.49	<2	22	22
R711021		10	<1	0.10	10	0.46	316	1	0.31	47	760	8	0.09	2	3	47
R711022		<10	<1	<0.01	<10	<0.01	40	<1	0.01	2	10	<2	0.03	<2	<1	1
R711023		10	<1	0.05	<10	4.29	1190	1	0.04	130	230	<2	0.39	<2	17	22
R711024		10	<1	0.03	<10	4.26	1150	<1	0.05	131	220	<2	0.23	<2	21	21
R711025		10	<1	0.26	<10	4.19	1210	1	0.13	130	210	<2	0.37	2	23	24
R711026		10	<1	0.28	<10	3.89	1360	1	0.18	119	220	3	0.47	3	18	26
R711027		10	<1	0.10	<10	4.18	997	1	0.11	156	220	<2	0.05	<2	17	10
R711028		10	<1	0.10	<10	3.38	1230	1	0.15	163	230	2	0.46	<2	14	12
R711029		10	<1	0.11	<10	3.39	959	1	0.14	163	220	2	0.34	<2	14	12
R711030		10	1	0.17	<10	3.68	1270	1	0.18	170	230	<2	0.61	<2	18	15
R711031		10	<1	0.18	<10	4.02	1220	1	0.09	151	220	<2	0.48	<2	18	8
R711032		10	1	0.10	<10	4.13	904	1	0.04	159	220	2	0.44	<2	17	5
R711033		10	1	0.19	<10	3.39	999	1	0.04	113	320	2	0.76	2	16	7
R711034		10	<1	0.09	<10	3.31	1150	1	0.06	88	280	<2	0.14	<2	13	19
R711035		10	<1	0.02	<10	2.80	913	<1	0.10	75	310	2	0.26	<2	11	37
R711036		10	<1	0.05	<10	2.76	981	1	0.08	71	320	<2	0.32	<2	11	26
R711037		10	<1	0.19	<10	3.48	1210	1	0.03	88	300	<2	0.46	<2	15	17
R711038		10	<1	0.15	<10	4.69	795	1	0.04	128	250	<2	0.32	<2	19	9
R711039		10	<1	0.10	<10	5.90	838	1	0.02	142	220	<2	0.24	<2	21	6
R711040		10	1	0.09	<10	3.28	999	<1	0.05	83	320	2	0.43	<2	13	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179329

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711001		<20	0.06	<10	<10	55	10	18
R711002		<20	0.10	<10	<10	136	10	28
R711003		<20	0.08	<10	<10	154	10	32
R711004		<20	0.07	<10	<10	123	<10	28
R711005		<20	0.02	<10	<10	139	<10	26
R711006		<20	0.01	<10	<10	175	<10	30
R711007		<20	0.01	<10	<10	186	<10	36
R711008		<20	0.01	<10	<10	160	<10	24
R711009		<20	0.01	<10	<10	159	<10	18
R711010		<20	<0.01	<10	<10	59	<10	7
R711011		<20	<0.01	<10	<10	70	<10	11
R711012		<20	<0.01	<10	<10	71	<10	11
R711013		<20	<0.01	<10	<10	84	<10	15
R711014		<20	<0.01	<10	<10	146	<10	27
R711015		<20	<0.01	<10	<10	105	<10	13
R711016		<20	<0.01	<10	<10	49	<10	7
R711017		<20	<0.01	<10	<10	75	<10	16
R711018		<20	0.03	<10	<10	224	<10	75
R711019		<20	0.02	<10	<10	140	<10	61
R711020		<20	0.06	<10	<10	217	<10	84
R711021		<20	0.49	<10	<10	82	<10	74
R711022		<20	<0.01	<10	<10	<1	<10	<2
R711023		<20	0.06	<10	<10	208	<10	79
R711024		<20	0.06	<10	<10	214	<10	85
R711025		<20	0.09	<10	<10	216	<10	104
R711026		<20	0.09	<10	<10	206	<10	109
R711027		<20	0.07	<10	<10	160	<10	109
R711028		<20	0.07	<10	<10	149	<10	93
R711029		<20	0.07	<10	<10	144	<10	93
R711030		<20	0.08	<10	<10	181	10	103
R711031		<20	0.08	<10	<10	180	<10	105
R711032		<20	0.06	<10	<10	172	<10	94
R711033		<20	0.08	<10	<10	174	10	103
R711034		<20	0.07	<10	<10	101	<10	73
R711035		<20	0.07	<10	<10	96	<10	64
R711036		<20	0.07	<10	<10	96	<10	65
R711037		<20	0.08	<10	<10	169	<10	82
R711038		<20	0.06	<10	<10	195	<10	108
R711039		<20	0.03	<10	<10	180	<10	172
R711040		<20	0.07	<10	<10	133	<10	83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179329

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711041		0.05	2.43	1.4	0.71	56	<10	70	0.5	<2	0.96	<0.5	24	57	84	4.58
R711042		0.18	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.38
R711043		4.77	0.01	<0.2	4.23	2	<10	10	<0.5	<2	5.31	<0.5	42	143	153	6.75
R711044		4.22	0.06	0.5	4.68	4	<10	30	<0.5	<2	5.39	<0.5	48	174	319	8.12
R711045		4.54	0.01	0.2	4.62	<2	<10	40	<0.5	<2	4.93	<0.5	51	187	162	8.53
R711046		4.74	0.04	0.4	4.74	3	<10	40	<0.5	3	4.58	<0.5	58	210	125	10.40
R711047		4.52	0.07	0.2	5.23	<2	<10	60	<0.5	<2	5.59	<0.5	46	241	145	7.75
R711048		4.63	0.01	0.2	4.45	<2	<10	80	<0.5	<2	5.63	<0.5	43	236	158	6.91
R711049		4.35	0.01	0.2	4.25	<2	<10	<10	<0.5	<2	5.61	<0.5	38	189	144	6.00
R711050		4.59	0.39	0.2	4.52	<2	<10	30	<0.5	<2	5.07	<0.5	41	177	137	6.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179329

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R711041		<10	2	0.26	20	0.55	667	15	0.10	71	550	20	1.28	2	6	132
R711042		<10	<1	<0.01	<10	<0.01	40	<1	0.01	2	10	<2	0.03	<2	<1	1
R711043		10	<1	0.04	<10	3.42	953	1	0.05	90	320	2	0.25	<2	15	22
R711044		10	1	0.15	<10	4.00	1210	1	0.02	98	270	<2	0.79	2	17	22
R711045		10	<1	0.31	<10	4.07	1250	1	0.02	107	290	2	0.92	3	20	20
R711046		10	<1	0.35	<10	4.71	1360	1	0.02	120	260	2	2.53	<2	22	25
R711047		10	1	0.36	<10	4.69	1200	1	0.02	138	290	<2	0.30	<2	17	40
R711048		10	1	0.45	<10	4.16	1050	1	0.03	138	310	<2	0.40	<2	16	42
R711049		10	1	0.02	<10	3.89	983	1	0.04	122	290	<2	0.16	<2	11	39
R711050		10	<1	0.19	<10	4.07	1010	1	0.02	122	210	<2	0.17	<2	13	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179329

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711041		<20	0.02	<10	<10	28	10	120
R711042		<20	<0.01	<10	<10	<1	<10	<2
R711043		<20	0.07	<10	<10	132	<10	74
R711044		<20	0.08	<10	<10	196	10	92
R711045		<20	0.09	<10	<10	205	10	106
R711046		<20	0.07	<10	<10	183	10	97
R711047		<20	0.10	<10	<10	203	10	85
R711048		<20	0.10	<10	<10	173	<10	72
R711049		<20	0.06	<10	<10	122	<10	63
R711050		<20	0.07	<10	<10	162	<10	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179329

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41