ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

CERTIFICATE TB16215018

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	Au-AA26 Au Check ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
V350668		4.68	0.04		<0.2	6.65	5	<10	10	<0.5	<2	6.24	<0.5	23	111	96
V350669		3.76	0.28		<0.2	6.28	13	<10	<10	<0.5	<2	5.50	<0.5	30	55	19
V350670		4.40	0.02	0.02	<0.2	5.96	<2	<10	<10	<0.5	<2	0.63	<0.5	29	196	3
V350671		3.63	7.34	8.85	0.3	3.80	62	<10	<10	<0.5	<2	0.31	<0.5	18	143	1
V350672		4.67	0.07	0.14	<0.2	3.64	4	<10	10	<0.5	<2	0.38	<0.5	14	136	5
V350673		4.72	0.03		<0.2	4.63	3	<10	<10	<0.5	<2	1.56	<0.5	25	164	2
V350674		3.62	0.55		<0.2	6.20	2	<10	<10	<0.5	<2	1.30	<0.5	28	205	1
V350675		2.55	1.01		<0.2	2.66	14	<10	30	<0.5	<2	0.95	<0.5	15	64	41
V350676		4.19	2.20		<0.2	2.99	3	<10	20	<0.5	<2	0.35	<0.5	15	98	1
V350677		3.08	0.04		<0.2	2.22	3	<10	30	<0.5	<2	1.41	<0.5	10	9	98
V350678		2.86	0.08		<0.2	2.14	<2	<10	20	<0.5	<2	1.20	<0.5	9	10	76
V350679		4.39	0.77		<0.2	3.25	7	<10	10	<0.5	<2	0.09	<0.5	40	120	46
V350680		5.33	1.56		0.9	4.44	16	<10	10	<0.5	<2	0.05	<0.5	69	147	709
V350681		4.49	0.22		0.2	6.17	3	<10	10	<0.5	<2	0.05	<0.5	46	211	86
V350682		3.83	0.11		<0.2	5.71	<2	<10	20	<0.5	<2	0.05	<0.5	41	199	3
V350683		3.29	0.02		<0.2	6.51	<2	<10	20	<0.5	<2	0.16	<0.5	45	238	<1
V350684		4.30	0.01		<0.2	3.17	2	<10	210	0.8	<2	10.4	<0.5	38	1045	56
V350685		4.86	<0.01		<0.2	2.93	<2	<10	520	0.9	<2	8.0	<0.5	36	1160	9
V350686		2.77	<0.01		<0.2	3.06	2	<10	610	0.9	<2	7.3	<0.5	36	1350	16
V350687		3.40	0.01		<0.2	3.29	2	<10	590	0.9	<2	7.4	<0.5	39	1020	45
V350688		0.05	7.32		<0.2	1.19	39	<10	70	<0.5	<2	0.86	<0.5	13	17	127
V350689		0.16	<0.01		<0.2	0.01	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	7	1
V350690		4.55	0.06		<0.2	5.06	2	<10	10	<0.5	<2	0.28	<0.5	26	211	6
V350691		4.48	0.30		<0.2	4.41	2	<10	10	<0.5	<2	0.59	<0.5	27	176	20
V350692		4.37	1.37		<0.2	5.06	<2	<10	10	<0.5	<2	0.31	<0.5	37	184	16
V350693		5.10	0.14		0.2	5.27	2	<10	10	<0.5	<2	4.06	<0.5	45	212	151
V350694		4.75	0.08		<0.2	5.67	2	<10	40	<0.5	<2	2.41	<0.5	46	216	100
V350695		4.64	0.19		<0.2	5.68	<2	<10	70	<0.5	3	2.91	<0.5	44	204	149
V350696		4.83	0.16		0.3	4.82	2	<10	40	<0.5	<2	2.26	<0.5	49	212	181
V350697		4.27	0.13		0.2	4.42	2	<10	20	<0.5	<2	0.96	<0.5	46	196	145
V350698		3.58	0.03		0.3	4.94	<2	<10	20	<0.5	<2	2.65	<0.5	45	192	182
V350699		3.26	0.59		<0.2	4.75	<2	<10	20	<0.5	<2	6.06	<0.5	41	175	141
V350700		4.56	0.08		0.2	3.43	4	<10	30	<0.5	<2	1.19	<0.5	42	174	181
V350701		4.63	0.69		0.2	3.67	<2	<10	20	<0.5	<2	1.76	1.3	43	198	120
V350702		4.93	0.01		<0.2	4.20	<2	<10	60	<0.5	<2	4.31	<0.5	43	216	125
V350703		4.62	0.11		<0.2	2.38	<2	<10	20	<0.5	<2	1.96	<0.5	41	206	101
V350704		4.83	1.50		<0.2	2.30	<2	<10	10	<0.5	2	1.34	<0.5	37	197	102
V350705		4.26	0.02		<0.2	3.34	2	<10	<10	<0.5	<2	3.47	<0.5	41	169	137
V350706		4.99	0.01		<0.2	3.91	<2	<10	<10	<0.5	<2	4.65	<0.5	42	148	157
V350707		4.88	0.01		<0.2	4.06	<2	<10	<10	<0.5	<2	4.36	<0.5	39	129	141

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
V350668		5.26	10	<1	0.01	<10	2.31	1025	<1	0.42	49	170	<2	0.20	<2	17
V350669		5.36	10	<1	0.02	<10	2.85	1395	<1	0.36	66	210	<2	0.04	<2	18
V350670		5.17	10	<1	<0.01	<10	6.69	634	<1	<0.01	105	270	<2	0.01	<2	26
V350671		2.05	10	<1	0.06	<10	4.22	236	<1	0.02	145	410	<2	0.01	3	16
V350672		2.36	10	<1	0.08	<10	3.73	290	<1	0.02	64	80	<2	0.01	<2	14
V350673		4.00	10	<1	<0.01	<10	5.50	667	<1	<0.01	81	210	<2	0.01	<2	22
V350674		4.96	10	<1	<0.01	<10	7.31	642	<1	<0.01	109	190	<2	0.01	3	29
V350675		2.47	10	<1	0.13	10	2.21	344	<1	0.10	98	440	<2	0.25	<2	8
V350676		2.13	10	<1	0.13	10	3.11	306	<1	0.02	95	270	<2	0.01	<2	7
V350677		2.96	10	<1	0.07	20	0.80	410	1	0.22	7	510	2	0.90	<2	3
V350678		2.62	10	<1	0.07	20	0.93	364	1	0.19	8	480	2	0.69	<2	2
V350679		2.63	10	<1	0.10	<10	3.48	219	2	0.01	114	290	<2	0.02	<2	6
V350680		5.84	10	<1	0.08	<10	3.94	262	1	<0.01	116	180	2	0.31	<2	9
V350681		6.67	10	<1	0.06	<10	5.82	419	<1	0.01	150	190	<2	0.04	2	15
V350682		5.63	10	<1	0.07	<10	5.74	381	<1	0.01	145	170	<2	0.01	3	12
V350683		6.32	10	<1	0.05	<10	6.64	458	<1	0.01	145	130	<2	0.01	3	22
V350684		4.54	10	<1	0.91	20	6.44	1040	<1	0.01	175	1310	2	0.12	5	30
V350685		4.27	10	<1	2.17	20	7.47	809	<1	0.03	177	730	4	0.02	4	34
V350686		4.40	10	<1	2.30	20	7.36	738	<1	0.03	192	690	2	0.04	6	32
V350687		4.98	10	<1	2.04	30	6.86	907	<1	0.02	205	1140	2	0.08	5	23
V350688		2.80	<10	<1	0.09	10	0.43	290	1	0.28	44	700	7	0.08	2	3
V350689		0.51	<10	<1	<0.01	<10	<0.01	53	<1	<0.01	1	10	<2	0.02	<2	<1
V350690		4.21	10	<1	0.03	<10	6.04	341	<1	0.01	107	350	<2	0.02	<2	26
V350691		4.20	10	<1	0.04	<10	4.72	436	<1	0.01	100	150	<2	0.07	<2	20
V350692		5.13	10	<1	0.06	<10	5.07	576	<1	0.01	129	160	<2	0.01	2	15
V350693		7.66	10	<1	0.11	<10	3.79	1440	<1	0.09	135	220	<2	0.30	<2	19
V350694		6.83	10	<1	0.31	<10	3.18	1930	<1	0.21	145	210	2	0.17	<2	18
V350695		7.17	10	<1	0.48	<10	3.17	1880	<1	0.21	126	230	<2	0.31	<2	18
V350696		7.30	10	<1	0.22	<10	3.17	1345	<1	0.12	134	220	2	0.55	3	15
V350697		6.59	10	<1	0.16	<10	2.78	1385	<1	0.12	132	230	<2	0.54	4	13
V350698		6.92	10	<1	0.17	<10	3.71	1540	1	0.09	121	220	2	0.42	3	16
V350699		7.08	10	<1	0.18	<10	3.61	1045	<1	0.06	119	200	<2	0.37	<2	12
V350700		5.92	10	<1	0.19	<10	2.28	942	<1	0.10	132	220	2	0.85	<2	9
V350701		5.93	10	<1	0.11	<10	2.60	1060	<1	0.07	133	210	3	0.58	3	10
V350702		6.58	10	<1	0.36	<10	3.13	1165	<1	0.08	139	210	<2	0.59	<2	11
V350703		4.70	10	<1	0.09	<10	1.82	816	<1	0.05	126	210	2	0.67	2	11
V350704		4.57	10	<1	0.04	<10	1.75	729	<1	0.05	119	220	<2	0.57	2	14
V350705		6.32	10	1	0.03	<10	2.64	858	<1	0.03	102	270	<2	0.69	4	15
V350706		6.73	10	<1	0.03	<10	3.19	947	<1	0.03	95	300	<2	0.39	3	11
V350707		6.51	10	1	0.01	<10	3.32	814	<1	0.03	86	300	<2	0.16	<2	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350668		37	<20	0.04	<10	<10	148	<10	38
V350669		27	<20	0.03	<10	<10	121	10	47
V350670		3	<20	0.01	<10	<10	166	<10	39
V350671		4	<20	<0.01	<10	<10	98	<10	16
V350672		5	<20	<0.01	<10	<10	96	<10	17
V350673		4	<20	0.01	<10	<10	135	<10	31
V350674		4	<20	0.01	<10	<10	179	<10	40
V350675		22	<20	0.02	<10	<10	57	<10	19
V350676		6	<20	<0.01	<10	<10	62	<10	21
V350677		39	<20	0.03	<10	<10	21	10	15
V350678		34	<20	0.03	<10	<10	19	10	15
V350679		3	<20	<0.01	<10	<10	65	<10	23
V350680		2	<20	0.01	<10	<10	92	<10	76
V350681		3	<20	0.01	<10	<10	139	<10	63
V350682		3	<20	0.01	<10	<10	126	<10	40
V350683		4	<20	0.01	<10	<10	177	<10	40
V350684		240	<20	0.11	<10	<10	108	<10	43
V350685		408	<20	0.21	<10	<10	104	<10	36
V350686		412	<20	0.22	<10	<10	110	<10	39
V350687		333	<20	0.21	<10	<10	118	<10	48
V350688		43	<20	0.46	<10	<10	74	<10	71
V350689		1	<20	<0.01	<10	<10	<1	<10	<2
V350690		6	<20	0.01	<10	<10	159	<10	63
V350691		5	<20	0.01	<10	<10	144	<10	114
V350692		4	<20	0.02	<10	<10	134	<10	143
V350693		22	<20	0.08	<10	<10	192	10	101
V350694		26	<20	0.11	<10	<10	185	<10	84
V350695		26	<20	0.12	<10	<10	194	<10	83
V350696		18	<20	0.09	<10	<10	172	10	85
V350697		13	<20	0.09	<10	<10	153	<10	76
V350698		15	<20	0.09	<10	<10	158	10	110
V350699		17	<20	0.09	<10	<10	174	10	91
V350700		11	<20	0.11	<10	<10	122	<10	55
V350701		12	<20	0.12	<10	<10	145	10	293
V350702		13	<20	0.11	<10	<10	168	10	84
V350703		8	<20	0.10	<10	<10	157	<10	47
V350704		6	<20	0.11	<10	<10	155	10	47
V350705		10	<20	0.09	<10	<10	172	10	69
V350706		15	<20	0.07	<10	<10	137	<10	79
V350707		17	<20	0.07	<10	<10	110	<10	75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	Au-AA26 Au Check ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
V350708		0.06	3.28		1.2	0.51	9	<10	30	<0.5	<2	0.67	<0.5	5	11	32
V350709		0.16	<0.01		<0.2	0.01	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	5	1
V350710		4.40	0.02		<0.2	3.93	<2	<10	<10	<0.5	<2	4.65	<0.5	42	127	207
V350711		4.50	0.12		0.6	4.89	<2	<10	10	<0.5	<2	0.88	<0.5	50	170	394
V350712		5.65	0.07		0.7	4.57	2	<10	10	<0.5	<2	0.09	<0.5	56	143	411
V350713		4.86	0.06		0.5	4.43	2	<10	10	<0.5	<2	3.61	<0.5	56	156	437
V350714		4.80	0.01		<0.2	4.89	2	<10	30	<0.5	<2	4.96	<0.5	45	197	113
V350715		4.78	0.01		<0.2	4.81	3	<10	10	<0.5	<2	3.91	<0.5	45	186	153
V350716		5.16	0.12		<0.2	6.39	3	<10	<10	<0.5	<2	0.42	<0.5	50	208	84
V350717		4.87	0.04		<0.2	6.39	6	<10	10	<0.5	<2	0.31	<0.5	48	215	80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
V350708		1.20	<10	<1	0.05	<10	0.19	128	5	0.12	15	310	5	0.04	3	1
V350709		0.40	<10	<1	<0.01	<10	<0.01	41	<1	<0.01	1	10	<2	0.02	<2	<1
V350710		6.67	10	<1	0.03	<10	3.18	898	<1	0.03	88	300	2	0.40	2	9
V350711		7.12	10	<1	0.08	<10	4.01	639	<1	0.01	129	230	2	0.20	3	13
V350712		6.56	10	<1	0.12	<10	3.94	405	1	0.01	139	190	<2	0.54	<2	8
V350713		7.42	10	<1	0.10	<10	3.56	793	<1	0.01	122	250	<2	0.60	<2	16
V350714		8.07	10	<1	0.23	<10	4.18	1135	<1	0.01	109	240	<2	0.42	2	20
V350715		7.54	10	<1	0.05	<10	4.11	986	<1	0.01	111	250	<2	0.33	<2	24
V350716		8.12	10	<1	0.02	<10	6.25	637	<1	<0.01	124	210	<2	0.47	4	26
V350717		7.80	10	<1	0.05	<10	5.85	763	<1	<0.01	144	200	2	0.06	<2	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215018

Sample Description	Method Analyte Units LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350708		22	<20	0.20	<10	<10	31	<10	24
V350709		1	<20	<0.01	<10	<10	<1	<10	<2
V350710		18	<20	0.06	<10	<10	121	<10	75
V350711		5	<20	0.06	<10	<10	141	<10	181
V350712		3	<20	0.02	<10	<10	89	<10	187
V350713		12	<20	0.05	<10	<10	145	<10	104
V350714		16	<20	0.08	<10	<10	204	<10	114
V350715		15	<20	0.06	<10	<10	201	<10	106
V350716		3	<20	0.02	<10	<10	179	<10	184
V350717		3	<20	0.01	<10	<10	162	<10	112

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 20-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215018

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41