ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

CERTIFICATE TB16211584

Project: 180.04E.84A12A

This report is for 45 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211584

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350268		3.35	0.03	<0.2	5.64	55	<10	10	<0.5	<2	8.8	<0.5	61	273	49	6.32
V350269		2.92	0.50	<0.2	5.67	33	<10	20	<0.5	<2	10.1	<0.5	74	261	98	7.63
V350270		2.73	0.53	<0.2	7.75	3	<10	10	<0.5	<2	8.8	<0.5	21	65	25	3.77
V350271		1.87	0.14	<0.2	7.85	<2	<10	10	<0.5	<2	9.2	<0.5	19	13	30	4.46
V350272		1.96	0.09	<0.2	8.44	3	<10	10	<0.5	<2	8.9	<0.5	16	67	28	4.05
V350273		2.73	0.02	<0.2	10.40	4	<10	10	<0.5	<2	8.2	<0.5	13	56	70	3.09
V350274		2.80	0.01	<0.2	10.30	6	<10	10	<0.5	<2	10.5	<0.5	19	62	16	3.62
V350275		2.62	0.05	<0.2	8.93	6	<10	10	<0.5	<2	11.7	<0.5	20	119	30	3.41
V350276		2.76	0.02	<0.2	8.09	8	<10	10	<0.5	<2	7.9	<0.5	19	49	23	2.81
V350277		2.74	<0.01	<0.2	3.72	4	<10	10	<0.5	<2	7.7	<0.5	19	62	29	2.68
V350278		2.76	<0.01	<0.2	6.87	7	<10	10	<0.5	<2	7.4	<0.5	29	38	57	2.86
V350279		2.76	<0.01	<0.2	4.56	4	<10	10	<0.5	<2	6.45	<0.5	23	51	72	3.79
V350280		2.70	0.01	<0.2	5.89	6	<10	<10	<0.5	<2	8.1	<0.5	47	201	130	8.21
V350281		1.91	<0.01	<0.2	4.92	5	<10	<10	<0.5	<2	6.43	<0.5	40	166	112	6.75
V350282		2.75	0.10	<0.2	5.99	15	<10	10	<0.5	<2	5.18	<0.5	42	191	94	7.14
V350283		2.60	0.05	0.3	7.30	9	<10	<10	<0.5	<2	0.44	<0.5	51	252	444	8.86
V350284		2.02	1.41	<0.2	6.94	23	<10	<10	<0.5	<2	0.21	<0.5	39	247	8	5.97
V350285		1.84	0.02	<0.2	6.82	34	<10	<10	<0.5	<2	0.42	<0.5	36	228	4	6.06
V350286		2.70	0.02	<0.2	6.78	36	<10	<10	<0.5	<2	0.63	<0.5	35	252	1	5.59
V350287		2.62	0.04	<0.2	9.41	57	<10	<10	<0.5	2	0.21	<0.5	64	304	32	9.27
V350288		0.05	5.75	34.2	0.34	255	<10	20	<0.5	<2	0.54	<0.5	11	27	81	1.85
V350289		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	5	1	0.40
V350290		2.76	0.06	0.3	7.66	5	<10	<10	<0.5	<2	0.13	<0.5	45	262	201	8.01
V350291		2.57	0.20	0.2	5.56	149	<10	10	<0.5	<2	0.06	<0.5	58	209	224	7.06
V350292		2.75	3.12	<0.2	3.50	142	<10	10	<0.5	<2	0.03	<0.5	31	149	1	3.43
V350293		1.72	1.20	<0.2	6.59	9	<10	<10	<0.5	<2	0.05	<0.5	46	217	107	6.87
V350294		2.79	0.23	0.3	8.53	7	<10	<10	<0.5	4	0.15	<0.5	76	308	183	9.36
V350295		1.83	0.02	<0.2	2.65	2	<10	30	<0.5	2	1.47	<0.5	11	12	164	3.04
V350296		2.65	0.16	0.3	6.52	5	<10	10	<0.5	<2	0.06	1.4	63	231	282	7.30
V350297		2.49	1.12	<0.2	4.51	2	<10	20	<0.5	<2	1.53	<0.5	27	181	10	3.24
V350298		2.67	1.80	<0.2	4.54	3	<10	10	<0.5	<2	3.57	2.2	27	248	13	3.94
V350299		2.23	0.07	<0.2	2.49	<2	<10	<10	<0.5	4	8.8	<0.5	4	79	17	1.41
V350300		2.17	0.01	<0.2	2.15	<2	<10	<10	<0.5	<2	5.68	<0.5	5	87	2	1.37
V350301		1.90	0.41	<0.2	2.53	4	<10	50	<0.5	<2	0.92	<0.5	12	70	20	2.80
V350302		2.83	0.05	<0.2	5.82	7	<10	30	<0.5	3	1.17	<0.5	70	268	177	9.07
V350303		2.81	0.04	<0.2	4.78	9	<10	50	<0.5	2	5.27	<0.5	26	178	36	3.77
V350304		2.51	0.05	<0.2	3.77	2	<10	30	<0.5	5	4.58	<0.5	40	181	152	7.89
V350305		2.91	0.53	0.2	3.85	3	<10	20	<0.5	55	5.09	<0.5	42	181	291	10.40
V350306		2.51	0.37	<0.2	1.79	7	<10	10	<0.5	6	2.57	<0.5	34	100	182	10.75
V350307		2.62	0.05	<0.2	4.21	2	<10	50	<0.5	4	5.98	<0.5	43	203	155	7.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350268		10	2	0.10	<10	2.90	1690	<1	0.19	191	240	2	0.04	<2	15	20
V350269		10	<1	0.18	<10	2.24	2450	<1	0.22	231	250	3	0.58	<2	11	20
V350270		10	<1	0.06	<10	1.25	1535	<1	0.56	69	60	2	0.12	2	8	56
V350271		10	<1	0.05	<10	1.53	1580	<1	0.51	60	70	<2	0.13	<2	8	53
V350272		10	<1	0.06	<10	1.38	1410	<1	0.58	52	70	2	0.13	<2	7	59
V350273		10	1	0.03	<10	1.38	938	<1	0.70	46	40	<2	0.02	3	6	77
V350274		10	<1	0.03	<10	1.59	1140	<1	0.68	57	70	2	0.04	<2	8	74
V350275		10	1	0.03	<10	1.54	1205	<1	0.59	67	60	<2	0.07	<2	8	63
V350276		10	<1	0.03	<10	1.17	830	<1	0.59	58	40	<2	0.10	3	5	58
V350277		10	1	0.03	<10	1.34	769	<1	0.22	52	60	<2	0.10	2	4	25
V350278		10	<1	0.03	<10	1.84	661	<1	0.52	88	60	2	0.07	2	4	56
V350279		10	<1	0.03	<10	2.22	825	<1	0.25	61	90	<2	0.12	2	9	26
V350280		10	1	0.01	<10	4.27	1140	<1	0.02	129	230	<2	0.12	<2	29	15
V350281		10	<1	0.01	<10	3.74	1160	<1	0.04	113	200	<2	0.09	<2	15	21
V350282		10	<1	0.04	<10	5.01	1030	<1	0.09	126	170	<2	0.07	<2	22	19
V350283		10	1	0.01	<10	6.52	509	<1	0.01	129	280	<2	0.30	<2	29	2
V350284		10	<1	0.01	<10	7.93	769	<1	<0.01	122	40	2	0.01	<2	32	1
V350285		10	1	<0.01	<10	8.15	723	<1	<0.01	112	220	<2	0.01	6	31	1
V350286		10	1	0.01	<10	8.20	917	<1	<0.01	120	70	<2	0.01	2	30	2
V350287		20	<1	0.01	<10	9.51	1365	<1	<0.01	163	170	2	0.03	<2	37	1
V350288		<10	<1	0.06	<10	0.22	199	37	0.06	106	240	11	0.41	4	1	14
V350289		<10	<1	<0.01	<10	<0.01	42	<1	<0.01	1	10	<2	0.02	<2	<1	1
V350290		10	1	0.01	<10	7.42	1015	<1	<0.01	133	200	<2	0.07	3	29	1
V350291		10	<1	0.11	<10	4.31	532	<1	0.01	180	160	<2	0.06	2	14	3
V350292		10	1	0.13	<10	2.92	233	<1	0.03	192	120	<2	0.01	<2	9	4
V350293		10	<1	0.05	<10	5.82	349	<1	0.01	137	210	<2	0.03	<2	21	1
V350294		20	1	<0.01	<10	8.00	485	<1	<0.01	210	290	<2	0.12	4	33	1
V350295		10	<1	0.17	20	0.88	276	1	0.29	13	570	3	0.98	<2	4	70
V350296		10	<1	0.05	<10	6.18	359	<1	0.01	142	100	2	0.37	2	19	1
V350297		10	<1	0.11	<10	5.36	489	<1	0.02	138	140	<2	0.01	<2	17	9
V350298		10	1	0.08	10	6.58	938	<1	0.01	132	300	<2	0.06	<2	19	23
V350299		10	<1	0.01	<10	6.85	1405	2	0.02	54	740	<2	<0.01	2	16	38
V350300		<10	<1	0.01	<10	5.65	1295	1	<0.01	48	70	<2	0.02	4	14	29
V350301		10	<1	0.23	10	2.40	404	1	0.06	37	290	<2	0.25	2	9	10
V350302		10	<1	0.18	10	5.58	698	1	0.01	143	360	<2	1.93	2	20	10
V350303		10	<1	0.30	<10	3.85	892	<1	0.15	117	150	2	0.08	4	19	39
V350304		10	<1	0.14	<10	3.08	1295	1	0.03	94	200	<2	1.55	3	15	16
V350305		10	<1	0.09	<10	3.01	1360	<1	0.02	103	200	<2	2.66	2	15	20
V350306		10	<1	0.03	<10	1.43	737	1	0.01	70	90	2	4.03	3	6	9
V350307		10	<1	0.15	<10	3.60	1650	<1	0.03	103	270	<2	0.69	<2	15	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350268		<20	0.09	<10	<10	206	10	70
V350269		<20	0.09	<10	<10	205	10	65
V350270		<20	0.04	<10	<10	67	<10	34
V350271		<20	0.04	<10	<10	71	<10	47
V350272		<20	0.02	<10	<10	72	<10	39
V350273		<20	0.03	<10	<10	80	<10	29
V350274		<20	0.03	<10	<10	78	<10	32
V350275		<20	0.02	<10	<10	64	<10	26
V350276		<20	0.02	<10	<10	55	<10	24
V350277		<20	<0.01	<10	<10	52	<10	25
V350278		<20	0.01	<10	<10	38	<10	27
V350279		<20	0.01	<10	<10	72	<10	33
V350280		<20	0.01	<10	<10	197	<10	74
V350281		<20	0.02	<10	<10	143	<10	71
V350282		<20	0.01	<10	<10	174	<10	136
V350283		<20	0.02	<10	<10	222	<10	264
V350284		<20	0.01	<10	<10	205	30	63
V350285		<20	0.02	<10	<10	203	<10	75
V350286		<20	0.01	<10	<10	202	<10	88
V350287		<20	0.02	<10	<10	264	<10	276
V350288		<20	0.14	<10	<10	24	<10	77
V350289		<20	<0.01	<10	<10	<1	<10	<2
V350290		<20	0.02	<10	<10	209	<10	125
V350291		<20	0.02	<10	<10	133	<10	60
V350292		<20	<0.01	<10	<10	89	<10	49
V350293		<20	0.01	<10	<10	172	<10	216
V350294		<20	0.02	<10	<10	276	<10	385
V350295		<20	0.04	<10	<10	23	<10	57
V350296		<20	0.02	<10	<10	167	<10	819
V350297		<20	0.01	<10	<10	126	<10	37
V350298		<20	0.01	<10	<10	131	<10	397
V350299		<20	<0.01	<10	<10	87	<10	23
V350300		<20	0.01	<10	<10	51	<10	15
V350301		<20	0.04	<10	<10	64	<10	44
V350302		<20	0.05	<10	<10	160	<10	126
V350303		<20	0.03	<10	<10	108	<10	62
V350304		<20	0.05	<10	<10	164	<10	81
V350305		<20	0.04	<10	<10	163	<10	82
V350306		<20	0.02	<10	<10	73	<10	38
V350307		<20	0.07	<10	<10	178	<10	85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211584

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350308		0.06	0.50	0.4	3.68	7	10	100	<0.5	<2	2.23	<0.5	15	59	103	3.21
V350309		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	6	1	0.51
V350310		2.29	0.01	<0.2	4.17	2	<10	90	<0.5	3	5.71	<0.5	38	204	119	8.05
V350311		2.70	0.30	0.8	1.18	<2	<10	20	<0.5	10	1.61	<0.5	61	58	608	36.0
V350312		2.42	0.70	1.2	1.70	5	<10	20	<0.5	12	1.55	<0.5	60	91	1530	25.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350308		10	<1	0.15	10	1.26	433	8	0.27	174	450	4	0.06	4	4	63
V350309		<10	<1	<0.01	<10	<0.01	56	<1	<0.01	2	10	<2	0.02	<2	<1	1
V350310		10	<1	0.29	<10	3.66	1530	<1	0.02	110	310	3	1.28	2	17	30
V350311		<10	<1	0.08	<10	0.91	531	1	0.01	142	80	<2	9.37	<2	5	7
V350312		10	<1	0.08	<10	1.46	536	1	0.01	95	90	2	8.76	<2	7	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211584

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350308		<20	0.11	<10	<10	56	<10	41
V350309		<20	<0.01	<10	<10	<1	<10	<2
V350310		<20	0.08	<10	<10	181	<10	89
V350311		<20	0.02	<10	<10	46	<10	22
V350312		<20	0.02	<10	<10	62	<10	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 16-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211584

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41