ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

CERTIFICATE TB16179334

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-OCT-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179334

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711175		4.35	0.01	<0.2	5.20	12	<10	<10	<0.5	<2	6.02	<0.5	44	17	115	11.20
R711176		4.40	0.02	<0.2	4.95	10	<10	<10	<0.5	<2	5.01	<0.5	47	17	127	11.90
R711177		4.23	<0.01	<0.2	5.22	8	<10	<10	<0.5	<2	5.46	<0.5	45	15	122	11.90
R711178		4.11	0.01	<0.2	5.35	6	<10	<10	<0.5	<2	5.70	<0.5	45	20	142	11.85
R711179		4.16	<0.01	<0.2	3.61	2	<10	10	<0.5	<2	6.89	<0.5	26	124	34	5.10
R711180		4.65	0.02	<0.2	2.08	3	<10	20	<0.5	<2	9.8	<0.5	11	26	13	2.33
R711181		4.42	<0.01	<0.2	2.65	<2	<10	30	<0.5	<2	7.6	<0.5	11	33	12	2.90
R711182		4.15	<0.01	<0.2	4.68	5	<10	10	<0.5	<2	9.2	<0.5	34	71	76	6.17
R711183		3.24	0.01	<0.2	2.80	4	<10	10	<0.5	<2	12.0	<0.5	20	58	48	3.23
R711184		2.99	0.01	<0.2	3.98	7	<10	10	<0.5	<2	9.4	<0.5	29	61	60	4.87
R711185		4.02	0.01	<0.2	4.22	7	<10	<10	<0.5	<2	9.6	<0.5	35	51	151	4.69
R711186		4.28	0.09	0.2	4.54	11	<10	<10	<0.5	<2	9.7	<0.5	40	70	167	5.72
R711187		4.39	0.01	<0.2	4.67	17	<10	<10	<0.5	<2	7.8	<0.5	45	30	121	6.00
R711188		2.65	0.03	<0.2	4.55	6	<10	<10	<0.5	<2	10.7	<0.5	38	55	164	6.02
R711189		3.63	0.02	<0.2	3.11	15	<10	<10	<0.5	<2	9.7	<0.5	27	32	92	5.09
R711190		3.46	0.35	<0.2	3.37	7	<10	10	<0.5	<2	9.0	<0.5	26	119	102	5.14
R711191		4.49	0.10	<0.2	3.08	8	10	10	<0.5	<2	7.8	<0.5	26	185	50	3.68
R711192		4.09	0.01	<0.2	3.06	3	<10	10	<0.5	<2	8.7	<0.5	21	221	24	3.73
R711193		3.95	0.03	<0.2	2.45	<2	10	10	<0.5	<2	8.7	<0.5	17	114	39	3.07
R711194		4.28	0.19	<0.2	2.42	2	10	10	<0.5	<2	9.6	<0.5	19	53	44	2.99
R711195		0.05	2.85	0.4	0.78	1630	10	60	<0.5	<2	0.09	<0.5	114	87	183	8.66
R711196		0.16	<0.01	<0.2	0.02	<2	<10	<10	<0.5	2	0.01	<0.5	1	3	2	0.42
R711197		3.83	1.34	0.2	2.56	<2	10	10	<0.5	<2	8.4	<0.5	18	51	25	2.98
R711198		3.23	0.63	<0.2	2.42	3	10	10	<0.5	<2	8.6	<0.5	19	65	53	3.07
R711199		3.92	0.04	<0.2	2.57	<2	10	10	<0.5	<2	9.2	<0.5	19	123	58	3.07
R711200		4.05	0.01	<0.2	3.57	2	<10	10	<0.5	<2	8.8	<0.5	20	154	43	3.34
R711201		4.04	0.01	<0.2	5.22	<2	<10	10	<0.5	<2	8.8	<0.5	22	181	44	3.44
R711202		4.06	<0.01	<0.2	5.20	3	<10	10	<0.5	<2	8.6	<0.5	21	172	38	3.88
R711203		4.40	<0.01	<0.2	4.19	11	10	10	<0.5	<2	9.3	<0.5	34	128	35	4.05
R711204		4.23	0.01	<0.2	3.61	4	<10	10	<0.5	<2	8.0	<0.5	23	156	74	3.38
R711205		4.05	<0.01	<0.2	3.12	7	10	10	<0.5	<2	8.3	<0.5	22	117	24	3.14
R711206		4.58	0.01	<0.2	3.16	13	10	10	<0.5	<2	7.3	<0.5	26	89	117	3.01
R711207		4.37	0.01	<0.2	3.35	2	10	10	<0.5	<2	6.33	<0.5	18	96	46	3.59
R711208		3.08	0.01	<0.2	5.05	8	<10	<10	<0.5	<2	5.65	<0.5	42	21	178	9.59
R711209		3.17	0.01	<0.2	4.15	4	10	10	<0.5	<2	5.37	<0.5	28	57	80	6.55
R711210		4.10	0.01	<0.2	2.88	2	10	10	<0.5	2	6.53	<0.5	19	79	50	3.69
R711211		4.40	<0.01	<0.2	2.98	2	10	10	<0.5	<2	6.32	<0.5	19	72	22	3.75
R711212		4.10	<0.01	<0.2	3.21	<2	10	10	<0.5	<2	5.05	<0.5	22	102	22	3.89
R711213		2.82	<0.01	0.2	4.03	2	10	10	<0.5	<2	2.95	<0.5	19	57	103	5.13
R711214		4.26	0.01	<0.2	2.89	2	10	10	<0.5	<2	5.01	<0.5	25	32	35	3.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179334

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
R711175		20	<1	<0.01	<10	2.63	1670	1	0.02	33	480	2	0.56	<2	31	10
R711176		20	1	<0.01	<10	2.42	1670	1	0.02	32	510	<2	0.80	3	32	8
R711177		20	<1	<0.01	<10	2.44	1950	1	0.02	31	510	<2	0.32	<2	31	10
R711178		20	1	0.01	<10	2.42	1770	1	0.02	32	480	<2	0.48	<2	28	10
R711179		10	<1	0.04	<10	2.45	1280	<1	0.07	84	90	<2	0.03	<2	13	9
R711180		<10	1	0.07	<10	0.95	1180	<1	0.11	54	50	<2	0.02	<2	5	14
R711181		<10	<1	0.07	<10	1.63	1180	<1	0.12	36	40	<2	0.01	<2	6	14
R711182		10	<1	0.03	<10	3.26	1750	<1	0.07	121	70	<2	0.04	<2	20	10
R711183		10	<1	0.03	<10	1.71	1340	<1	0.07	85	60	<2	0.07	2	12	13
R711184		10	<1	0.03	<10	2.58	1480	<1	0.07	90	110	<2	0.02	2	21	13
R711185		10	1	0.03	<10	3.01	1510	<1	0.08	129	110	<2	0.02	<2	26	14
R711186		10	<1	0.01	<10	3.45	1740	1	0.03	153	100	<2	0.08	2	30	10
R711187		10	<1	0.02	<10	3.48	1490	<1	0.05	139	80	<2	0.02	<2	28	10
R711188		10	1	0.02	<10	3.47	1520	<1	0.03	132	80	<2	0.02	<2	30	9
R711189		10	1	0.02	<10	1.80	1110	<1	0.05	97	220	<2	0.16	<2	16	9
R711190		10	<1	0.04	<10	1.88	1200	<1	0.08	55	250	2	0.26	<2	14	11
R711191		10	<1	0.06	<10	1.99	1080	<1	0.10	82	80	2	0.03	<2	12	13
R711192		10	1	0.05	<10	2.15	1045	<1	0.10	68	60	<2	0.01	<2	11	12
R711193		<10	<1	0.05	<10	1.50	964	<1	0.11	50	80	<2	0.05	<2	8	13
R711194		<10	<1	0.06	<10	1.38	972	<1	0.11	54	80	2	0.03	<2	7	13
R711195		<10	<1	0.09	10	0.20	2770	2	0.73	170	280	7	0.39	<2	10	18
R711196		<10	<1	<0.01	<10	<0.01	47	<1	0.01	2	10	<2	0.03	<2	<1	1
R711197		<10	<1	0.10	<10	1.51	878	<1	0.12	55	70	<2	0.01	<2	5	12
R711198		10	<1	0.07	<10	1.50	897	<1	0.09	48	90	<2	0.01	<2	6	10
R711199		<10	<1	0.05	<10	1.66	876	<1	0.10	56	80	2	0.01	<2	8	13
R711200		10	<1	0.07	<10	2.05	918	<1	0.15	61	90	<2	<0.01	<2	10	20
R711201		10	<1	0.08	<10	2.19	924	<1	0.27	66	80	2	<0.01	<2	9	33
R711202		10	<1	0.10	<10	1.99	953	<1	0.28	68	50	<2	0.01	<2	8	34
R711203		10	1	0.10	<10	2.49	951	<1	0.15	121	60	<2	0.01	<2	8	20
R711204		10	<1	0.15	<10	1.89	776	<1	0.14	67	80	<2	0.03	<2	7	22
R711205		<10	<1	0.15	<10	1.81	782	<1	0.12	61	70	<2	0.01	<2	7	20
R711206		10	<1	0.14	<10	1.83	718	<1	0.14	69	80	3	0.02	<2	7	19
R711207		10	<1	0.14	<10	1.86	749	<1	0.14	47	80	<2	0.04	<2	8	16
R711208		10	<1	0.03	<10	2.89	1225	<1	0.02	38	380	5	0.84	<2	9	8
R711209		10	<1	0.09	<10	2.45	1085	<1	0.06	49	210	<2	0.19	<2	7	10
R711210		10	<1	0.13	<10	1.89	834	<1	0.08	56	80	2	0.01	<2	8	12
R711211		10	<1	0.15	<10	2.04	828	<1	0.08	60	90	<2	0.01	<2	8	12
R711212		10	<1	0.14	<10	2.43	736	<1	0.07	70	70	<2	0.01	<2	9	9
R711213		10	<1	0.10	<10	3.54	737	<1	0.05	59	60	4	0.20	<2	6	5
R711214		<10	1	0.17	<10	2.09	674	<1	0.07	70	60	<2	0.14	<2	4	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179334

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711175		<20	0.08	<10	<10	342	<10	111
R711176		<20	0.19	<10	<10	371	<10	127
R711177		<20	0.10	<10	<10	355	<10	128
R711178		<20	0.06	<10	<10	334	<10	97
R711179		<20	0.01	<10	<10	89	<10	45
R711180		<20	<0.01	<10	<10	26	<10	16
R711181		<20	<0.01	<10	<10	29	<10	26
R711182		<20	<0.01	<10	<10	112	<10	45
R711183		<20	<0.01	<10	<10	60	<10	24
R711184		<20	<0.01	<10	<10	111	<10	35
R711185		<20	<0.01	<10	<10	121	<10	35
R711186		<20	0.01	<10	<10	155	<10	43
R711187		<20	<0.01	<10	<10	181	<10	43
R711188		<20	0.01	<10	<10	173	<10	52
R711189		<20	<0.01	<10	<10	157	<10	51
R711190		<20	0.01	<10	<10	135	<10	45
R711191		<20	0.01	<10	<10	66	<10	42
R711192		<20	0.01	<10	<10	72	<10	31
R711193		<20	<0.01	<10	<10	46	<10	24
R711194		<20	<0.01	<10	<10	48	150	23
R711195		<20	0.01	<10	<10	75	10	169
R711196		<20	<0.01	<10	<10	<1	<10	<2
R711197		<20	<0.01	<10	<10	48	10	27
R711198		<20	<0.01	<10	<10	52	40	27
R711199		<20	<0.01	<10	<10	58	10	25
R711200		<20	<0.01	<10	<10	75	<10	27
R711201		<20	<0.01	<10	<10	78	<10	32
R711202		<20	0.01	<10	<10	69	<10	32
R711203		<20	0.01	<10	<10	63	<10	32
R711204		<20	0.01	<10	<10	69	<10	26
R711205		<20	0.01	<10	<10	63	<10	23
R711206		<20	<0.01	<10	<10	67	10	23
R711207		<20	<0.01	<10	<10	82	<10	32
R711208		<20	0.04	<10	<10	236	<10	85
R711209		<20	0.02	<10	<10	117	<10	56
R711210		<20	0.03	<10	<10	65	<10	30
R711211		<20	0.03	<10	<10	70	<10	30
R711212		<20	0.03	<10	<10	75	<10	31
R711213		<20	0.01	<10	<10	81	<10	55
R711214		<20	0.02	<10	<10	42	<10	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179334

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711215		0.06	5.83	24.2	0.30	260	<10	10	<0.5	3	0.53	<0.5	10	26	82	1.82
R711216		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	1	3	3	0.44
R711217		4.38	<0.01	<0.2	4.47	2	10	10	<0.5	<2	6.17	<0.5	19	20	33	2.66
R711218		4.18	0.01	<0.2	5.59	5	10	20	<0.5	<2	6.16	<0.5	24	87	55	2.91
R711219		4.32	<0.01	<0.2	6.80	5	<10	10	<0.5	<2	6.8	<0.5	21	142	25	2.76
R711220		4.19	<0.01	<0.2	8.21	4	<10	10	<0.5	<2	7.6	<0.5	15	126	2	2.61
R711221		3.99	<0.01	<0.2	5.48	<2	<10	10	<0.5	<2	6.32	<0.5	18	45	2	3.66
R711222		4.56	0.04	<0.2	5.43	4	<10	10	<0.5	<2	6.35	<0.5	16	60	17	3.26
R711223		4.33	0.01	<0.2	6.44	8	<10	10	<0.5	<2	6.57	<0.5	26	47	82	4.10
R711224		4.10	<0.01	<0.2	6.01	7	<10	10	<0.5	<2	6.71	<0.5	20	61	45	3.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179334

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R711215		<10	<1	0.05	<10	0.21	199	30	0.06	117	240	13	0.41	<2	1	13
R711216		<10	<1	<0.01	<10	<0.01	47	<1	0.01	2	10	<2	0.02	<2	<1	1
R711217		<10	<1	0.09	<10	1.63	612	<1	0.27	55	80	<2	0.02	<2	2	36
R711218		10	1	0.08	<10	1.66	658	<1	0.35	75	50	<2	0.07	<2	3	43
R711219		10	<1	0.05	<10	1.74	651	1	0.41	64	50	<2	0.02	<2	3	55
R711220		10	1	0.04	<10	1.83	637	1	0.56	51	80	<2	<0.01	<2	3	65
R711221		10	<1	0.06	<10	2.10	860	<1	0.35	55	100	<2	<0.01	<2	3	38
R711222		<10	<1	0.04	<10	1.43	904	<1	0.34	55	70	3	0.06	<2	2	51
R711223		10	<1	0.05	<10	1.95	890	<1	0.39	75	90	<2	0.10	<2	4	52
R711224		10	<1	0.06	<10	1.85	774	<1	0.38	62	100	<2	0.04	<2	4	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179334

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711215		<20	0.13	<10	<10	23	<10	76
R711216		<20	<0.01	<10	<10	<1	<10	<2
R711217		<20	0.03	<10	<10	37	<10	22
R711218		<20	0.02	<10	<10	35	<10	30
R711219		<20	0.03	<10	<10	35	<10	20
R711220		<20	0.02	<10	<10	45	<10	20
R711221		<20	0.01	<10	<10	64	<10	48
R711222		<20	0.03	<10	<10	41	<10	54
R711223		<20	0.01	<10	<10	55	<10	33
R711224		<20	0.01	<10	<10	59	<10	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179334

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-23
PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	
Au-AA26	ME-ICP41