ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

CERTIFICATE TB16211579

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211579

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350105		4.17	<0.01	<0.2	8.18	4	<10	30	<0.5	<2	9.0	<0.5	19	60	56	2.31
V350106		2.17	0.01	<0.2	4.15	2	<10	30	<0.5	<2	10.9	<0.5	32	104	75	4.42
V350107		3.17	0.01	<0.2	4.58	<2	<10	90	<0.5	<2	9.4	<0.5	22	125	146	3.54
V350108		3.87	<0.01	<0.2	6.87	5	<10	60	<0.5	2	6.49	<0.5	20	94	5	2.78
V350109		4.26	<0.01	<0.2	6.14	6	<10	70	<0.5	<2	7.5	<0.5	25	108	20	3.02
V350110		3.04	<0.01	<0.2	9.48	2	<10	40	<0.5	<2	7.4	<0.5	21	154	53	2.85
V350111		4.02	<0.01	<0.2	7.79	2	<10	10	<0.5	<2	8.1	<0.5	28	206	85	3.66
V350112		4.06	<0.01	<0.2	6.39	3	<10	10	<0.5	<2	8.7	<0.5	25	168	69	3.23
V350113		3.97	<0.01	<0.2	7.42	5	<10	10	<0.5	<2	7.7	<0.5	32	84	74	3.32
V350114		2.06	<0.01	<0.2	6.60	4	<10	10	<0.5	<2	5.05	<0.5	37	115	108	3.44
V350115		4.10	0.01	<0.2	8.23	2	<10	20	<0.5	<2	5.92	<0.5	15	89	61	1.90
V350116		1.60	<0.01	<0.2	8.06	<2	<10	10	<0.5	<2	3.89	<0.5	22	75	6	3.03
V350117		4.26	0.01	<0.2	5.37	<2	<10	10	<0.5	<2	2.71	<0.5	38	117	246	3.33
V350118		2.98	<0.01	<0.2	4.55	5	<10	<10	<0.5	<2	4.06	<0.5	39	126	80	3.40
V350119		2.75	<0.01	<0.2	9.27	12	<10	30	<0.5	<2	8.0	<0.5	27	62	27	2.76
V350120		1.39	<0.01	<0.2	4.78	26	<10	30	<0.5	<2	7.15	<0.5	58	98	135	5.39
V350121		2.86	<0.01	<0.2	11.25	3	<10	30	<0.5	<2	8.6	<0.5	14	85	26	2.16
V350122		4.38	<0.01	<0.2	9.39	2	<10	20	<0.5	<2	7.4	<0.5	10	56	75	1.37
V350123		4.28	<0.01	<0.2	8.72	7	<10	10	<0.5	<2	8.5	<0.5	10	96	42	1.03
V350124		4.18	<0.01	<0.2	8.72	2	<10	10	<0.5	<2	7.9	<0.5	10	83	28	1.19
V350125		0.06	0.50	0.5	3.63	8	10	90	<0.5	<2	2.20	<0.5	14	56	103	3.18
V350126		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	6	1	0.48
V350127		4.31	<0.01	<0.2	6.66	8	<10	10	<0.5	<2	7.9	<0.5	15	104	40	1.80
V350128		2.04	<0.01	<0.2	7.63	3	<10	10	<0.5	<2	8.7	<0.5	14	113	6	1.86
V350129		2.85	<0.01	<0.2	8.47	2	<10	10	<0.5	<2	8.0	<0.5	15	77	25	1.89
V350130		2.49	<0.01	<0.2	4.80	13	<10	<10	<0.5	<2	8.6	<0.5	19	85	40	1.87
V350131		2.91	<0.01	<0.2	8.44	4	<10	10	<0.5	<2	9.1	<0.5	16	93	31	2.42
V350132		2.41	<0.01	<0.2	9.77	9	<10	20	<0.5	<2	9.7	<0.5	22	204	18	2.68
V350133		2.88	0.01	<0.2	4.95	2	<10	20	<0.5	<2	5.55	<0.5	20	84	61	2.97
V350134		2.60	0.01	<0.2	5.22	4	<10	10	<0.5	<2	6.89	<0.5	30	80	62	4.19
V350135		2.72	0.09	<0.2	3.55	<2	<10	20	<0.5	<2	4.25	<0.5	15	22	66	2.82
V350136		4.30	0.13	<0.2	7.49	2	<10	50	<0.5	<2	6.23	<0.5	26	106	44	4.45
V350137		2.81	0.04	<0.2	8.06	5	<10	30	<0.5	<2	6.46	<0.5	27	154	49	3.44
V350138		2.96	<0.01	<0.2	7.76	13	<10	20	<0.5	<2	6.42	<0.5	22	29	122	2.40
V350139		1.92	0.01	<0.2	4.53	16	<10	30	<0.5	<2	8.5	<0.5	26	376	34	3.60
V350140		3.21	0.74	<0.2	3.08	7	<10	30	<0.5	<2	3.36	<0.5	12	19	47	3.32
V350141		3.85	1.21	<0.2	6.30	14	<10	30	<0.5	<2	5.94	<0.5	18	50	12	3.68
V350142		4.05	0.13	<0.2	6.49	14	<10	10	<0.5	<2	9.0	<0.5	15	155	4	2.91
V350143		2.90	0.42	<0.2	2.80	<2	<10	20	<0.5	<2	3.65	<0.5	11	10	69	3.65
V350144		3.95	0.28	<0.2	6.87	13	<10	10	<0.5	<2	8.0	<0.5	15	110	41	3.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211579

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350105		10	<1	0.06	<10	1.44	948	1	0.47	82	30	2	0.01	3	2	61
V350106		10	1	0.12	<10	3.15	1650	<1	0.05	112	80	2	0.03	<2	9	16
V350107		10	<1	0.34	<10	2.04	1520	<1	0.23	96	40	<2	0.02	<2	4	24
V350108		10	<1	0.12	<10	1.68	887	<1	0.45	80	30	<2	<0.01	3	3	45
V350109		10	<1	0.12	<10	2.02	946	<1	0.35	118	40	2	<0.01	<2	3	40
V350110		10	<1	0.06	<10	2.03	647	<1	0.57	87	50	<2	0.05	<2	3	77
V350111		10	<1	0.01	<10	3.45	756	<1	0.34	130	70	2	0.01	<2	3	54
V350112		10	<1	0.01	<10	2.59	997	<1	0.32	120	50	2	0.03	<2	3	44
V350113		10	<1	0.01	<10	3.02	834	<1	0.40	194	40	<2	0.05	<2	2	54
V350114		10	<1	0.01	<10	3.59	680	<1	0.29	249	40	<2	0.03	<2	1	43
V350115		10	<1	0.01	<10	1.87	378	<1	0.58	72	30	<2	<0.01	<2	1	86
V350116		10	<1	0.01	<10	3.55	576	1	0.43	93	20	<2	<0.01	<2	2	67
V350117		10	1	0.01	<10	3.76	521	<1	0.16	283	70	<2	0.08	<2	1	28
V350118		10	<1	<0.01	<10	3.88	647	<1	0.10	217	30	<2	0.01	<2	1	16
V350119		10	<1	0.03	<10	1.58	858	1	0.53	118	30	<2	0.01	<2	1	60
V350120		<10	<1	0.04	<10	2.64	1735	<1	0.13	248	20	<2	0.31	<2	2	16
V350121		10	<1	0.03	<10	1.31	574	1	0.68	55	30	<2	0.01	<2	2	83
V350122		10	<1	0.01	<10	0.89	405	1	0.67	31	70	<2	0.03	<2	1	87
V350123		10	<1	0.01	<10	0.90	364	1	0.56	33	30	3	<0.01	3	2	82
V350124		10	<1	0.01	<10	0.99	492	<1	0.58	32	40	<2	0.01	<2	1	80
V350125		10	<1	0.13	10	1.23	416	8	0.25	171	440	5	0.05	<2	4	60
V350126		<10	<1	<0.01	<10	<0.01	51	<1	<0.01	1	10	<2	0.01	<2	<1	1
V350127		<10	<1	0.01	<10	1.34	750	<1	0.36	45	40	<2	0.05	<2	2	59
V350128		10	1	0.01	<10	1.67	709	<1	0.49	45	30	<2	<0.01	<2	3	73
V350129		10	<1	<0.01	<10	1.60	578	1	0.47	49	50	<2	<0.01	<2	2	81
V350130		10	1	<0.01	<10	1.89	858	<1	0.15	65	100	<2	0.02	<2	3	38
V350131		10	1	0.01	<10	1.81	718	<1	0.35	61	40	<2	0.07	5	3	70
V350132		10	<1	0.01	<10	1.63	729	1	0.57	73	20	<2	<0.01	<2	4	82
V350133		10	<1	0.04	<10	2.19	1010	<1	0.32	60	50	<2	0.01	<2	10	29
V350134		10	<1	0.03	<10	2.44	1120	<1	0.28	157	80	<2	0.07	<2	13	26
V350135		10	1	0.14	10	0.88	490	1	0.29	29	410	<2	0.38	<2	4	35
V350136		10	<1	0.18	<10	2.10	1100	<1	0.47	91	80	<2	0.08	<2	7	56
V350137		10	<1	0.07	<10	2.12	794	1	0.52	94	70	3	0.02	<2	5	55
V350138		10	<1	0.03	<10	1.43	463	1	0.54	67	70	2	0.07	<2	3	84
V350139		10	<1	0.11	10	3.05	765	<1	0.16	108	400	2	0.02	<2	13	72
V350140		10	<1	0.11	10	0.87	661	<1	0.24	27	390	2	0.59	<2	4	37
V350141		10	<1	0.09	<10	1.50	1040	<1	0.51	61	70	2	0.13	2	6	73
V350142		10	<1	0.05	<10	1.51	865	<1	0.45	44	70	<2	0.01	<2	7	67
V350143		10	<1	0.09	10	0.83	724	1	0.18	19	420	2	0.81	<2	4	33
V350144		10	<1	0.07	<10	1.41	941	<1	0.46	42	110	3	0.06	<2	6	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211579

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350105		<20	0.03	<10	<10	30	<10	22
V350106		<20	0.05	<10	<10	123	<10	44
V350107		<20	0.05	<10	<10	51	<10	46
V350108		<20	0.04	<10	<10	38	<10	30
V350109		<20	0.04	<10	<10	41	<10	29
V350110		<20	0.03	<10	<10	39	<10	25
V350111		<20	0.04	<10	<10	64	<10	32
V350112		<20	0.04	<10	<10	44	<10	28
V350113		<20	0.03	<10	<10	36	<10	30
V350114		<20	0.03	<10	<10	26	<10	34
V350115		<20	0.03	<10	<10	23	<10	20
V350116		<20	0.03	<10	<10	26	<10	34
V350117		<20	0.03	<10	<10	21	<10	35
V350118		<20	0.02	<10	<10	17	<10	34
V350119		<20	0.02	<10	<10	22	<10	21
V350120		<20	0.02	<10	<10	27	<10	38
V350121		<20	0.02	<10	<10	31	<10	15
V350122		<20	0.03	<10	<10	15	<10	11
V350123		<20	0.02	<10	<10	17	<10	10
V350124		<20	0.02	<10	<10	15	<10	9
V350125		<20	0.10	<10	<10	53	<10	41
V350126		<20	<0.01	<10	<10	<1	<10	<2
V350127		<20	0.02	<10	<10	20	<10	15
V350128		<20	0.01	<10	<10	29	<10	15
V350129		<20	0.04	<10	<10	31	<10	17
V350130		<20	0.03	<10	<10	40	<10	15
V350131		<20	0.02	<10	<10	42	<10	18
V350132		<20	0.01	<10	<10	41	<10	21
V350133		<20	0.02	<10	<10	66	<10	67
V350134		<20	0.02	<10	<10	103	<10	46
V350135		<20	0.05	<10	<10	34	<10	31
V350136		<20	0.04	<10	<10	77	<10	57
V350137		<20	0.03	<10	<10	64	<10	32
V350138		<20	0.03	<10	<10	35	<10	19
V350139		<20	0.01	<10	<10	80	<10	34
V350140		<20	0.03	<10	<10	30	<10	39
V350141		<20	0.01	<10	<10	49	10	53
V350142		<20	<0.01	<10	<10	54	10	39
V350143		<20	0.02	<10	<10	30	<10	39
V350144		<20	0.01	<10	<10	51	<10	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211579

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350145		0.05	5.91	22.4	0.29	242	<10	10	<0.5	2	0.50	<0.5	10	24	77	1.71
V350146		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	6	1	0.45
V350147		4.46	<0.01	<0.2	3.94	4	<10	<10	<0.5	<2	6.91	<0.5	16	79	32	2.52
V350148		2.79	0.01	<0.2	4.72	9	<10	10	<0.5	<2	6.84	<0.5	18	39	78	2.83
V350149		4.19	<0.01	<0.2	5.47	2	<10	10	<0.5	<2	8.3	<0.5	14	69	30	2.73
V350150		4.30	0.03	<0.2	4.33	23	<10	<10	<0.5	<2	9.3	<0.5	24	63	34	3.08
V350151		4.32	<0.01	<0.2	5.64	10	<10	10	<0.5	<2	9.3	<0.5	19	21	18	2.83
V350152		4.07	<0.01	<0.2	7.76	10	<10	10	<0.5	<2	8.5	<0.5	17	29	14	3.05
V350153		4.19	0.07	<0.2	7.41	3	<10	10	<0.5	<2	9.5	<0.5	13	35	19	2.93
V350154		4.28	0.09	<0.2	8.50	7	<10	10	<0.5	<2	8.7	<0.5	21	49	46	3.84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211579

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350145		<10	<1	0.05	<10	0.20	185	27	0.05	106	220	10	0.37	<2	1	13
V350146		<10	<1	<0.01	<10	<0.01	48	<1	<0.01	1	10	<2	0.01	<2	<1	1
V350147		<10	1	0.03	<10	1.31	945	<1	0.19	52	30	<2	0.01	<2	2	28
V350148		10	<1	0.04	<10	1.40	1165	<1	0.25	50	60	<2	0.01	<2	4	32
V350149		10	<1	0.04	<10	1.47	1100	1	0.29	37	80	<2	0.01	<2	4	36
V350150		10	1	0.04	<10	1.57	1455	<1	0.18	78	80	<2	0.01	<2	5	22
V350151		10	<1	0.04	<10	1.28	1435	<1	0.28	54	40	<2	0.02	<2	3	34
V350152		10	<1	0.04	<10	1.29	1045	1	0.47	58	40	2	0.02	2	4	55
V350153		10	<1	0.04	<10	1.15	1125	<1	0.51	35	100	<2	0.06	<2	4	57
V350154		10	<1	0.04	<10	1.50	1140	<1	0.60	56	80	2	0.30	<2	8	63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211579

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350145		<20	0.12	<10	<10	22	<10	72
V350146		<20	<0.01	<10	<10	<1	<10	<2
V350147		<20	0.02	<10	<10	38	<10	23
V350148		<20	0.02	<10	<10	61	<10	40
V350149		<20	0.02	10	<10	57	<10	25
V350150		<20	0.02	<10	<10	61	<10	24
V350151		<20	0.01	<10	<10	47	<10	23
V350152		<20	0.02	<10	<10	62	<10	24
V350153		<20	0.02	<10	<10	57	<10	23
V350154		<20	0.02	<10	<10	72	<10	37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16211579

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41