ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

CERTIFICATE TB16179326

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-OCT-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179326

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709851		3.72	0.01	0.5	4.07	10	<10	10	<0.5	<2	3.89	0.9	78	470	1365	7.41
R709852		1.93	<0.01	<0.2	3.04	<2	<10	<10	<0.5	<2	4.70	<0.5	32	112	122	4.63
R709853		3.75	<0.01	<0.2	4.33	<2	<10	80	<0.5	<2	5.48	<0.5	42	148	130	6.68
R709854		4.10	<0.01	<0.2	3.92	<2	<10	<10	<0.5	<2	6.00	<0.5	37	144	115	5.87
R709855		4.63	<0.01	<0.2	2.51	14	<10	<10	<0.5	<2	2.83	<0.5	30	70	109	3.65
R709856		4.79	<0.01	<0.2	1.83	11	<10	<10	<0.5	<2	1.70	<0.5	19	42	60	2.43
R709857		5.53	<0.01	<0.2	1.47	18	<10	<10	<0.5	<2	1.45	<0.5	22	40	141	2.05
R709858		4.52	<0.01	<0.2	1.70	10	<10	<10	<0.5	<2	2.34	<0.5	22	52	168	2.53
R709859		3.67	<0.01	<0.2	1.94	8	<10	<10	<0.5	2	2.18	<0.5	23	54	162	2.54
R709860		4.04	<0.01	<0.2	1.77	9	<10	<10	<0.5	<2	1.98	<0.5	25	71	137	2.61
R709861		3.41	<0.01	<0.2	2.30	4	<10	<10	<0.5	<2	2.81	<0.5	27	108	129	3.61
R709862		4.36	0.02	0.3	4.28	12	<10	30	<0.5	<2	5.25	<0.5	108	1650	1345	5.60
R709863		4.73	0.01	<0.2	3.38	4	<10	100	<0.5	<2	5.75	<0.5	42	2600	728	3.13
R709864		3.44	0.01	<0.2	2.17	<2	<10	50	<0.5	2	8.9	<0.5	8	240	266	1.49
R709865		4.02	<0.01	<0.2	5.06	<2	<10	40	<0.5	<2	3.04	<0.5	10	84	161	2.90
R709866		4.85	<0.01	<0.2	4.73	<2	<10	20	<0.5	<2	4.57	<0.5	78	623	818	3.32
R709867		4.79	0.06	<0.2	4.19	<2	<10	10	<0.5	<2	4.79	<0.5	52	1220	720	2.52
R709868		4.60	0.03	<0.2	4.17	<2	<10	<10	<0.5	<2	4.40	<0.5	61	1020	952	3.76
R709869		4.48	0.01	<0.2	5.61	<2	<10	10	<0.5	<2	5.09	<0.5	32	475	603	2.12
R709870		4.30	<0.01	<0.2	9.23	2	<10	10	<0.5	<2	7.03	<0.5	20	304	123	1.59
R709871		0.06	0.49	0.6	3.51	6	10	90	<0.5	2	2.15	<0.5	14	56	101	3.14
R709872		0.17	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	1	3	3	0.43
R709873		2.18	<0.01	<0.2	4.15	4	<10	<10	<0.5	<2	4.19	<0.5	46	2110	291	3.36
R709874		2.74	<0.01	<0.2	3.78	<2	<10	<10	<0.5	<2	4.46	<0.5	59	1410	173	3.48
R709875		4.32	<0.01	<0.2	7.38	<2	<10	10	<0.5	<2	7.7	<0.5	15	906	84	1.97
R709876		4.53	<0.01	<0.2	9.17	4	<10	20	<0.5	<2	8.0	<0.5	17	201	6	1.96
R709877		4.09	0.04	<0.2	7.13	<2	<10	30	<0.5	<2	6.7	<0.5	18	188	62	2.02
R709878		3.37	0.05	0.2	5.72	5	<10	<10	<0.5	2	7.4	<0.5	58	1010	672	3.76
R709879		2.32	0.01	<0.2	6.39	9	<10	<10	<0.5	3	7.24	<0.5	59	1350	406	3.91
R709880		4.15	0.09	0.3	5.23	11	<10	10	<0.5	2	5.80	<0.5	75	1795	1410	4.37
R709881		4.51	0.03	<0.2	7.23	<2	<10	10	<0.5	<2	6.34	<0.5	31	688	322	2.72
R709882		4.45	0.03	<0.2	7.71	<2	<10	10	<0.5	<2	5.72	<0.5	27	757	414	2.53
R709883		5.20	<0.01	<0.2	7.17	<2	<10	10	<0.5	<2	6.97	<0.5	17	765	34	2.09
R709884		4.36	0.04	0.2	7.15	6	<10	10	<0.5	<2	6.41	<0.5	45	694	611	2.65
R709885		2.66	0.04	<0.2	5.22	5	<10	<10	<0.5	<2	6.94	<0.5	40	2290	439	3.82
R709886		3.91	<0.01	<0.2	8.02	<2	<10	10	<0.5	<2	6.57	<0.5	22	1105	26	2.50
R709887		3.91	<0.01	<0.2	7.29	5	<10	10	<0.5	<2	6.60	<0.5	30	928	114	3.36
R709888		2.90	0.01	<0.2	7.15	23	<10	20	<0.5	<2	6.72	<0.5	26	1115	323	2.44
R709889		4.40	<0.01	<0.2	5.46	15	<10	40	<0.5	<2	5.13	<0.5	19	706	151	2.64
R709890		3.62	0.06	0.4	4.93	3	<10	30	<0.5	<2	8.3	<0.5	27	853	739	4.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179326

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
R709851		10	<1	0.10	<10	4.24	791	<1	0.03	494	270	7	2.41	<2	10	11
R709852		10	<1	0.02	<10	2.87	755	<1	0.05	95	230	6	0.25	2	6	12
R709853		10	<1	0.24	<10	3.99	988	<1	0.02	142	210	18	0.36	<2	7	12
R709854		10	<1	0.02	<10	3.62	936	<1	0.02	123	200	3	0.24	<2	10	14
R709855		10	<1	0.01	<10	2.28	476	<1	0.05	87	220	3	0.10	<2	6	9
R709856		<10	<1	0.02	<10	1.30	342	<1	0.11	43	210	<2	0.06	2	5	13
R709857		<10	<1	0.02	<10	0.79	299	<1	0.13	40	250	<2	0.12	<2	6	17
R709858		<10	<1	0.02	<10	1.19	368	<1	0.10	52	260	3	0.14	<2	6	12
R709859		<10	<1	0.02	<10	1.29	369	<1	0.12	54	260	3	0.19	<2	5	16
R709860		<10	<1	0.02	<10	1.43	360	<1	0.08	73	240	2	0.18	3	5	10
R709861		10	<1	0.04	<10	1.94	490	<1	0.08	76	230	<2	0.23	<2	9	11
R709862		10	<1	0.17	<10	4.67	660	<1	0.03	1490	80	<2	1.23	4	4	9
R709863		<10	<1	0.40	<10	3.61	449	<1	0.06	765	40	<2	0.41	8	3	9
R709864		<10	1	0.17	<10	1.21	712	<1	0.10	59	280	<2	0.10	2	2	15
R709865		10	<1	0.11	<10	2.14	483	<1	0.38	44	10	3	0.28	3	1	28
R709866		<10	<1	0.06	<10	2.19	363	<1	0.26	1570	10	<2	0.95	<2	1	29
R709867		<10	<1	0.04	<10	2.36	241	<1	0.21	1060	20	<2	0.63	5	1	25
R709868		<10	<1	0.01	<10	3.84	415	<1	0.09	881	50	<2	0.64	5	1	14
R709869		10	<1	0.03	<10	1.99	282	<1	0.33	492	20	2	0.29	3	<1	38
R709870		10	<1	0.03	<10	1.85	293	<1	0.59	261	30	4	0.08	<2	<1	78
R709871		10	<1	0.13	10	1.21	414	8	0.26	168	440	6	0.07	<2	4	58
R709872		<10	<1	<0.01	<10	<0.01	45	<1	0.01	2	10	<2	0.03	<2	<1	1
R709873		10	<1	0.02	<10	4.22	477	<1	0.07	714	30	<2	0.36	4	2	11
R709874		10	<1	0.02	<10	3.60	464	<1	0.08	834	30	2	0.62	6	1	11
R709875		10	<1	0.02	<10	1.98	368	<1	0.43	139	80	2	0.04	4	1	58
R709876		10	<1	0.06	<10	1.45	434	<1	0.65	114	30	5	0.02	<2	1	65
R709877		10	<1	0.11	<10	1.31	581	<1	0.75	127	50	3	0.07	<2	1	59
R709878		10	<1	0.02	<10	3.79	686	<1	0.23	709	40	<2	0.35	3	3	23
R709879		10	<1	0.01	<10	4.01	655	<1	0.25	493	30	2	0.46	3	2	36
R709880		10	<1	0.04	<10	3.99	563	<1	0.18	923	40	3	0.83	4	2	21
R709881		10	<1	0.03	<10	2.44	414	<1	0.46	279	40	2	0.17	<2	1	53
R709882		10	<1	0.04	<10	2.13	313	<1	0.48	337	30	3	0.19	4	1	59
R709883		10	<1	0.04	<10	1.96	336	<1	0.46	113	30	3	0.01	2	1	54
R709884		10	<1	0.03	<10	2.04	360	<1	0.45	540	30	3	0.46	5	1	50
R709885		10	1	0.02	<10	4.46	664	<1	0.12	641	30	2	0.14	5	3	17
R709886		10	<1	0.02	<10	2.82	461	<1	0.45	192	40	4	<0.01	2	1	57
R709887		10	<1	0.02	<10	3.54	599	<1	0.35	255	40	2	0.02	2	2	44
R709888		10	<1	0.04	<10	2.32	419	<1	0.41	350	40	4	0.08	7	<1	51
R709889		10	<1	0.10	<10	1.91	548	<1	0.29	149	60	2	0.05	2	1	33
R709890		10	<1	0.13	<10	2.57	1080	<1	0.22	169	40	2	0.25	3	2	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179326

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709851		<20	0.04	<10	<10	75	<10	211
R709852		<20	0.05	<10	<10	77	<10	63
R709853		<20	0.08	<10	<10	162	<10	82
R709854		<20	0.04	<10	<10	134	<10	66
R709855		<20	0.07	<10	<10	68	<10	45
R709856		<20	0.07	<10	<10	50	<10	29
R709857		<20	0.08	<10	<10	48	<10	23
R709858		<20	0.09	<10	<10	55	<10	31
R709859		<20	0.08	<10	<10	47	<10	31
R709860		<20	0.10	<10	<10	48	<10	29
R709861		<20	0.09	<10	<10	83	<10	36
R709862		<20	0.04	<10	<10	61	<10	24
R709863		<20	0.05	<10	<10	39	<10	2
R709864		<20	0.02	<10	<10	8	<10	3
R709865		<20	0.03	<10	<10	9	<10	27
R709866		<20	0.03	<10	<10	19	<10	16
R709867		<20	0.03	<10	<10	21	<10	2
R709868		<20	0.02	<10	<10	24	<10	11
R709869		<20	0.02	<10	<10	13	<10	6
R709870		<20	0.01	<10	<10	13	<10	11
R709871		<20	0.10	<10	<10	52	<10	41
R709872		<20	<0.01	<10	<10	<1	<10	<2
R709873		<20	0.02	<10	<10	31	<10	5
R709874		<20	0.01	<10	<10	23	<10	5
R709875		<20	0.03	<10	<10	27	<10	4
R709876		<20	0.02	<10	<10	19	<10	11
R709877		<20	0.02	<10	<10	19	10	10
R709878		<20	0.01	<10	<10	32	<10	11
R709879		<20	0.01	<10	<10	36	<10	8
R709880		<20	0.02	<10	<10	41	<10	8
R709881		<20	0.02	<10	<10	25	<10	9
R709882		<20	0.01	<10	<10	21	<10	6
R709883		<20	0.01	<10	<10	20	<10	4
R709884		<20	0.01	<10	<10	24	<10	4
R709885		<20	0.01	<10	<10	42	<10	4
R709886		<20	0.02	<10	<10	34	<10	9
R709887		<20	0.03	<10	<10	41	<10	18
R709888		<20	0.03	<10	<10	24	<10	4
R709889		<20	0.05	<10	<10	24	<10	6
R709890		<20	0.05	<10	<10	41	<10	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179326

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709891		0.06	2.97	1.4	0.67	52	<10	70	0.5	3	0.95	<0.5	24	55	83	4.43
R709892		0.16	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	1	4	3	0.45
R709893		4.14	<0.01	<0.2	5.20	<2	<10	30	<0.5	<2	5.79	<0.5	20	831	2	2.51
R709894		4.62	<0.01	<0.2	8.19	<2	<10	20	<0.5	<2	6.31	<0.5	12	552	4	1.75
R709895		4.88	<0.01	<0.2	6.41	4	<10	50	<0.5	<2	6.51	<0.5	29	1240	49	3.52
R709896		4.32	<0.01	<0.2	4.04	<2	<10	10	<0.5	<2	6.43	<0.5	36	85	100	6.22
R709897		4.68	<0.01	<0.2	2.80	3	<10	270	<0.5	<2	3.68	<0.5	25	647	60	3.07
R709898		3.97	0.02	<0.2	5.12	14	<10	20	<0.5	<2	7.3	<0.5	38	1355	97	3.91
R709899		4.25	0.02	<0.2	8.82	17	<10	10	<0.5	<2	8.5	<0.5	21	576	71	2.47
R709900		3.99	0.03	<0.2	7.32	38	<10	10	<0.5	<2	7.5	<0.5	34	362	29	3.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179326

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709891		<10	1	0.25	20	0.53	643	14	0.10	70	530	19	1.25	<2	5	124
R709892		<10	<1	<0.01	<10	<0.01	48	<1	0.01	3	10	<2	0.02	<2	<1	1
R709893		10	<1	0.16	<10	2.62	595	<1	0.35	153	40	2	<0.01	4	3	29
R709894		10	<1	0.05	<10	1.73	293	<1	0.54	84	50	3	<0.01	2	1	71
R709895		10	<1	0.16	<10	3.57	680	<1	0.33	218	50	2	0.02	3	2	39
R709896		10	<1	0.04	<10	3.29	853	<1	0.02	52	230	4	0.20	2	4	12
R709897		10	<1	1.22	30	3.22	516	<1	0.04	164	1140	3	0.07	<2	4	66
R709898		10	1	0.08	10	4.07	730	1	0.14	292	250	<2	0.05	<2	6	49
R709899		10	<1	0.03	<10	2.16	488	1	0.56	144	70	<2	0.01	2	3	114
R709900		10	1	0.03	<10	4.13	561	1	0.32	279	60	<2	0.08	2	7	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179326

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709891		<20	0.02	<10	<10	26	10	119
R709892		<20	<0.01	<10	<10	<1	<10	<2
R709893		<20	0.04	<10	<10	32	<10	7
R709894		<20	0.02	<10	<10	21	<10	3
R709895		<20	0.05	<10	<10	54	<10	8
R709896		<20	0.07	<10	<10	128	<10	77
R709897		<20	0.17	<10	<10	72	<10	37
R709898		<20	0.02	<10	<10	59	<10	17
R709899		<20	0.01	<10	<10	35	<10	12
R709900		<20	0.01	<10	<10	40	<10	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 3-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179326

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-23
PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	
Au-AA26	ME-ICP41