ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-NOV-2016
Account: SXY

CERTIFICATE TB16192888

Project: 180.04E.84A12A

This report is for 40 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-NOV-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192888

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711951		3.75	0.01	0.2	2.40	23	<10	50	<0.5	2	3.76	<0.5	35	104	140	4.41
R711952		2.13	<0.01	<0.2	4.09	254	<10	80	<0.5	2	6.86	<0.5	48	164	100	7.64
R711953		2.78	0.04	<0.2	4.49	109	<10	90	<0.5	<2	6.56	<0.5	46	173	111	8.27
R711954		2.77	0.01	<0.2	3.33	180	<10	90	<0.5	3	8.5	<0.5	40	126	110	7.75
R711955		2.87	0.05	<0.2	4.15	214	<10	70	<0.5	2	7.3	<0.5	47	151	91	7.85
R711956		2.05	0.04	<0.2	1.10	2020	<10	60	<0.5	<2	1.40	<0.5	7	13	36	1.93
R711957		4.14	0.20	<0.2	3.05	1205	<10	90	<0.5	2	5.15	<0.5	38	118	117	6.13
R711958		2.19	0.13	<0.2	3.26	4320	<10	120	<0.5	2	12.8	<0.5	21	74	55	6.35
R711959		2.15	0.11	<0.2	3.46	1480	<10	80	<0.5	6	11.4	<0.5	18	93	52	7.84
R711960		4.29	<0.01	<0.2	2.73	71	<10	50	<0.5	3	4.48	<0.5	35	96	105	4.86
R711961		0.07	0.50	0.5	3.73	10	10	90	<0.5	3	2.32	<0.5	15	59	102	3.30
R711962		0.18	<0.01	<0.2	0.02	2	<10	<10	<0.5	<2	0.01	<0.5	1	2	2	0.36
R711963		4.41	<0.01	<0.2	2.61	26	<10	10	<0.5	2	4.06	<0.5	29	88	93	4.57
R711964		4.25	<0.01	<0.2	2.70	53	<10	30	<0.5	3	3.82	<0.5	35	77	169	4.93
R711965		4.29	<0.01	<0.2	3.23	55	<10	730	<0.5	<2	5.74	<0.5	34	115	89	5.84
R711966		3.55	<0.01	<0.2	3.07	37	<10	360	<0.5	<2	6.77	<0.5	37	107	116	6.66
R711967		2.91	0.01	<0.2	4.27	54	<10	140	<0.5	4	5.65	<0.5	46	144	114	7.61
R711968		2.90	0.01	<0.2	3.86	192	<10	200	<0.5	3	6.81	<0.5	46	149	144	7.04
R711969		3.48	0.01	<0.2	2.12	14	<10	20	<0.5	3	3.27	<0.5	26	59	140	4.39
R711970		2.91	0.01	<0.2	1.77	9	<10	<10	<0.5	3	3.08	<0.5	23	68	120	4.09
R711971		3.19	0.01	<0.2	1.78	11	<10	<10	<0.5	2	3.15	<0.5	24	65	130	3.99
R711972		2.88	0.01	<0.2	2.37	18	<10	10	<0.5	3	3.34	<0.5	30	69	135	5.21
R711973		2.15	0.04	<0.2	0.75	427	<10	30	<0.5	2	2.15	<0.5	8	10	17	1.98
R711974		2.76	<0.01	<0.2	2.71	26	<10	<10	<0.5	4	3.65	<0.5	33	71	128	5.78
R711975		4.51	<0.01	<0.2	2.01	15	<10	<10	<0.5	<2	3.43	<0.5	25	51	121	4.11
R711976		4.29	<0.01	<0.2	3.06	139	<10	130	<0.5	3	4.76	<0.5	39	105	68	5.77
R711977		3.09	0.04	<0.2	2.30	346	<10	190	<0.5	3	3.74	<0.5	31	77	69	3.96
R711978		2.93	0.09	<0.2	1.79	2110	<10	530	<0.5	2	6.84	<0.5	42	77	209	3.67
R711979		2.94	0.03	<0.2	3.32	1240	<10	870	<0.5	2	5.54	<0.5	50	109	79	4.56
R711980		2.88	0.32	<0.2	4.09	2370	<10	380	<0.5	<2	7.38	<0.5	51	124	163	7.37
R711981		2.65	0.01	0.2	4.39	177	<10	140	<0.5	2	10.0	0.7	42	122	135	8.27
R711982		3.00	0.01	0.2	4.71	25	<10	190	<0.5	<2	6.45	0.6	44	187	103	7.79
R711983		0.06	2.82	0.5	0.77	1635	10	60	<0.5	2	0.09	<0.5	115	84	181	8.53
R711984		0.16	<0.01	<0.2	0.01	2	<10	<10	<0.5	<2	0.01	<0.5	1	3	2	0.37
R711985		3.65	0.01	<0.2	3.92	28	<10	70	<0.5	<2	5.21	0.5	41	107	98	5.89
R711986		4.42	0.02	<0.2	1.81	57	<10	10	<0.5	<2	2.30	<0.5	29	48	117	2.15
R711987		3.76	0.01	<0.2	1.44	27	<10	<10	<0.5	<2	2.62	<0.5	29	60	210	2.55
R711988		2.96	0.02	<0.2	1.47	37	<10	<10	<0.5	<2	1.63	<0.5	30	63	146	2.33
R711989		4.28	<0.01	<0.2	2.76	271	<10	10	<0.5	<2	6.04	<0.5	45	79	118	4.02
R711990		4.41	0.02	<0.2	2.49	878	<10	10	<0.5	<2	3.79	<0.5	39	78	172	3.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192888

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
R711951		10	<1	0.28	<10	1.71	1050	<1	0.08	67	320	<2	0.11	<2	14	11
R711952		10	<1	0.16	<10	2.59	1770	<1	0.04	95	300	2	0.21	<2	27	22
R711953		10	<1	0.41	<10	2.80	1440	<1	0.05	92	370	2	0.40	<2	34	29
R711954		10	<1	0.55	<10	2.78	2140	<1	0.04	73	330	2	0.52	<2	26	34
R711955		10	<1	0.37	<10	2.77	1650	<1	0.03	92	300	<2	0.26	<2	31	33
R711956		<10	<1	0.46	10	0.58	311	<1	0.05	10	290	2	0.35	<2	2	9
R711957		10	<1	0.17	<10	2.00	1060	<1	0.06	76	370	<2	0.53	<2	17	19
R711958		10	<1	0.33	<10	2.38	2280	<1	0.07	38	190	3	0.92	<2	15	40
R711959		10	<1	0.15	<10	3.03	2250	<1	0.02	48	270	<2	0.65	<2	15	36
R711960		10	<1	0.11	<10	1.75	777	<1	0.10	68	390	<2	0.24	<2	13	15
R711961		10	<1	0.14	10	1.28	440	8	0.25	171	440	5	0.06	<2	4	62
R711962		<10	<1	<0.01	<10	<0.01	38	<1	<0.01	2	10	<2	0.03	<2	<1	2
R711963		10	<1	0.03	<10	1.82	721	<1	0.10	62	420	<2	0.14	<2	14	18
R711964		10	<1	0.05	<10	1.69	647	<1	0.12	66	510	<2	0.24	<2	15	18
R711965		10	<1	0.79	<10	1.99	919	<1	0.07	63	440	<2	0.17	<2	16	25
R711966		10	<1	0.45	<10	2.07	1260	<1	0.05	71	410	2	0.34	<2	16	30
R711967		10	<1	0.25	<10	2.87	1260	<1	0.04	91	380	3	0.15	<2	22	21
R711968		10	<1	0.70	<10	2.43	1500	<1	0.04	93	310	3	0.27	<2	25	24
R711969		10	<1	0.07	<10	1.44	664	<1	0.12	38	460	2	0.22	<2	13	16
R711970		<10	1	0.06	<10	1.31	698	<1	0.11	35	430	2	0.18	<2	14	16
R711971		<10	<1	0.06	<10	1.21	688	<1	0.12	38	410	4	0.22	<2	14	16
R711972		10	<1	0.08	<10	1.64	675	<1	0.11	44	470	3	0.47	<2	15	15
R711973		<10	<1	0.18	10	0.55	351	<1	0.05	10	320	3	0.09	<2	2	14
R711974		10	<1	0.05	<10	1.90	812	<1	0.10	50	470	6	0.27	<2	19	17
R711975		10	<1	0.04	<10	1.30	687	<1	0.12	40	470	<2	0.18	<2	14	16
R711976		10	<1	0.22	<10	2.01	979	<1	0.09	73	460	8	0.20	<2	15	17
R711977		10	<1	0.42	<10	1.42	691	<1	0.12	59	430	4	0.13	<2	11	14
R711978		10	<1	0.29	<10	0.87	1425	<1	0.11	70	320	9	0.51	<2	11	21
R711979		10	1	0.91	<10	1.39	1305	<1	0.21	81	320	7	0.19	2	15	28
R711980		10	<1	0.99	<10	2.12	1835	<1	0.19	99	370	8	0.78	<2	20	41
R711981		10	1	0.54	<10	2.76	1845	1	0.13	103	370	11	1.40	2	18	59
R711982		10	1	0.48	10	3.36	1180	1	0.16	119	510	7	1.55	<2	20	54
R711983		<10	<1	0.09	10	0.20	2720	2	0.75	172	280	7	0.38	2	10	19
R711984		<10	<1	<0.01	<10	<0.01	40	<1	0.01	2	10	<2	0.02	2	<1	1
R711985		10	1	0.18	<10	3.33	1110	<1	0.05	117	280	3	0.18	<2	15	23
R711986		<10	<1	0.02	<10	1.01	390	<1	0.17	54	280	2	0.06	<2	7	31
R711987		<10	<1	0.03	<10	1.19	495	<1	0.09	67	280	2	0.15	2	8	13
R711988		<10	<1	0.02	<10	1.17	354	<1	0.10	60	290	2	0.07	2	7	8
R711989		10	<1	0.02	<10	1.78	1115	1	0.18	97	370	3	0.22	2	11	38
R711990		10	<1	0.02	<10	1.63	628	<1	0.15	87	290	3	0.24	2	8	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192888

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711951		<20	0.11	<10	<10	140	<10	61
R711952		<20	0.07	<10	<10	251	<10	100
R711953		<20	0.11	<10	<10	289	<10	119
R711954		<20	0.11	<10	<10	234	<10	79
R711955		<20	0.09	<10	<10	259	<10	117
R711956		<20	0.06	<10	<10	25	<10	38
R711957		<20	0.06	<10	<10	181	<10	86
R711958		<20	0.06	<10	<10	148	<10	74
R711959		<20	0.04	<10	<10	173	<10	84
R711960		<20	0.09	<10	<10	137	<10	67
R711961		<20	0.12	<10	<10	57	<10	41
R711962		<20	<0.01	<10	<10	<1	<10	<2
R711963		<20	0.10	<10	<10	124	<10	58
R711964		<20	0.10	<10	<10	139	<10	68
R711965		<20	0.19	<10	<10	210	<10	70
R711966		<20	0.11	<10	<10	180	<10	66
R711967		<20	0.10	<10	<10	237	<10	104
R711968		<20	0.13	<10	<10	256	<10	117
R711969		<20	0.11	<10	<10	131	<10	53
R711970		<20	0.11	<10	<10	129	<10	48
R711971		<20	0.11	<10	<10	126	<10	47
R711972		<20	0.11	<10	<10	144	<10	64
R711973		<20	0.01	<10	<10	13	<10	24
R711974		<20	0.11	<10	<10	179	<10	64
R711975		<20	0.11	<10	<10	129	<10	45
R711976		<20	0.09	<10	<10	161	<10	75
R711977		<20	0.11	<10	<10	121	<10	55
R711978		<20	0.07	<10	<10	115	<10	46
R711979		<20	0.15	<10	<10	167	<10	70
R711980		<20	0.13	<10	<10	203	<10	101
R711981		<20	0.09	<10	<10	206	<10	119
R711982		<20	0.10	<10	<10	227	<10	103
R711983		<20	0.01	<10	<10	73	10	166
R711984		<20	<0.01	<10	<10	<1	<10	<2
R711985		<20	0.06	<10	<10	153	<10	86
R711986		<20	0.05	<10	<10	55	<10	27
R711987		<20	0.06	<10	<10	62	<10	31
R711988		<20	0.06	<10	<10	58	<10	30
R711989		<20	0.04	<10	<10	106	<10	55
R711990		<20	0.03	<10	<10	75	<10	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192888

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41