ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

CERTIFICATE TB16192891

Project: 180.04E.84A12A

This report is for 49 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-NOV-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192891

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R713124		2.67	0.02	<0.2	6.15	20	<10	130	<0.5	<2	2.99	<0.5	33	198	13	5.75
R713125		2.84	0.23	<0.2	5.52	13	<10	40	<0.5	3	4.28	<0.5	29	94	29	4.68
R713126		2.74	0.64	<0.2	5.52	10	<10	20	<0.5	3	5.12	<0.5	33	100	27	4.75
R713127		2.91	0.08	<0.2	5.32	10	<10	50	<0.5	2	4.78	<0.5	30	74	18	4.41
R713128		2.88	0.25	<0.2	4.87	40	<10	50	<0.5	<2	4.53	<0.5	45	168	35	5.18
R713129		1.90	0.46	0.2	6.50	4	<10	50	<0.5	4	4.99	<0.5	29	88	34	4.72
R713130		2.08	1.13	<0.2	7.09	23	<10	20	<0.5	3	8.5	<0.5	32	239	25	4.20
R713131		2.00	6.44	<0.2	6.53	16	<10	20	<0.5	2	6.14	<0.5	39	193	25	5.80
R713132		2.85	1.06	0.2	6.36	3	<10	40	<0.5	4	5.04	<0.5	30	117	30	5.80
R713133		3.14	0.06	0.2	5.31	<2	<10	60	<0.5	3	4.66	<0.5	36	131	75	6.31
R713134		3.47	0.03	<0.2	5.47	5	<10	40	<0.5	4	5.99	<0.5	30	166	13	4.84
R713135		2.76	0.15	<0.2	4.74	22	<10	70	<0.5	2	6.12	<0.5	28	270	9	4.16
R713136		2.74	0.11	<0.2	4.26	10	<10	40	<0.5	<2	8.2	<0.5	9	149	3	2.11
R713137		3.26	0.04	<0.2	2.77	585	<10	<10	<0.5	<2	9.2	<0.5	113	111	9	1.38
R713138		2.87	0.06	<0.2	5.21	201	<10	30	<0.5	3	4.86	<0.5	41	161	11	4.27
R713139		2.70	0.02	<0.2	4.45	67	<10	50	<0.5	<2	4.94	<0.5	32	187	17	2.82
R713140		1.72	0.04	<0.2	2.93	3	<10	<10	<0.5	<2	10.3	<0.5	12	124	3	1.19
R713141		2.26	0.03	0.2	4.28	4	<10	260	<0.5	4	5.49	<0.5	25	303	40	3.88
R713142		2.78	0.10	<0.2	1.15	7	<10	100	<0.5	<2	0.79	<0.5	8	27	16	1.82
R713143		2.32	0.01	<0.2	4.38	3	<10	70	<0.5	3	6.60	<0.5	41	206	116	7.24
R713144		0.05	6.02	23.2	0.29	246	<10	10	<0.5	2	0.52	<0.5	10	25	80	1.81
R713145		0.19	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	1	3	3	0.51
R713146		2.17	<0.01	<0.2	2.98	<2	<10	20	<0.5	<2	4.29	<0.5	34	171	55	5.04
R713147		1.55	0.01	<0.2	4.41	4	<10	90	<0.5	3	6.21	<0.5	40	251	127	7.38
R713148		1.41	0.01	<0.2	2.11	5	<10	200	<0.5	<2	3.23	<0.5	21	93	37	3.26
R713149		2.75	0.01	<0.2	4.44	2	<10	100	<0.5	<2	6.78	<0.5	43	199	136	7.13
R713150		1.76	0.01	<0.2	3.92	6	<10	50	<0.5	4	6.11	<0.5	37	182	72	5.96
R713151		3.28	0.27	0.3	4.81	34	<10	90	<0.5	9	4.07	<0.5	47	188	86	12.80
R713152		2.27	0.04	0.3	4.36	23	<10	50	<0.5	<2	1.38	<0.5	34	181	20	5.03
R713153		2.98	0.01	<0.2	5.12	11	<10	100	<0.5	3	2.23	<0.5	33	307	15	5.16
R713154		2.92	0.02	<0.2	5.41	202	<10	10	<0.5	3	0.71	<0.5	138	192	10	6.02
R713155		2.85	0.03	<0.2	4.53	105	<10	<10	<0.5	<2	0.67	<0.5	95	168	4	4.86
R713156		2.67	0.05	<0.2	4.70	129	<10	<10	<0.5	2	0.75	<0.5	119	174	8	5.53
R713157		2.68	<0.01	<0.2	5.72	59	<10	<10	<0.5	3	0.43	<0.5	59	203	5	5.22
R713158		2.78	<0.01	<0.2	5.79	106	<10	<10	<0.5	2	0.97	<0.5	67	200	11	5.07
R713159		2.76	0.02	<0.2	5.63	213	<10	10	<0.5	3	0.42	<0.5	110	192	18	5.21
R713160		2.69	0.03	<0.2	5.80	173	<10	<10	<0.5	2	0.29	<0.5	110	200	10	5.16
R713161		2.83	<0.01	<0.2	5.01	62	<10	10	<0.5	3	0.74	<0.5	62	185	4	4.63
R713162		1.30	<0.01	<0.2	2.91	10	<10	20	<0.5	<2	1.71	<0.5	21	103	14	3.28
R713163		2.60	<0.01	<0.2	5.20	22	<10	20	<0.5	<2	0.75	<0.5	34	181	7	4.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192891

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R713124		10	<1	0.43	<10	3.69	763	<1	0.31	121	230	<2	0.11	4	11	43
R713125		10	1	0.16	<10	2.64	723	<1	0.32	93	130	<2	0.27	<2	8	41
R713126		10	1	0.08	<10	2.74	703	<1	0.30	95	160	<2	0.27	<2	6	41
R713127		10	1	0.18	<10	2.61	699	<1	0.32	87	160	<2	0.14	<2	7	44
R713128		10	<1	0.18	10	2.72	739	<1	0.26	179	340	<2	0.59	<2	6	40
R713129		10	<1	0.19	<10	2.24	664	<1	0.48	82	130	<2	0.43	<2	5	55
R713130		10	2	0.07	<10	2.73	846	<1	0.44	100	80	<2	0.13	<2	11	57
R713131		10	<1	0.12	<10	3.00	992	<1	0.33	112	90	<2	0.16	5	7	42
R713132		10	<1	0.27	<10	2.62	870	<1	0.39	88	140	<2	0.35	4	8	42
R713133		10	<1	0.38	<10	2.45	922	<1	0.30	101	120	<2	0.89	<2	6	32
R713134		10	<1	0.22	<10	2.78	758	<1	0.26	85	120	<2	0.04	2	11	44
R713135		10	1	0.34	<10	3.19	777	<1	0.18	128	70	2	0.02	<2	13	33
R713136		10	<1	0.16	<10	4.69	793	<1	0.14	65	20	2	<0.01	<2	22	36
R713137		10	1	0.01	<10	6.60	972	<1	0.02	402	70	<2	0.02	2	18	21
R713138		10	<1	0.11	<10	4.18	636	<1	0.12	143	80	<2	0.09	2	14	22
R713139		10	<1	0.22	<10	3.90	540	<1	0.10	153	130	<2	0.02	<2	14	23
R713140		10	1	0.03	<10	4.45	938	<1	<0.01	97	120	<2	<0.01	<2	19	26
R713141		10	<1	1.37	20	5.16	831	<1	0.02	110	1090	<2	0.20	<2	12	46
R713142		10	<1	0.51	10	0.76	254	1	0.05	13	280	<2	0.27	<2	3	7
R713143		10	<1	0.36	<10	3.83	2060	1	0.02	103	220	<2	0.63	<2	22	34
R713144		<10	<1	0.05	<10	0.21	190	27	0.05	108	230	10	0.40	3	1	14
R713145		<10	<1	<0.01	<10	<0.01	53	1	0.01	2	10	<2	0.04	<2	<1	1
R713146		10	<1	0.14	<10	3.16	1470	<1	0.05	93	240	<2	0.18	2	12	17
R713147		10	<1	0.36	10	3.91	1360	<1	0.02	98	460	<2	0.74	<2	27	33
R713148		10	<1	0.54	10	1.47	749	1	0.07	48	280	<2	0.28	<2	12	19
R713149		10	<1	0.29	<10	3.64	1570	<1	0.03	105	280	<2	0.39	2	19	39
R713150		10	<1	0.22	<10	3.51	1610	<1	0.03	96	300	<2	0.22	<2	15	35
R713151		10	<1	0.43	<10	5.28	1335	1	0.02	133	270	<2	4.82	<2	21	23
R713152		10	<1	0.42	10	5.10	679	<1	0.02	125	320	<2	0.66	2	19	15
R713153		10	<1	0.75	10	6.43	837	<1	0.01	130	520	<2	0.27	<2	23	28
R713154		10	<1	0.07	<10	6.52	727	<1	<0.01	656	100	<2	1.67	<2	24	7
R713155		10	<1	0.02	<10	6.22	660	<1	<0.01	423	60	<2	1.28	<2	19	5
R713156		10	1	0.01	<10	6.31	628	<1	<0.01	466	160	<2	1.82	<2	21	4
R713157		10	<1	0.03	<10	7.04	718	<1	<0.01	220	130	<2	0.40	<2	25	3
R713158		10	<1	0.03	<10	6.87	661	<1	<0.01	249	150	<2	0.22	<2	26	7
R713159		10	<1	0.05	<10	6.70	575	<1	0.01	403	120	<2	0.83	<2	25	5
R713160		10	<1	0.03	<10	6.94	608	<1	<0.01	396	50	<2	0.61	<2	25	4
R713161		10	<1	0.04	<10	6.24	680	<1	0.01	205	220	<2	0.45	<2	22	7
R713162		10	<1	0.10	10	3.99	672	<1	0.03	73	280	<2	0.30	<2	13	18
R713163		10	1	0.14	<10	6.25	560	<1	0.02	119	230	<2	0.24	<2	23	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192891

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R713124		<20	0.11	<10	<10	170	<10	62
R713125		<20	0.06	<10	<10	113	<10	43
R713126		<20	0.05	<10	<10	96	<10	38
R713127		<20	0.07	<10	<10	111	<10	39
R713128		<20	0.06	<10	<10	89	<10	44
R713129		<20	0.06	<10	<10	97	<10	34
R713130		<20	0.03	<10	<10	95	<10	34
R713131		<20	0.04	<10	<10	109	<10	52
R713132		<20	0.07	<10	<10	116	<10	49
R713133		<20	0.07	<10	<10	103	<10	47
R713134		<20	0.04	<10	<10	120	<10	34
R713135		<20	0.03	<10	<10	79	<10	38
R713136		<20	0.02	<10	<10	68	<10	31
R713137		<20	<0.01	<10	<10	48	<10	76
R713138		<20	0.01	<10	<10	97	<10	66
R713139		<20	0.02	<10	<10	67	<10	54
R713140		<20	0.01	<10	<10	49	<10	35
R713141		<20	0.16	<10	<10	93	<10	71
R713142		<20	0.08	<10	<10	31	<10	19
R713143		<20	0.09	<10	<10	192	<10	74
R713144		<20	0.13	<10	<10	23	<10	75
R713145		<20	<0.01	<10	<10	<1	<10	<2
R713146		<20	0.07	<10	<10	101	<10	60
R713147		<20	0.08	<10	<10	207	<10	93
R713148		<20	0.08	<10	<10	101	<10	43
R713149		<20	0.09	<10	<10	205	<10	83
R713150		<20	0.08	<10	<10	155	<10	71
R713151		<20	0.07	<10	<10	161	<10	95
R713152		<20	0.06	<10	<10	134	<10	81
R713153		<20	0.08	<10	<10	156	<10	64
R713154		<20	0.02	<10	<10	165	<10	200
R713155		<20	0.01	<10	<10	133	<10	175
R713156		<20	0.01	<10	<10	140	<10	206
R713157		<20	0.01	<10	<10	164	<10	170
R713158		<20	0.01	<10	<10	168	<10	102
R713159		<20	0.01	<10	<10	164	<10	191
R713160		<20	0.01	<10	<10	167	<10	155
R713161		<20	0.01	<10	<10	151	<10	68
R713162		<20	0.01	<10	<10	82	<10	37
R713163		<20	0.02	<10	<10	153	<10	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192891

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R713164		0.05	2.98	0.4	0.78	1555	10	60	<0.5	4	0.08	<0.5	112	82	174	8.49
R713165		0.17	<0.01	<0.2	0.01	3	<10	<10	<0.5	<2	0.01	<0.5	1	2	2	0.27
R713166		2.78	0.01	<0.2	4.39	29	<10	30	<0.5	2	0.96	<0.5	34	167	10	4.49
R713167		2.64	<0.01	<0.2	6.35	42	<10	10	<0.5	2	0.61	<0.5	41	221	5	4.76
R713168		3.75	0.02	<0.2	5.44	55	<10	30	<0.5	3	1.69	<0.5	46	221	23	6.13
R713169		2.86	0.04	0.2	3.37	36	<10	110	<0.5	2	3.23	<0.5	37	184	73	6.75
R713170		2.92	0.01	<0.2	3.92	114	<10	30	<0.5	2	5.55	<0.5	41	157	141	5.86
R713171		4.26	<0.01	<0.2	3.46	58	<10	10	<0.5	2	5.49	<0.5	43	168	181	6.38
R713172		4.11	<0.01	<0.2	2.04	50	<10	10	<0.5	<2	3.38	<0.5	32	92	29	3.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192891

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R713164		<10	<1	0.09	10	0.20	2570	2	0.72	164	270	6	0.38	<2	10	18
R713165		<10	<1	<0.01	<10	<0.01	28	<1	<0.01	1	10	<2	0.04	<2	<1	1
R713166		10	<1	0.21	10	5.19	603	<1	0.03	130	300	<2	0.53	<2	19	11
R713167		10	<1	0.08	<10	7.87	649	<1	0.01	164	200	<2	0.12	<2	28	8
R713168		10	<1	0.14	<10	6.59	740	<1	0.03	214	210	<2	1.28	<2	25	20
R713169		10	<1	0.44	10	3.20	1070	<1	0.09	112	360	3	2.95	<2	18	24
R713170		10	<1	0.04	<10	2.15	1250	<1	0.25	102	240	<2	0.92	<2	20	40
R713171		10	<1	0.03	<10	3.13	1390	<1	0.12	99	240	<2	0.39	<2	23	22
R713172		10	<1	0.02	<10	1.53	810	<1	0.12	53	240	<2	0.10	<2	11	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192891

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R713164		<20	0.01	<10	<10	71	10	163
R713165		<20	<0.01	<10	<10	<1	<10	<2
R713166		<20	0.03	<10	<10	132	<10	72
R713167		<20	0.01	<10	<10	188	<10	77
R713168		<20	0.02	<10	<10	168	<10	85
R713169		<20	0.06	<10	<10	137	<10	96
R713170		<20	0.06	<10	<10	147	<10	66
R713171		<20	0.04	<10	<10	161	<10	65
R713172		<20	0.06	<10	<10	77	<10	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16192891

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41