ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

CERTIFICATE TB16215005

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215005

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350384		4.21	0.01	<0.2	2.78	<2	<10	300	<0.5	<2	7.23	<0.5	33	1035	28	4.16
V350385		4.22	0.01	<0.2	2.63	<2	<10	690	<0.5	<2	4.25	<0.5	26	866	17	2.92
V350386		4.10	0.01	<0.2	4.00	2	<10	720	0.8	<2	6.14	<0.5	40	878	51	5.43
V350387		4.15	0.03	<0.2	3.57	2	<10	490	0.7	<2	6.51	<0.5	35	548	140	5.02
V350388		4.24	<0.01	<0.2	3.52	<2	<10	360	0.6	<2	6.10	<0.5	39	717	4	5.06
V350389		4.20	<0.01	<0.2	3.02	<2	<10	560	0.7	<2	6.18	<0.5	35	645	13	4.79
V350390		4.31	0.01	<0.2	2.77	2	<10	630	0.5	<2	5.56	<0.5	29	440	48	3.89
V350391		3.96	0.05	<0.2	3.42	2	<10	520	0.7	<2	7.5	<0.5	38	441	241	5.47
V350392		4.16	0.11	<0.2	3.04	<2	<10	90	<0.5	<2	5.23	<0.5	22	171	75	3.41
V350393		4.39	0.23	<0.2	3.25	<2	<10	30	<0.5	<2	4.73	<0.5	17	81	67	2.74
V350394		4.07	0.87	0.3	3.76	<2	<10	20	<0.5	<2	3.82	<0.5	18	33	71	2.67
V350395		4.41	0.26	<0.2	2.98	2	<10	20	<0.5	<2	3.60	<0.5	17	55	49	2.69
V350396		2.79	0.84	0.2	3.12	3	<10	30	<0.5	<2	3.35	<0.5	19	114	34	2.98
V350397		4.53	0.04	<0.2	3.23	<2	<10	10	<0.5	<2	2.54	<0.5	20	145	18	3.31
V350398		2.74	0.02	<0.2	2.85	<2	<10	10	<0.5	<2	2.26	<0.5	18	172	36	3.13
V350399		2.40	0.02	<0.2	3.26	7	<10	200	<0.5	<2	7.4	<0.5	32	192	151	5.86
V350400		4.38	0.03	<0.2	2.88	7	<10	500	0.8	<2	5.72	<0.5	32	318	197	5.06
V350401		4.41	0.01	<0.2	3.15	2	<10	690	0.6	<2	5.38	<0.5	31	728	46	3.93
V350402		3.89	0.22	0.2	5.44	2	<10	10	<0.5	<2	0.51	<0.5	26	190	10	4.23
V350403		4.25	0.99	0.3	5.31	<2	<10	<10	<0.5	<2	0.65	<0.5	26	177	4	4.03
V350404		0.04	7.40	0.2	1.19	39	<10	70	<0.5	<2	0.86	<0.5	13	16	119	2.78
V350405		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	5	1	0.41
V350406		3.99	0.01	<0.2	5.61	<2	<10	<10	<0.5	<2	0.91	<0.5	29	190	2	4.59
V350407		4.33	2.05	0.2	5.40	<2	<10	<10	<0.5	<2	0.44	<0.5	27	179	1	4.30
V350408		4.43	0.01	<0.2	5.34	<2	<10	<10	<0.5	<2	0.32	<0.5	26	194	1	3.91
V350409		4.31	0.67	<0.2	4.83	<2	<10	<10	<0.5	<2	0.42	<0.5	23	165	1	3.54
V350410		3.67	0.29	<0.2	5.22	2	<10	<10	<0.5	<2	0.20	<0.5	25	173	1	3.91
V350411		4.46	0.02	<0.2	5.46	2	<10	<10	<0.5	<2	1.29	<0.5	28	187	1	4.71
V350412		3.98	0.01	<0.2	6.01	<2	<10	<10	<0.5	<2	1.20	<0.5	32	203	<1	5.33
V350413		3.95	0.01	<0.2	5.79	<2	<10	<10	<0.5	<2	0.09	<0.5	28	209	<1	4.32
V350414		4.34	0.03	<0.2	5.61	<2	<10	<10	<0.5	<2	0.08	<0.5	25	186	1	3.64
V350415		4.20	0.04	<0.2	5.47	<2	<10	<10	<0.5	<2	0.12	<0.5	23	185	3	3.42
V350416		4.14	5.42	<0.2	5.57	<2	<10	<10	<0.5	<2	0.17	<0.5	24	181	2	3.84
V350417		4.05	2.90	<0.2	5.64	<2	<10	<10	<0.5	<2	0.25	<0.5	25	188	2	3.91
V350418		4.14	0.03	<0.2	6.20	9	<10	<10	<0.5	<2	0.34	<0.5	32	205	<1	5.09
V350419		4.25	6.06	<0.2	6.29	37	<10	<10	<0.5	<2	0.16	<0.5	37	205	<1	5.41
V350420		4.09	1.47	<0.2	5.29	30	<10	<10	<0.5	<2	0.13	<0.5	29	169	3	3.93
V350421		3.83	4.70	<0.2	5.02	58	<10	<10	<0.5	<2	0.14	<0.5	34	168	<1	4.50
V350422		3.99	4.32	<0.2	6.01	128	<10	<10	<0.5	2	0.07	<0.5	42	205	<1	5.61
V350423		3.90	4.30	<0.2	5.39	74	<10	<10	<0.5	<2	0.04	<0.5	43	211	<1	4.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215005

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350384		10	<1	1.16	30	6.90	1150	<1	0.02	190	950	3	0.01	2	8	474
V350385		10	<1	2.30	20	4.17	523	<1	0.04	140	970	3	0.01	2	4	395
V350386		10	<1	2.82	40	6.35	997	<1	0.03	202	1970	4	0.06	<2	10	454
V350387		10	<1	1.91	30	4.53	848	<1	0.04	115	2340	5	0.08	<2	12	372
V350388		10	<1	1.45	20	7.05	821	<1	0.02	167	840	4	<0.01	<2	27	355
V350389		10	<1	2.21	30	5.95	915	<1	0.03	147	1060	4	0.01	<2	15	441
V350390		10	<1	2.30	30	4.07	714	<1	0.04	92	1730	3	0.01	2	8	449
V350391		10	<1	2.31	40	4.21	934	<1	0.04	95	3280	5	0.33	<2	11	443
V350392		10	<1	0.43	10	1.96	804	<1	0.13	63	410	2	0.15	<2	7	72
V350393		<10	<1	0.13	<10	1.43	725	1	0.20	53	90	3	0.04	<2	2	42
V350394		<10	<1	0.10	<10	1.41	711	<1	0.27	51	70	6	0.06	<2	2	47
V350395		<10	<1	0.10	<10	1.39	744	1	0.17	65	60	20	0.11	<2	2	41
V350396		<10	<1	0.16	<10	1.69	902	1	0.15	67	60	7	0.07	<2	3	36
V350397		<10	<1	0.07	<10	2.14	675	<1	0.09	76	50	<2	0.03	<2	3	37
V350398		<10	<1	0.04	<10	2.04	629	<1	0.08	67	100	<2	0.04	<2	5	37
V350399		10	<1	0.68	20	3.80	1100	<1	0.04	80	1720	3	0.67	<2	16	232
V350400		10	<1	1.90	50	3.55	811	<1	0.08	71	3960	5	0.27	<2	9	614
V350401		10	<1	2.16	30	4.32	752	<1	0.03	120	1540	4	0.06	2	8	406
V350402		10	<1	0.02	<10	6.68	533	<1	<0.01	96	180	2	0.01	<2	24	9
V350403		10	<1	0.02	<10	6.44	504	<1	<0.01	89	150	2	<0.01	<2	24	5
V350404		<10	<1	0.09	10	0.44	292	1	0.28	45	710	8	0.07	<2	3	43
V350405		<10	<1	<0.01	<10	<0.01	42	<1	<0.01	<1	10	<2	0.02	<2	<1	1
V350406		10	<1	0.01	<10	6.71	561	1	<0.01	96	260	3	<0.01	<2	26	6
V350407		10	<1	0.01	<10	6.56	483	<1	<0.01	91	200	3	<0.01	<2	25	4
V350408		10	<1	0.01	<10	6.67	476	<1	<0.01	96	70	2	<0.01	<2	28	3
V350409		10	<1	<0.01	<10	6.03	478	<1	<0.01	82	100	2	<0.01	<2	23	3
V350410		10	<1	0.01	<10	6.31	519	<1	<0.01	89	140	4	<0.01	<2	24	2
V350411		10	<1	<0.01	<10	6.68	623	1	<0.01	98	260	2	<0.01	<2	26	5
V350412		10	<1	<0.01	<10	7.18	645	<1	<0.01	110	260	3	<0.01	<2	27	4
V350413		10	<1	0.01	<10	6.83	505	<1	<0.01	104	90	<2	<0.01	<2	27	1
V350414		10	<1	<0.01	<10	6.88	421	<1	<0.01	96	150	2	<0.01	<2	27	1
V350415		10	<1	<0.01	<10	6.76	399	<1	<0.01	93	220	2	0.01	<2	26	2
V350416		10	<1	<0.01	<10	6.71	430	<1	<0.01	94	160	2	<0.01	<2	26	2
V350417		10	<1	<0.01	<10	6.81	484	<1	<0.01	94	160	3	0.01	<2	26	2
V350418		10	<1	<0.01	<10	7.36	575	<1	<0.01	111	260	<2	<0.01	<2	29	2
V350419		10	<1	<0.01	<10	7.72	516	<1	<0.01	116	480	3	<0.01	<2	29	1
V350420		10	<1	0.02	<10	6.19	392	<1	<0.01	98	460	4	<0.01	<2	21	2
V350421		10	<1	0.03	<10	5.81	325	<1	<0.01	94	380	2	0.01	<2	21	2
V350422		10	<1	0.02	<10	6.43	470	<1	<0.01	125	210	3	0.01	<2	25	2
V350423		10	<1	0.03	<10	5.50	473	<1	0.01	124	120	2	0.01	<2	20	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215005

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350384		<20	0.12	<10	<10	77	<10	51
V350385		<20	0.24	<10	<10	72	<10	32
V350386		<20	0.30	<10	<10	133	<10	72
V350387		<20	0.24	<10	<10	123	<10	56
V350388		<20	0.16	<10	<10	127	<10	67
V350389		<20	0.24	<10	<10	115	<10	56
V350390		<20	0.27	<10	<10	103	<10	50
V350391		<20	0.29	<10	<10	140	<10	62
V350392		<20	0.07	<10	<10	78	<10	37
V350393		<20	0.06	<10	<10	55	<10	29
V350394		<20	0.06	<10	<10	53	<10	33
V350395		<20	0.06	<10	<10	44	10	40
V350396		<20	0.05	<10	<10	50	<10	40
V350397		<20	0.02	<10	<10	43	<10	30
V350398		<20	0.03	<10	<10	52	<10	33
V350399		<20	0.13	<10	<10	116	<10	49
V350400		<20	0.26	<10	<10	131	<10	54
V350401		<20	0.25	<10	<10	103	<10	48
V350402		<20	0.01	<10	<10	160	<10	40
V350403		<20	0.01	<10	<10	152	<10	28
V350404		<20	0.46	<10	<10	75	<10	75
V350405		<20	<0.01	<10	<10	<1	<10	<2
V350406		<20	0.01	<10	<10	161	<10	37
V350407		<20	0.01	<10	<10	155	<10	40
V350408		<20	0.01	<10	<10	167	<10	32
V350409		<20	0.01	<10	<10	144	40	24
V350410		<20	0.01	<10	<10	154	<10	31
V350411		<20	0.01	<10	<10	159	<10	40
V350412		<20	0.01	<10	<10	174	<10	47
V350413		<20	0.01	<10	<10	172	<10	31
V350414		<20	0.01	<10	<10	162	<10	19
V350415		<20	0.01	<10	<10	160	<10	18
V350416		<20	0.01	<10	<10	160	<10	24
V350417		<20	0.01	<10	<10	161	<10	25
V350418		<20	0.01	<10	<10	184	<10	30
V350419		<20	0.01	<10	<10	189	<10	32
V350420		<20	0.01	<10	<10	147	<10	22
V350421		<20	0.01	<10	<10	144	<10	11
V350422		<20	0.01	<10	<10	182	50	15
V350423		<20	0.01	<10	<10	152	<10	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215005

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350424		0.05	3.27	1.3	0.56	8	<10	30	<0.5	<2	0.70	<0.5	5	12	32	1.24
V350425		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	5	1	0.42
V350426		4.09	3.40	<0.2	4.01	43	<10	<10	<0.5	<2	0.03	<0.5	23	176	3	2.57
V350427		4.01	2.53	<0.2	4.52	58	<10	<10	<0.5	3	0.03	<0.5	32	177	1	3.44
V350428		4.03	0.07	<0.2	5.37	62	<10	<10	<0.5	<2	0.01	<0.5	37	195	1	4.02
V350429		3.79	0.05	<0.2	4.69	33	<10	<10	<0.5	<2	0.02	<0.5	25	165	4	3.08
V350430		4.19	1.46	<0.2	4.66	34	<10	<10	<0.5	<2	0.04	<0.5	26	166	1	2.97
V350431		4.01	3.18	0.2	4.76	101	<10	<10	<0.5	<2	0.28	<0.5	32	160	11	4.52
V350432		4.02	1.74	<0.2	4.52	228	<10	10	<0.5	<2	0.09	<0.5	50	174	125	5.23
V350433		4.13	0.02	<0.2	5.38	16	<10	<10	<0.5	<2	5.94	<0.5	42	196	111	7.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215005

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350424		<10	<1	0.06	<10	0.20	132	5	0.13	16	310	6	0.03	<2	1	23
V350425		<10	<1	<0.01	<10	<0.01	43	<1	<0.01	1	10	<2	0.02	<2	<1	<1
V350426		10	<1	0.07	<10	4.44	294	<1	0.01	113	30	2	0.01	<2	10	2
V350427		10	<1	0.04	<10	4.67	339	<1	0.01	108	110	2	0.01	<2	15	2
V350428		10	<1	0.03	<10	5.61	413	<1	0.01	124	40	2	0.01	<2	19	2
V350429		10	<1	0.03	<10	5.17	355	<1	0.01	105	40	<2	0.01	<2	16	2
V350430		10	<1	0.05	<10	5.17	369	<1	0.01	104	80	2	0.01	<2	14	2
V350431		10	<1	0.03	<10	4.37	566	1	0.02	100	260	3	0.01	<2	16	4
V350432		10	<1	0.11	<10	3.79	356	1	0.02	184	100	<2	0.05	<2	11	3
V350433		10	<1	0.01	<10	4.22	1140	<1	0.03	120	220	5	0.15	<2	28	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215005

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350424		<20	0.20	<10	<10	32	<10	26
V350425		<20	<0.01	<10	<10	<1	<10	<2
V350426		<20	<0.01	<10	<10	105	<10	10
V350427		<20	<0.01	<10	<10	120	<10	13
V350428		<20	0.01	<10	<10	148	<10	26
V350429		<20	<0.01	<10	<10	129	<10	35
V350430		<20	<0.01	<10	<10	113	<10	32
V350431		<20	0.01	<10	<10	120	10	40
V350432		<20	<0.01	<10	<10	101	<10	31
V350433		<20	0.03	<10	<10	210	40	81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215005

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-23
PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	
Au-AA26	ME-ICP41