ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

CERTIFICATE TB16217389

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217389

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350786		2.35	0.01	<0.2	2.68	4	<10	10	<0.5	<2	4.16	<0.5	26	44	98	4.19
V350787		2.51	<0.01	<0.2	2.26	3	<10	<10	<0.5	<2	3.90	<0.5	25	37	97	3.42
V350788		3.49	<0.01	<0.2	4.02	3	<10	<10	<0.5	<2	6.07	<0.5	40	69	143	6.80
V350789		3.63	0.01	<0.2	3.77	4	<10	10	<0.5	2	6.10	<0.5	38	69	175	6.72
V350790		3.70	<0.01	<0.2	3.28	4	<10	<10	<0.5	<2	4.62	<0.5	33	58	115	5.45
V350791		2.60	0.01	<0.2	1.62	15	<10	<10	<0.5	2	2.48	<0.5	21	26	93	2.31
V350792		2.68	<0.01	<0.2	2.32	8	<10	<10	<0.5	2	3.91	<0.5	26	36	98	3.72
V350793		2.71	<0.01	<0.2	1.96	13	<10	<10	<0.5	2	17.9	<0.5	17	25	24	3.10
V350794		3.84	0.01	<0.2	3.55	11	<10	<10	<0.5	<2	5.53	<0.5	35	54	94	5.45
V350795		3.63	0.01	<0.2	4.60	4	<10	<10	<0.5	<2	6.23	<0.5	40	68	126	7.40
V350796		3.24	<0.01	<0.2	4.39	96	<10	<10	<0.5	<2	6.69	<0.5	38	69	132	7.32
V350797		3.89	<0.01	<0.2	2.21	12	<10	<10	<0.5	<2	3.27	<0.5	25	28	113	3.14
V350798		2.34	0.01	<0.2	1.56	7	<10	<10	<0.5	<2	1.57	<0.5	17	23	123	2.22
V350799		2.21	0.01	<0.2	2.11	7	<10	<10	<0.5	<2	3.06	<0.5	23	33	114	3.34
V350800		3.96	<0.01	<0.2	1.90	4	<10	<10	<0.5	<2	2.04	<0.5	22	41	97	3.57
V350801		3.75	0.02	<0.2	3.32	7	<10	<10	<0.5	<2	2.94	<0.5	38	69	77	6.59
V350802		3.99	<0.01	<0.2	2.31	3	<10	<10	<0.5	<2	1.96	<0.5	26	38	66	4.63
V350803		3.93	0.01	<0.2	2.32	3	<10	<10	<0.5	2	3.04	<0.5	27	49	123	4.46
V350804		3.88	<0.01	<0.2	3.08	2	<10	<10	<0.5	<2	4.64	<0.5	32	64	84	5.76
V350805		3.30	<0.01	<0.2	2.38	<2	<10	10	<0.5	<2	4.11	<0.5	25	52	110	4.48
V350806		0.06	0.47	0.6	3.72	9	10	90	<0.5	<2	2.33	<0.5	15	59	103	3.34
V350807		0.18	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.30
V350808		3.84	0.01	<0.2	2.27	2	<10	<10	<0.5	<2	2.94	<0.5	29	36	107	5.18
V350809		3.65	0.01	<0.2	2.53	<2	<10	<10	<0.5	<2	3.33	<0.5	28	43	102	5.24
V350810		4.12	<0.01	<0.2	2.15	<2	<10	<10	<0.5	<2	3.00	<0.5	28	33	120	4.72
V350811		1.53	0.03	<0.2	1.83	2	<10	<10	<0.5	<2	2.63	<0.5	19	27	111	3.52
V350812		1.16	<0.01	<0.2	2.26	2	<10	<10	<0.5	<2	2.93	<0.5	22	104	74	3.98
V350813		2.56	<0.01	<0.2	2.29	<2	<10	<10	<0.5	2	3.08	<0.5	37	62	148	5.57
V350814		3.59	0.01	<0.2	2.85	<2	<10	40	<0.5	<2	4.01	<0.5	33	68	113	5.97
V350815		2.52	0.02	<0.2	4.25	3	<10	180	<0.5	<2	6.38	<0.5	36	80	134	7.67
V350816		2.51	0.04	<0.2	2.68	<2	<10	10	<0.5	<2	3.41	<0.5	31	43	92	5.82
V350817		2.52	0.02	<0.2	2.81	<2	<10	<10	<0.5	<2	3.97	<0.5	38	48	171	7.05
V350818		2.52	0.01	<0.2	2.72	<2	<10	<10	<0.5	3	3.22	<0.5	31	40	113	5.65
V350819		2.31	0.01	0.2	3.13	<2	<10	40	<0.5	<2	4.38	<0.5	40	53	179	7.13
V350820		2.39	0.11	<0.2	4.08	<2	<10	140	<0.5	<2	5.51	<0.5	15	52	3	2.92
V350821		2.21	0.20	0.5	3.52	<2	<10	70	<0.5	<2	4.89	<0.5	16	43	5	3.18
V350822		2.58	0.34	<0.2	3.59	8	<10	40	<0.5	<2	3.44	<0.5	34	79	117	5.25
V350823		2.40	0.05	<0.2	2.94	6	<10	40	<0.5	<2	7.19	<0.5	22	43	6	2.74
V350824		2.84	0.14	<0.2	3.08	4	<10	50	<0.5	<2	7.6	<0.5	21	80	44	2.59
V350825		3.92	0.01	<0.2	3.21	5	<10	540	<0.5	<2	4.49	<0.5	33	818	68	3.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217389

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350786		10	<1	0.03	<10	2.35	722	<1	0.04	37	240	<2	0.05	<2	10	14
V350787		10	<1	0.02	<10	1.96	572	<1	0.05	36	240	<2	0.06	<2	7	10
V350788		10	<1	0.03	<10	3.46	1120	<1	0.01	53	230	<2	0.27	<2	13	12
V350789		10	<1	0.03	<10	3.13	1100	<1	0.01	57	260	<2	0.38	<2	15	13
V350790		10	<1	0.01	<10	2.81	808	<1	0.03	49	270	<2	0.22	<2	10	9
V350791		<10	<1	0.02	<10	1.19	385	<1	0.09	26	220	<2	0.03	<2	7	11
V350792		<10	<1	0.02	<10	1.89	589	<1	0.05	33	270	<2	0.10	2	7	8
V350793		<10	<1	0.01	<10	1.65	1505	<1	0.01	25	100	<2	<0.01	<2	8	21
V350794		10	1	0.02	<10	2.93	815	<1	0.05	45	250	<2	0.05	<2	11	14
V350795		10	1	0.01	<10	3.71	1060	<1	0.01	54	240	<2	0.12	<2	15	11
V350796		10	<1	0.02	<10	3.60	1080	<1	0.01	53	240	<2	0.31	<2	17	11
V350797		<10	<1	0.02	<10	1.65	511	<1	0.08	32	250	<2	0.10	<2	6	15
V350798		<10	<1	0.02	<10	1.02	337	<1	0.11	26	270	<2	0.08	<2	7	13
V350799		10	<1	0.01	<10	1.69	476	<1	0.06	33	250	<2	0.08	<2	7	9
V350800		10	<1	0.03	<10	1.28	457	<1	0.12	40	490	<2	0.09	<2	9	6
V350801		10	<1	0.01	<10	2.53	672	<1	0.02	63	550	<2	0.13	<2	7	8
V350802		10	<1	0.02	<10	1.63	518	<1	0.10	47	560	<2	0.10	<2	8	7
V350803		10	<1	0.02	<10	1.68	514	1	0.11	52	530	<2	0.24	<2	9	7
V350804		10	<1	0.01	<10	2.40	713	<1	0.06	57	460	<2	0.18	<2	12	16
V350805		10	<1	0.03	<10	1.73	665	<1	0.10	45	480	<2	0.14	<2	10	11
V350806		10	<1	0.14	10	1.29	435	8	0.26	173	460	4	0.05	<2	4	63
V350807		<10	<1	<0.01	<10	<0.01	32	<1	<0.01	2	10	<2	0.02	<2	<1	2
V350808		10	<1	0.03	<10	1.46	653	<1	0.12	36	530	<2	0.53	<2	11	7
V350809		10	<1	0.02	<10	1.64	672	<1	0.11	41	510	<2	0.21	<2	11	10
V350810		10	<1	0.01	<10	1.38	571	<1	0.10	36	530	<2	0.42	<2	9	11
V350811		10	<1	0.03	<10	1.06	553	<1	0.14	24	540	<2	0.07	<2	10	10
V350812		10	<1	0.02	<10	1.60	813	<1	0.05	66	130	<2	0.15	<2	7	20
V350813		10	<1	0.01	<10	1.95	780	<1	0.07	64	500	<2	0.77	2	9	9
V350814		10	<1	0.16	<10	2.22	867	<1	0.06	57	500	<2	0.58	<2	11	11
V350815		10	1	1.04	<10	2.69	1315	<1	0.11	72	290	<2	0.97	2	16	20
V350816		10	1	0.03	<10	1.76	658	<1	0.09	40	550	<2	0.36	<2	10	9
V350817		10	1	0.02	<10	1.95	793	<1	0.06	48	540	<2	0.65	<2	9	11
V350818		10	<1	0.03	<10	1.77	668	<1	0.08	41	520	<2	0.26	<2	9	8
V350819		10	<1	0.10	<10	2.14	880	1	0.03	49	500	<2	0.90	3	8	11
V350820		10	<1	0.94	<10	2.02	1165	<1	0.25	51	80	<2	0.01	3	8	31
V350821		10	1	0.45	<10	1.89	1175	<1	0.17	50	80	<2	<0.01	4	7	29
V350822		10	<1	0.13	<10	2.34	805	<1	0.05	73	260	<2	0.16	<2	6	18
V350823		<10	1	0.15	<10	1.56	1080	<1	0.10	62	70	2	<0.01	<2	4	38
V350824		<10	1	0.13	<10	1.42	1220	<1	0.17	64	50	2	0.02	3	3	61
V350825		10	<1	1.58	30	4.14	676	<1	0.03	207	1220	<2	0.11	3	7	99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217389

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350786		<20	0.06	<10	<10	89	<10	54
V350787		<20	0.07	<10	<10	71	<10	43
V350788		<20	0.06	<10	<10	175	<10	77
V350789		<20	0.06	<10	<10	190	<10	75
V350790		<20	0.08	<10	<10	132	<10	63
V350791		<20	0.08	<10	<10	53	<10	27
V350792		<20	0.08	<10	<10	75	<10	41
V350793		<20	0.03	<10	<10	57	<10	34
V350794		<20	0.08	<10	<10	129	<10	61
V350795		<20	0.08	<10	<10	190	<10	79
V350796		<20	0.06	<10	<10	196	<10	81
V350797		<20	0.07	<10	<10	61	<10	39
V350798		<20	0.08	<10	<10	50	<10	30
V350799		<20	0.07	<10	<10	77	<10	40
V350800		<20	0.13	<10	<10	103	<10	44
V350801		<20	0.11	<10	<10	167	<10	57
V350802		<20	0.13	<10	<10	122	<10	47
V350803		<20	0.13	<10	<10	103	<10	59
V350804		<20	0.09	<10	<10	142	<10	74
V350805		<20	0.11	<10	<10	106	<10	67
V350806		<20	0.12	<10	<10	57	<10	42
V350807		<20	<0.01	<10	<10	<1	<10	<2
V350808		<20	0.11	<10	<10	110	<10	53
V350809		<20	0.12	<10	<10	118	<10	67
V350810		<20	0.10	<10	<10	94	<10	58
V350811		<20	0.11	<10	<10	83	<10	42
V350812		<20	0.04	<10	<10	73	<10	47
V350813		<20	0.08	<10	<10	115	10	67
V350814		<20	0.10	<10	<10	145	<10	77
V350815		<20	0.11	<10	<10	180	10	70
V350816		<20	0.11	<10	<10	126	<10	76
V350817		<20	0.09	<10	<10	174	<10	91
V350818		<20	0.10	<10	<10	121	<10	79
V350819		<20	0.08	<10	<10	146	<10	93
V350820		<20	0.05	<10	<10	60	<10	45
V350821		<20	0.06	<10	<10	63	<10	41
V350822		<20	0.12	<10	<10	112	<10	57
V350823		<20	0.06	<10	<10	44	10	29
V350824		<20	0.03	<10	<10	37	40	27
V350825		<20	0.17	<10	<10	85	<10	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217389

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350826		0.05	3.29	1.2	0.52	9	<10	30	<0.5	2	0.67	<0.5	5	11	32	1.16
V350827		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.28
V350828		3.35	0.02	<0.2	1.98	3	<10	450	<0.5	<2	4.20	<0.5	24	409	45	2.42
V350829		2.53	0.03	<0.2	2.49	4	<10	300	<0.5	<2	9.0	<0.5	22	343	60	2.92
V350830		1.59	0.01	<0.2	3.93	6	<10	10	<0.5	<2	7.1	<0.5	31	560	40	3.97
V350831		2.48	<0.01	<0.2	6.16	7	<10	40	<0.5	<2	10.7	<0.5	16	98	15	2.59
V350832		2.50	0.02	<0.2	7.10	7	<10	10	<0.5	<2	10.9	<0.5	16	12	57	2.04
V350833		3.67	<0.01	<0.2	9.43	8	<10	10	<0.5	<2	11.5	<0.5	18	117	18	2.25
V350834		3.87	0.01	<0.2	8.64	4	<10	10	<0.5	<2	8.6	<0.5	13	83	31	2.41
V350835		3.22	<0.01	<0.2	9.39	<2	<10	10	<0.5	<2	8.1	<0.5	16	66	58	2.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217389

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350826		<10	<1	0.06	<10	0.18	130	5	0.12	17	310	4	0.03	3	1	21
V350827		<10	<1	<0.01	<10	<0.01	30	<1	<0.01	1	10	<2	0.02	2	<1	1
V350828		10	<1	1.17	20	2.07	684	<1	0.05	99	1180	4	0.25	4	3	151
V350829		10	<1	1.04	20	2.58	1465	<1	0.03	97	960	3	0.10	<2	7	140
V350830		10	<1	0.04	30	4.48	795	<1	<0.01	162	1270	<2	<0.01	<2	16	40
V350831		10	<1	0.05	<10	1.67	1430	1	0.38	49	100	<2	0.01	4	3	84
V350832		10	<1	0.03	<10	1.01	1195	1	0.48	43	80	<2	0.04	<2	1	70
V350833		10	2	0.02	<10	1.36	1200	1	0.63	52	50	<2	<0.01	<2	2	80
V350834		10	<1	0.02	<10	1.24	1015	1	0.60	39	70	<2	0.04	<2	2	73
V350835		10	<1	0.02	<10	1.35	844	1	0.62	44	90	<2	0.13	<2	1	83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217389

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350826		<20	0.19	<10	<10	31	<10	24
V350827		<20	<0.01	<10	<10	<1	<10	<2
V350828		<20	0.17	<10	<10	56	<10	32
V350829		<20	0.17	<10	<10	74	<10	39
V350830		<20	0.03	<10	<10	98	<10	55
V350831		<20	0.03	<10	<10	46	<10	27
V350832		<20	0.03	<10	<10	32	<10	18
V350833		<20	0.03	<10	<10	39	10	21
V350834		<20	0.04	<10	<10	40	<10	32
V350835		<20	0.04	<10	<10	36	<10	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 28-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217389

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41