ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

QC CERTIFICATE TB16215020

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215020

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
G909-4		7.49														
Target Range - Lower Bound		7.06														
Upper Bound		7.98														
MRGeo08			4.3	2.48	31	10	420	0.7	<2	1.07	2.1	18	87	605	3.40	10
Target Range - Lower Bound			3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22	<10
Upper Bound			5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96	30
OGGeo08			19.8	2.17	117	<10	70	0.6	10	0.88	18.4	97	81	8430	5.11	10
OGGeo08			19.3	2.14	116	<10	70	0.7	8	0.88	18.1	93	79	8180	4.99	10
Target Range - Lower Bound			18.0	2.05	105	<10	60	<0.5	6	0.82	16.2	86	75	7800	4.51	<10
Upper Bound			22.4	2.53	133	30	110	1.8	15	1.02	21.0	108	93	8980	5.53	30
OREAS 602			>100	0.58	635	<10	20	<0.5	58	0.52	24.3	9	35	4990	1.95	<10
Target Range - Lower Bound			106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94	<10
Upper Bound			100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40	30
OREAS-45b			0.4	3.98	2	<10	150	0.6	<2	0.29	<0.5	73	622	444	14.95	20
OREAS-45b			0.2	4.24	<2	<10	150	0.7	2	0.30	<0.5	75	652	459	15.55	20
Target Range - Lower Bound			<0.2	3.73	<2	<10	120	<0.5	<2	0.25	<0.5	65	599	417	13.60	<10
Upper Bound			0.6	4.58	7	20	190	1.8	4	0.33	1.1	82	735	481	16.60	40
OxJ120		2.39														
Target Range - Lower Bound		2.21														
Upper Bound		2.52														
BLANKS																
BLANK		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Target Range - Lower Bound			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound			0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215020

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
STANDARDS																
G909-4																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1	1.22	30	1.11	406	13	0.33	670	960	1030	0.31	2	7	78	20
Target Range - Lower Bound		<1	1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71	<20
Upper Bound		2	1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89	60
OGGeo08		<1	1.06	30	0.96	386	869	0.30	8920	800	7170	2.72	19	6	65	<20
OGGeo08		1	1.02	30	0.93	385	865	0.28	8790	800	7150	2.73	20	6	62	<20
Target Range - Lower Bound		<1	0.94	<10	0.84	350	810	0.26	7760	700	6510	2.51	15	4	59	<20
Upper Bound		3	1.18	50	1.05	438	992	0.34	9480	880	7970	3.09	27	9	74	60
OREAS 602		1	0.09	10	0.10	207	4	0.03	61	220	815	1.94	64	1	47	<20
Target Range - Lower Bound		<1	0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44	<20
Upper Bound		3	0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56	40
OREAS-45b		<1	0.07	20	0.12	761	1	0.02	213	440	22	0.04	3	42	18	<20
OREAS-45b		<1	0.07	20	0.13	812	1	0.01	225	460	22	0.03	<2	43	17	<20
Target Range - Lower Bound		<1	0.05	<10	0.09	727	<1	<0.01	188		16	<0.01	<2	41	14	<20
Upper Bound		2	0.09	40	0.15	899	3	0.04	232		26	0.06	4	52	20	50
OxJ120																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<1	<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	0.01	<2	<1	<1	<20
BLANK		1	<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	0.02	<2	<1	<1	<20
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20
Target Range - Lower Bound		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20
Upper Bound		2	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215020

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS							
G909-4							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		0.36	<10	<10	96	<10	759
Target Range - Lower Bound		0.33	<10	<10	90	<10	708
Upper Bound		0.43	20	30	112	20	870
OGGeo08		0.31	<10	<10	78	<10	6900
OGGeo08		0.31	<10	<10	76	<10	6830
Target Range - Lower Bound		0.27	<10	<10	70	<10	6500
Upper Bound		0.36	20	30	88	20	7950
OREAS 602		0.01	<10	<10	10	<10	3880
Target Range - Lower Bound		<0.01	<10	<10	8	<10	3680
Upper Bound		0.03	20	20	14	20	4500
OREAS-45b		0.21	<10	<10	209	<10	163
OREAS-45b		0.23	<10	<10	217	<10	172
Target Range - Lower Bound		0.19	<10	<10	198	<10	154
Upper Bound		0.25	20	20	244	20	192
OxJ120							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK							
Target Range - Lower Bound							
Upper Bound							
BLANK		<0.01	<10	<10	<1	<10	<2
BLANK		<0.01	<10	<10	<1	<10	<2
BLANK		<0.01	<10	<10	<1	<10	<2
Target Range - Lower Bound		<0.01	<10	<10	<1	<10	<2
Upper Bound		0.02	20	20	2	20	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215020

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL			<0.2	0.31	<2	10	20	<0.5	<2	0.90	<0.5	1	7	4	1.05	<10
DUP			<0.2	0.32	<2	10	20	<0.5	<2	0.91	<0.5	1	7	5	1.07	<10
Target Range - Lower Bound			<0.2	0.29	<2	<10	<10	<0.5	<2	0.85	<0.5	<1	6	3	1.00	<10
Upper Bound			0.4	0.34	4	20	30	1.0	4	0.96	1.0	2	8	6	1.12	20
V350602			<0.2	4.52	<2	<10	10	<0.5	<2	3.27	<0.5	15	49	2	6.12	10
DUP			<0.2	4.46	<2	<10	10	<0.5	<2	3.25	<0.5	15	49	2	6.07	10
Target Range - Lower Bound			<0.2	4.26	<2	<10	<10	<0.5	<2	3.09	<0.5	13	46	<1	5.78	<10
Upper Bound			0.4	4.72	4	20	20	1.0	4	3.43	1.0	17	52	3	6.41	20
V350724		0.01														
DUP		0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
V350744		<0.01														
DUP		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
V350763			<0.2	1.16	7	<10	70	<0.5	<2	0.77	<0.5	7	24	15	1.88	10
DUP			<0.2	1.16	6	<10	70	<0.5	<2	0.78	<0.5	7	23	15	1.89	10
Target Range - Lower Bound			<0.2	1.09	4	<10	50	<0.5	<2	0.73	<0.5	6	21	13	1.78	<10
Upper Bound			0.4	1.23	9	20	90	1.0	4	0.82	1.0	8	26	17	1.99	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215020

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
DUPLICATES																
ORIGINAL		<1	0.35	10	0.08	1695	1	0.05	1	120	11	0.04	<2	1	20	<20
DUP		1	0.37	10	0.08	1720	1	0.05	1	120	12	0.04	<2	1	20	<20
Target Range - Lower Bound		<1	0.33	<10	0.07	1615	<1	0.04	<1	100	9	0.03	<2	<1	18	<20
Upper Bound		2	0.39	20	0.09	1800	2	0.06	2	140	14	0.05	4	2	22	40
V350602		<1	0.03	<10	4.14	1560	<1	0.02	68	70	<2	0.02	<2	14	4	<20
DUP		<1	0.03	<10	4.11	1565	<1	0.02	67	70	<2	0.02	<2	14	3	<20
Target Range - Lower Bound		<1	0.02	<10	3.91	1480	<1	<0.01	63	60	<2	<0.01	<2	12	2	<20
Upper Bound		2	0.04	20	4.34	1645	2	0.03	72	80	4	0.03	4	16	5	40
V350724																
DUP																
Target Range - Lower Bound																
Upper Bound																
V350744																
DUP																
Target Range - Lower Bound																
Upper Bound																
V350763		<1	0.40	10	0.92	286	<1	0.05	15	310	<2	0.10	<2	3	10	<20
DUP		<1	0.41	10	0.92	288	<1	0.05	15	310	<2	0.10	2	3	10	<20
Target Range - Lower Bound		<1	0.37	<10	0.86	268	<1	0.04	13	280	<2	0.09	<2	2	9	<20
Upper Bound		2	0.44	20	0.98	306	2	0.06	17	340	4	0.12	4	4	12	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215020

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES					
ORIGINAL		<0.01	<10	<10	2	<10	15
DUP		<0.01	<10	<10	2	<10	14
Target Range - Lower Bound		<0.01	<10	<10	<1	<10	12
Upper Bound		0.02	20	20	3	20	17
V350602		0.03	<10	<10	88	<10	525
DUP		0.03	<10	<10	87	<10	523
Target Range - Lower Bound		0.02	<10	<10	82	<10	496
Upper Bound		0.04	20	20	93	20	552
V350724							
DUP							
Target Range - Lower Bound							
Upper Bound							
V350744							
DUP							
Target Range - Lower Bound							
Upper Bound							
V350763		0.05	<10	<10	34	<10	28
DUP		0.05	<10	<10	35	<10	29
Target Range - Lower Bound		0.04	<10	<10	32	<10	25
Upper Bound		0.06	20	20	37	20	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16215020

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41