ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

CERTIFICATE TB16215006

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215006

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350434		4.78	0.03	0.2	5.96	11	<10	<10	<0.5	<2	4.81	0.5	42	207	94	6.91
V350435		4.59	0.51	<0.2	4.28	4	<10	<10	<0.5	<2	0.11	<0.5	21	160	2	2.59
V350436		4.49	0.32	<0.2	5.69	14	<10	<10	<0.5	3	0.19	<0.5	34	212	1	4.55
V350437		4.74	0.06	<0.2	5.88	14	<10	<10	<0.5	<2	4.27	<0.5	48	202	178	7.35
V350438		4.80	0.60	<0.2	7.36	15	<10	10	<0.5	4	0.23	<0.5	48	236	4	7.20
V350439		4.72	11.70	<0.2	5.96	17	<10	10	<0.5	4	1.67	<0.5	47	197	195	6.34
V350440		4.56	0.04	<0.2	5.61	2	<10	<10	<0.5	2	5.54	<0.5	42	197	121	7.39
V350441		4.80	5.43	<0.2	4.55	34	<10	10	<0.5	3	0.11	<0.5	34	150	9	4.13
V350442		4.89	1.89	<0.2	4.96	24	<10	10	<0.5	4	0.17	<0.5	31	166	5	4.03
V350443		5.01	0.36	<0.2	5.33	4	<10	<10	<0.5	2	0.13	0.9	23	182	14	4.69
V350444		4.55	0.55	<0.2	4.53	18	<10	10	<0.5	4	0.28	<0.5	29	153	6	3.72
V350445		5.28	0.30	0.5	4.71	41	<10	10	<0.5	5	0.15	<0.5	56	141	276	4.39
V350446		4.82	1.90	0.7	5.94	22	<10	10	<0.5	9	0.87	<0.5	78	228	306	7.20
V350447		4.59	2.66	<0.2	6.62	4	<10	<10	<0.5	3	1.59	<0.5	44	275	16	7.26
V350448		4.92	0.07	<0.2	5.74	3	<10	10	<0.5	2	2.63	<0.5	47	201	193	7.30
V350449		4.99	0.03	0.3	5.56	2	<10	<10	<0.5	2	5.12	0.5	44	188	186	7.98
V350450		5.10	0.01	0.2	4.61	3	<10	<10	<0.5	<2	5.81	<0.5	43	148	123	7.13
V350451		5.08	0.22	<0.2	4.48	4	<10	<10	<0.5	22	4.62	<0.5	47	199	166	7.05
V350452		5.01	<0.01	0.3	4.56	3	<10	10	<0.5	<2	5.77	0.5	43	193	184	7.27
V350453		4.60	<0.01	<0.2	6.00	15	<10	<10	<0.5	<2	0.35	<0.5	42	224	2	6.68
V350454		0.05	6.09	23.3	0.30	245	<10	10	<0.5	2	0.51	<0.5	10	25	78	1.75
V350455		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	6	1	0.49
V350456		3.94	0.34	<0.2	3.94	60	<10	10	<0.5	<2	0.83	<0.5	24	153	15	3.40
V350457		3.20	0.01	<0.2	3.22	24	<10	<10	<0.5	<2	3.78	<0.5	34	96	124	4.44
V350458		3.26	<0.01	<0.2	3.09	9	<10	<10	<0.5	<2	4.67	<0.5	33	90	114	4.78
V350459		4.13	<0.01	<0.2	2.38	7	<10	<10	<0.5	<2	2.80	<0.5	31	65	183	4.08
V350460		4.12	<0.01	<0.2	2.28	20	<10	<10	<0.5	<2	3.33	<0.5	30	61	110	3.39
V350461		2.82	<0.01	<0.2	3.90	2	<10	<10	<0.5	2	3.75	<0.5	41	171	122	6.23
V350462		3.24	0.01	0.2	2.19	3	<10	<10	<0.5	<2	2.45	<0.5	43	106	165	4.36
V350463		4.38	<0.01	<0.2	2.02	3	<10	<10	<0.5	<2	3.15	<0.5	38	73	130	4.04
V350464		3.48	0.01	<0.2	2.66	6	<10	<10	<0.5	<2	3.43	<0.5	34	91	98	4.06
V350465		4.63	0.01	<0.2	4.16	4	<10	<10	<0.5	<2	5.40	<0.5	40	155	147	6.22
V350466		3.01	0.01	0.2	3.38	2	<10	<10	<0.5	<2	4.05	<0.5	32	61	154	4.37
V350467		3.65	0.01	0.2	2.61	5	<10	<10	<0.5	<2	3.20	<0.5	27	44	144	3.56
V350468		4.93	0.01	<0.2	2.98	4	<10	<10	<0.5	<2	3.36	<0.5	32	76	148	4.21
V350469		2.77	0.01	<0.2	4.12	<2	<10	<10	<0.5	<2	5.92	<0.5	39	150	152	6.13
V350470		2.80	<0.01	0.2	4.73	3	<10	10	<0.5	<2	5.96	<0.5	44	198	147	7.33
V350471		5.00	0.07	0.4	5.00	21	<10	10	<0.5	4	0.70	2.6	77	172	458	7.60
V350472		3.57	0.33	3.2	5.18	36	<10	10	<0.5	4	0.16	1.4	128	154	2500	7.99
V350473		3.26	0.40	1.8	5.37	8	<10	10	<0.5	6	0.11	0.6	94	158	1435	7.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215006

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350434		10	<1	0.02	<10	5.26	987	<1	0.02	125	210	<2	0.12	<2	31	11
V350435		10	<1	0.05	<10	4.96	213	<1	0.02	103	180	<2	<0.01	<2	13	2
V350436		10	<1	0.04	<10	5.87	454	<1	0.02	129	140	<2	<0.01	<2	20	2
V350437		10	<1	0.02	<10	5.29	995	<1	0.03	118	270	<2	0.19	2	32	9
V350438		10	<1	0.06	<10	7.38	670	<1	0.02	143	200	<2	<0.01	<2	26	2
V350439		10	1	0.04	<10	5.86	740	<1	0.03	125	170	<2	0.22	<2	23	5
V350440		10	<1	0.02	<10	4.55	1220	<1	0.07	121	210	<2	0.28	<2	26	14
V350441		10	1	0.10	<10	4.71	411	<1	0.02	131	190	<2	<0.01	<2	7	2
V350442		10	<1	0.09	<10	5.37	400	<1	0.02	125	540	<2	<0.01	<2	11	2
V350443		10	<1	0.03	<10	5.76	470	<1	0.01	104	330	<2	0.01	<2	20	1
V350444		10	<1	0.09	<10	4.85	406	<1	0.02	117	610	<2	<0.01	<2	11	2
V350445		10	<1	0.08	<10	4.73	387	<1	0.02	116	500	<2	0.03	<2	9	2
V350446		10	<1	0.04	<10	5.41	715	1	0.02	137	230	<2	0.30	5	21	5
V350447		10	<1	0.01	<10	6.46	830	<1	0.02	155	290	<2	0.01	<2	28	4
V350448		10	<1	0.05	<10	5.18	999	1	0.03	133	210	<2	0.26	<2	18	8
V350449		10	1	0.01	<10	4.73	1030	<1	0.05	110	250	<2	0.32	<2	16	14
V350450		10	<1	0.01	<10	3.58	848	<1	0.05	93	280	<2	0.16	<2	9	24
V350451		10	<1	0.06	<10	3.99	809	<1	0.03	121	230	<2	0.43	2	15	13
V350452		10	<1	0.09	<10	3.95	866	<1	0.02	122	230	<2	0.42	3	13	16
V350453		20	<1	0.01	<10	6.24	784	<1	0.01	136	830	<2	<0.01	<2	29	2
V350454		<10	<1	0.05	<10	0.21	187	26	0.06	108	230	11	0.37	3	1	14
V350455		<10	<1	<0.01	<10	<0.01	52	<1	0.01	2	10	<2	0.01	<2	<1	1
V350456		10	<1	0.08	<10	4.42	386	<1	0.02	144	120	<2	0.03	<2	13	3
V350457		10	<1	0.02	<10	2.80	613	<1	0.08	78	300	<2	0.17	3	11	16
V350458		10	<1	0.02	<10	2.56	694	<1	0.07	73	320	<2	0.17	<2	8	17
V350459		10	<1	0.03	<10	1.77	511	<1	0.11	65	340	<2	0.39	2	8	14
V350460		10	<1	0.03	<10	1.61	481	<1	0.13	55	320	<2	0.17	2	8	21
V350461		10	<1	0.03	<10	3.77	695	<1	0.04	105	260	<2	0.57	<2	14	11
V350462		10	<1	0.02	<10	2.16	477	<1	0.06	118	250	<2	0.89	<2	7	7
V350463		10	<1	0.01	<10	1.95	474	<1	0.07	113	230	<2	0.83	3	6	8
V350464		10	<1	0.02	<10	2.39	574	<1	0.10	100	230	<2	0.29	<2	8	12
V350465		10	1	0.01	<10	3.63	822	<1	0.05	112	230	<2	0.26	<2	9	20
V350466		10	<1	0.02	<10	2.78	621	<1	0.12	99	250	<2	0.10	<2	6	24
V350467		10	<1	0.02	<10	2.21	484	<1	0.10	84	230	<2	0.11	3	6	17
V350468		10	<1	0.04	<10	2.74	557	<1	0.07	101	220	<2	0.08	<2	7	13
V350469		10	1	0.02	<10	3.64	852	<1	0.04	106	210	<2	0.13	2	11	19
V350470		10	<1	0.18	<10	3.95	912	<1	0.03	123	220	<2	0.27	3	21	20
V350471		10	<1	0.10	<10	4.26	659	<1	0.03	136	190	<2	0.62	<2	16	5
V350472		10	<1	0.10	<10	4.31	547	<1	0.02	119	230	<2	0.80	<2	12	3
V350473		10	<1	0.11	<10	4.61	544	1	0.02	121	210	<2	0.35	<2	13	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215006

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350434		<20	0.02	<10	<10	217	<10	106
V350435		<20	<0.01	<10	<10	111	<10	19
V350436		<20	0.01	<10	<10	153	<10	41
V350437		<20	0.01	<10	<10	220	10	69
V350438		<20	0.01	<10	<10	189	<10	60
V350439		<20	0.01	<10	<10	168	<10	73
V350440		<20	0.03	<10	<10	206	<10	82
V350441		<20	0.01	<10	<10	89	<10	65
V350442		<20	0.01	<10	<10	108	<10	154
V350443		<20	0.01	<10	<10	145	<10	478
V350444		<20	0.01	<10	<10	105	<10	199
V350445		<20	0.01	<10	<10	96	<10	153
V350446		<20	0.01	<10	<10	176	<10	133
V350447		<20	0.01	<10	<10	195	<10	101
V350448		<20	0.03	<10	<10	178	<10	155
V350449		<20	0.05	<10	<10	194	<10	97
V350450		<20	0.07	<10	<10	136	<10	85
V350451		<20	0.08	<10	<10	174	<10	85
V350452		<20	0.06	<10	<10	186	<10	81
V350453		<20	0.02	<10	<10	205	<10	76
V350454		<20	0.12	<10	<10	22	<10	72
V350455		<20	<0.01	<10	<10	<1	<10	<2
V350456		<20	0.01	<10	<10	117	<10	37
V350457		<20	0.06	<10	<10	96	<10	56
V350458		<20	0.07	<10	<10	76	<10	60
V350459		<20	0.08	<10	<10	71	<10	45
V350460		<20	0.08	<10	<10	63	<10	41
V350461		<20	0.06	<10	<10	130	10	80
V350462		<20	0.07	<10	<10	77	<10	50
V350463		<20	0.07	<10	<10	59	<10	36
V350464		<20	0.08	<10	<10	75	<10	45
V350465		<20	0.06	<10	<10	125	<10	68
V350466		<20	0.07	<10	<10	77	<10	52
V350467		<20	0.07	<10	<10	64	<10	44
V350468		<20	0.07	<10	<10	80	<10	50
V350469		<20	0.05	<10	<10	124	<10	65
V350470		<20	0.08	<10	<10	208	<10	80
V350471		<20	0.03	<10	<10	138	<10	876
V350472		<20	0.02	<10	<10	118	<10	551
V350473		<20	0.02	<10	<10	121	<10	217

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215006

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350474		0.05	3.31	1.2	0.54	9	<10	30	<0.5	<2	0.69	<0.5	5	11	33	1.19
V350475		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	6	1	0.51
V350476		4.56	0.04	0.2	4.55	2	<10	40	<0.5	2	0.36	<0.5	52	139	419	7.32
V350477		2.79	<0.01	<0.2	5.38	2	<10	10	<0.5	<2	0.09	<0.5	57	154	235	7.85
V350478		2.43	<0.01	<0.2	3.20	3	<10	320	<0.5	<2	0.74	1.1	36	89	133	6.36
V350479		4.38	<0.01	<0.2	3.09	4	<10	430	<0.5	<2	1.31	<0.5	33	76	160	5.96
V350480		4.61	0.02	0.4	5.61	4	<10	10	<0.5	2	0.19	<0.5	54	198	337	7.50
V350481		4.54	<0.01	<0.2	5.10	<2	<10	<10	<0.5	<2	6.00	0.5	45	201	154	7.65
V350482		3.75	<0.01	<0.2	5.07	<2	<10	<10	<0.5	<2	5.97	<0.5	44	195	148	7.60
V350483		4.39	0.01	<0.2	5.00	4	<10	<10	<0.5	<2	6.11	<0.5	44	178	158	7.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215006

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350474		<10	<1	0.06	<10	0.19	131	5	0.14	16	300	5	0.02	3	1	23
V350475		<10	<1	<0.01	<10	<0.01	54	<1	0.01	1	10	<2	0.01	<2	<1	1
V350476		10	<1	0.36	10	3.59	601	1	0.03	121	570	<2	0.74	<2	11	15
V350477		10	<1	0.20	<10	4.45	695	<1	0.02	152	230	<2	0.67	2	10	4
V350478		10	<1	1.19	40	2.37	682	1	0.05	77	1180	4	1.06	<2	9	73
V350479		10	<1	0.98	50	2.29	747	1	0.05	56	1570	4	0.65	<2	9	88
V350480		10	<1	0.08	<10	4.98	734	<1	0.03	129	200	<2	0.40	<2	20	5
V350481		10	<1	0.03	<10	4.21	1100	<1	0.04	123	220	<2	0.25	<2	21	23
V350482		10	<1	0.02	<10	4.22	1165	<1	0.04	121	220	<2	0.20	4	20	24
V350483		10	<1	0.02	<10	4.17	1015	<1	0.07	126	230	<2	0.17	3	13	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215006

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350474		<20	0.19	<10	<10	31	<10	24
V350475		<20	<0.01	<10	<10	<1	<10	<2
V350476		<20	0.06	<10	<10	108	<10	206
V350477		<20	0.02	<10	<10	102	<10	227
V350478		<20	0.16	<10	<10	100	<10	363
V350479		<20	0.17	<10	<10	103	<10	216
V350480		<20	0.02	<10	<10	169	<10	217
V350481		<20	0.06	<10	<10	213	<10	83
V350482		<20	0.06	<10	<10	209	<10	86
V350483		<20	0.06	<10	<10	164	<10	75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215006

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41