ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

CERTIFICATE TB16205595

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-NOV-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16205595

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350030		2.83	0.02	<0.2	1.85	5	<10	90	<0.5	<2	7.4	<0.5	33	124	109	5.70
V350031		2.92	0.01	<0.2	2.87	<2	<10	90	<0.5	<2	3.91	<0.5	34	158	108	6.37
V350032		2.86	<0.01	<0.2	2.92	<2	<10	60	<0.5	<2	3.86	<0.5	44	164	95	6.53
V350033		2.90	<0.01	<0.2	2.74	<2	<10	50	<0.5	<2	6.22	<0.5	33	152	70	6.02
V350034		2.93	0.02	<0.2	2.24	5	<10	60	<0.5	2	7.8	<0.5	33	146	85	6.44
V350035		2.87	0.03	<0.2	2.10	7	<10	60	<0.5	2	6.18	<0.5	32	134	110	6.74
V350036		3.07	0.05	0.2	2.27	15	<10	60	<0.5	2	7.5	<0.5	41	162	115	9.38
V350037		2.83	0.04	<0.2	1.93	7	<10	50	<0.5	<2	8.7	<0.5	32	139	81	7.30
V350038		3.00	0.05	<0.2	2.22	17	<10	100	<0.5	<2	6.72	<0.5	39	140	109	7.46
V350039		2.92	0.06	<0.2	2.39	12	<10	50	<0.5	2	7.2	<0.5	37	153	124	7.90
V350040		2.95	0.03	<0.2	1.88	8	<10	40	<0.5	2	7.2	<0.5	37	161	92	7.34
V350041		2.96	0.03	<0.2	2.08	8	<10	70	<0.5	3	7.4	<0.5	35	163	92	7.31
V350042		2.95	0.02	<0.2	2.63	10	<10	80	<0.5	<2	5.30	<0.5	43	168	115	7.56
V350043		2.94	0.02	<0.2	2.71	5	<10	100	<0.5	2	3.90	<0.5	43	178	113	7.51
V350044		2.83	0.01	<0.2	2.37	3	<10	70	<0.5	<2	5.36	<0.5	35	153	86	6.63
V350045		2.94	0.03	<0.2	2.19	5	<10	80	<0.5	<2	5.30	<0.5	41	187	113	7.66
V350046		2.97	0.04	0.2	2.17	12	<10	100	<0.5	<2	3.42	<0.5	42	206	118	7.94
V350047		2.74	0.01	<0.2	2.30	5	<10	80	<0.5	<2	4.94	<0.5	36	162	103	6.69
V350048		2.93	0.03	<0.2	1.95	11	<10	70	<0.5	3	4.75	<0.5	38	164	104	7.33
V350049		2.90	0.04	<0.2	1.60	11	<10	70	<0.5	<2	7.0	<0.5	37	156	87	6.79
V350050		0.06	0.52	0.4	3.42	6	10	90	<0.5	<2	2.19	<0.5	14	55	97	3.07
V350051		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	6	1	0.45
V350052		2.85	0.01	<0.2	2.11	5	<10	40	<0.5	2	8.2	<0.5	29	111	78	5.51
V350053		2.74	0.06	0.2	3.32	12	<10	50	<0.5	2	1.96	<0.5	38	183	94	7.33
V350054		2.04	0.03	<0.2	3.27	5	<10	30	<0.5	2	1.40	<0.5	39	199	100	6.64
V350055		2.05	0.03	<0.2	3.63	9	<10	60	<0.5	3	2.38	<0.5	40	208	93	7.24
V350056		2.85	0.06	0.3	4.19	14	<10	60	<0.5	<2	1.98	<0.5	58	203	127	10.40
V350057		2.90	0.02	<0.2	3.70	7	<10	20	<0.5	5	1.18	<0.5	46	190	115	9.22
V350058		3.04	0.03	0.2	3.42	6	<10	20	<0.5	4	0.81	<0.5	41	152	127	10.85
V350059		2.92	0.04	0.2	2.54	2	<10	10	<0.5	2	0.31	<0.5	39	113	123	9.45
V350060		1.71	<0.01	<0.2	2.88	<2	<10	20	<0.5	<2	0.51	<0.5	39	99	79	4.81
V350061		2.86	0.04	<0.2	3.02	<2	<10	20	<0.5	3	1.54	<0.5	37	95	115	4.77
V350062		2.96	0.01	<0.2	3.61	2	<10	20	<0.5	2	1.83	<0.5	38	100	108	4.48
V350063		2.92	<0.01	<0.2	3.93	<2	<10	20	<0.5	2	1.25	<0.5	38	115	89	4.75
V350064		2.68	0.02	<0.2	3.57	<2	<10	20	<0.5	<2	1.31	<0.5	38	112	91	4.79
V350065		2.97	0.06	<0.2	3.10	4	<10	20	<0.5	2	0.36	<0.5	37	90	86	4.68
V350066		2.78	0.12	<0.2	3.34	12	<10	20	<0.5	4	0.51	<0.5	46	134	96	5.21
V350067		2.72	0.19	<0.2	3.28	2	<10	10	<0.5	2	0.25	<0.5	44	122	85	5.25
V350068		3.00	0.07	<0.2	3.27	<2	<10	20	<0.5	4	0.30	<0.5	42	123	94	5.61
V350069		2.89	0.19	<0.2	2.92	3	<10	10	<0.5	<2	0.38	<0.5	48	138	107	5.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16205595

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350030		10	<1	0.60	<10	1.57	1905	<1	0.03	87	180	4	1.78	2	5	19
V350031		10	<1	0.49	<10	2.45	1280	<1	0.03	93	270	<2	0.89	2	8	11
V350032		10	<1	0.25	<10	2.43	1275	<1	0.02	120	260	<2	0.98	<2	9	13
V350033		10	<1	0.24	<10	2.10	1580	<1	0.02	93	250	2	0.81	2	8	18
V350034		10	1	0.25	<10	1.89	1865	<1	0.02	86	210	3	1.62	3	7	21
V350035		10	1	0.27	<10	1.82	1595	<1	0.03	81	200	3	2.38	4	6	16
V350036		10	1	0.28	<10	1.98	1860	1	0.02	98	210	3	4.09	3	7	19
V350037		10	<1	0.26	<10	1.94	2090	<1	0.02	78	240	2	2.70	2	6	20
V350038		10	<1	0.64	<10	1.73	1905	1	0.03	94	190	4	3.24	3	5	18
V350039		10	<1	0.31	<10	1.82	1715	<1	0.02	92	220	4	3.49	5	7	22
V350040		10	<1	0.19	<10	1.87	1870	<1	0.02	90	220	3	2.98	2	7	17
V350041		10	<1	0.35	<10	1.83	1910	<1	0.03	92	210	2	2.56	<2	7	18
V350042		10	<1	0.54	<10	2.02	1535	<1	0.05	98	230	2	2.37	4	7	18
V350043		10	<1	0.60	<10	2.05	1365	<1	0.05	103	230	3	2.24	2	7	14
V350044		10	1	0.35	<10	1.87	1595	<1	0.05	83	220	3	1.87	2	8	15
V350045		10	<1	0.41	<10	1.90	1720	<1	0.04	104	210	2	2.65	3	7	14
V350046		10	<1	0.50	<10	2.01	1550	<1	0.04	105	230	4	2.94	4	8	10
V350047		10	<1	0.39	<10	2.01	1725	<1	0.04	92	210	2	1.66	2	8	15
V350048		10	<1	0.34	<10	2.14	1690	<1	0.04	95	220	3	2.59	3	7	14
V350049		10	<1	0.35	<10	1.81	2060	<1	0.05	93	200	3	2.34	4	8	16
V350050		10	<1	0.13	10	1.21	424	7	0.24	164	420	5	0.06	3	4	57
V350051		<10	<1	<0.01	<10	<0.01	49	<1	<0.01	1	10	<2	0.02	<2	<1	1
V350052		10	1	0.31	<10	1.39	2190	<1	0.09	76	180	3	1.41	2	7	29
V350053		10	<1	0.42	<10	1.70	999	<1	0.17	93	230	2	2.44	3	11	20
V350054		10	<1	0.30	<10	1.84	1025	<1	0.11	100	240	3	1.53	3	12	13
V350055		10	<1	0.55	<10	2.02	1105	<1	0.19	97	260	3	1.94	5	13	29
V350056		10	<1	0.47	<10	2.17	1090	<1	0.15	118	250	2	4.28	5	13	37
V350057		10	<1	0.27	<10	1.98	1190	1	0.15	112	240	7	2.52	3	10	22
V350058		10	<1	0.16	<10	1.98	1255	<1	0.13	104	250	2	3.00	3	9	12
V350059		10	<1	0.10	<10	1.55	954	<1	0.05	91	70	4	2.53	4	6	4
V350060		10	<1	0.17	20	1.70	675	1	0.07	229	170	4	0.40	2	6	9
V350061		10	<1	0.16	20	1.62	812	<1	0.10	223	160	5	0.62	<2	6	13
V350062		10	<1	0.24	20	1.57	767	1	0.23	231	160	8	0.55	<2	8	24
V350063		10	1	0.22	20	1.87	670	1	0.21	218	170	8	0.36	2	9	23
V350064		10	<1	0.18	20	1.85	720	<1	0.16	227	160	6	0.35	<2	7	18
V350065		10	<1	0.14	20	1.83	668	1	0.08	193	170	5	0.27	2	5	10
V350066		10	<1	0.14	20	1.96	671	<1	0.09	283	150	7	0.38	2	7	11
V350067		10	<1	0.14	20	2.03	689	1	0.05	257	160	3	0.30	3	7	8
V350068		10	<1	0.16	20	2.02	725	1	0.06	261	180	3	0.64	<2	7	8
V350069		10	<1	0.14	20	1.89	656	<1	0.05	283	140	3	0.83	3	8	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16205595

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350030		<20	0.09	<10	<10	89	<10	72
V350031		<20	0.09	<10	<10	138	<10	84
V350032		<20	0.07	<10	<10	152	<10	85
V350033		<20	0.06	<10	<10	132	<10	76
V350034		<20	0.07	<10	<10	123	<10	81
V350035		<20	0.06	<10	<10	111	<10	74
V350036		<20	0.06	<10	<10	120	<10	88
V350037		<20	0.06	<10	<10	104	<10	74
V350038		<20	0.10	<10	<10	96	<10	85
V350039		<20	0.06	<10	<10	111	<10	77
V350040		<20	0.05	<10	<10	122	<10	76
V350041		<20	0.07	<10	<10	127	<10	82
V350042		<20	0.10	<10	<10	119	<10	95
V350043		<20	0.11	<10	<10	134	<10	99
V350044		<20	0.07	<10	<10	120	<10	82
V350045		<20	0.09	<10	<10	134	<10	92
V350046		<20	0.10	<10	<10	147	<10	97
V350047		<20	0.08	<10	<10	132	<10	84
V350048		<20	0.08	<10	<10	123	<10	85
V350049		<20	0.07	<10	<10	117	<10	84
V350050		<20	0.11	<10	<10	52	<10	40
V350051		<20	<0.01	<10	<10	<1	<10	<2
V350052		<20	0.06	<10	<10	88	<10	82
V350053		<20	0.09	<10	<10	147	<10	92
V350054		<20	0.08	<10	<10	149	<10	87
V350055		<20	0.10	<10	<10	162	<10	83
V350056		<20	0.11	<10	<10	153	<10	91
V350057		<20	0.08	<10	<10	150	<10	101
V350058		<20	0.06	<10	<10	142	<10	103
V350059		<20	0.05	<10	<10	107	<10	96
V350060		<20	0.04	<10	<10	46	70	101
V350061		<20	0.04	<10	<10	47	<10	96
V350062		<20	0.07	<10	<10	55	<10	81
V350063		<20	0.06	<10	<10	61	<10	108
V350064		<20	0.05	<10	<10	53	<10	112
V350065		<20	0.05	<10	<10	43	<10	114
V350066		<20	0.05	<10	<10	53	<10	103
V350067		<20	0.05	<10	<10	52	<10	102
V350068		<20	0.05	<10	<10	53	10	108
V350069		<20	0.04	<10	<10	57	<10	99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16205595

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350070		0.06	3.38	1.3	0.62	8	<10	30	<0.5	2	0.76	<0.5	4	13	33	1.32
V350071		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	2	0.02	<0.5	<1	6	1	0.49
V350072		2.63	0.09	<0.2	3.03	6	<10	20	<0.5	3	0.17	<0.5	48	125	105	5.22
V350073		2.64	0.01	<0.2	2.72	24	<10	10	<0.5	2	0.10	<0.5	43	94	87	4.82
V350074		2.66	0.37	0.4	2.67	21	<10	20	<0.5	7	0.45	<0.5	48	101	272	8.63
V350075		2.85	0.05	<0.2	2.47	22	<10	30	<0.5	7	2.06	<0.5	42	92	253	8.56
V350076		2.78	0.01	<0.2	4.10	4	<10	10	<0.5	2	5.42	<0.5	46	221	139	7.98
V350077		2.96	1.12	<0.2	3.83	12	<10	20	<0.5	3	5.99	<0.5	48	276	145	8.46
V350078		2.63	0.25	<0.2	4.42	10	<10	20	<0.5	4	6.04	<0.5	45	235	117	7.57
V350079		2.78	0.01	<0.2	4.91	4	<10	20	<0.5	<2	6.39	<0.5	44	242	125	7.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16205595

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350070		<10	<1	0.06	<10	0.21	142	5	0.16	17	320	6	0.02	3	1	23
V350071		<10	<1	<0.01	<10	<0.01	52	<1	0.01	2	10	<2	0.01	<2	<1	1
V350072		10	1	0.18	20	1.89	613	1	0.04	302	140	5	0.73	<2	6	6
V350073		10	<1	0.16	20	1.77	531	1	0.03	249	120	3	0.72	2	4	4
V350074		10	<1	0.20	10	1.76	575	1	0.05	141	160	4	2.99	2	6	5
V350075		10	<1	0.33	10	1.59	741	<1	0.12	98	280	4	3.37	6	8	17
V350076		10	<1	0.06	<10	4.21	1335	<1	0.09	113	220	<2	0.33	4	17	22
V350077		10	<1	0.10	<10	4.25	1395	<1	0.06	175	260	5	0.83	5	18	23
V350078		10	<1	0.09	<10	4.17	1130	<1	0.04	132	230	<2	0.43	4	23	19
V350079		10	1	0.09	<10	4.49	1085	<1	0.03	120	240	<2	0.28	5	25	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16205595

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350070		<20	0.21	<10	<10	34	<10	26
V350071		<20	<0.01	<10	<10	<1	<10	<2
V350072		<20	0.04	<10	<10	50	<10	114
V350073		<20	0.04	<10	<10	37	10	109
V350074		<20	0.04	<10	<10	58	<10	87
V350075		<20	0.06	<10	<10	82	<10	79
V350076		<20	0.06	<10	<10	200	<10	85
V350077		<20	0.05	<10	<10	198	10	86
V350078		<20	0.06	<10	<10	205	<10	73
V350079		<20	0.07	<10	<10	218	<10	83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 8-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16205595

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41