ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

CERTIFICATE TB16179333

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-OCT-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179333

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711125		3.31	0.01	<0.2	4.77	5	<10	10	<0.5	<2	8.8	<0.5	38	919	55	4.40
R711126		4.58	<0.01	<0.2	4.17	3	<10	30	<0.5	<2	8.1	<0.5	18	141	32	2.43
R711127		4.67	0.01	<0.2	4.42	6	<10	20	<0.5	<2	8.2	<0.5	24	150	57	3.14
R711128		4.49	<0.01	<0.2	4.56	3	<10	10	<0.5	<2	8.1	<0.5	21	138	53	2.77
R711129		5.48	<0.01	<0.2	4.77	4	<10	10	<0.5	<2	7.9	<0.5	21	113	37	3.04
R711130		4.90	0.03	<0.2	5.13	7	<10	20	<0.5	<2	7.5	<0.5	24	106	39	3.38
R711131		4.56	<0.01	<0.2	4.90	11	<10	<10	<0.5	<2	5.06	0.8	43	100	90	9.37
R711132		5.26	<0.01	<0.2	4.12	14	<10	<10	<0.5	<2	3.85	1.3	37	83	88	7.96
R711133		3.74	<0.01	<0.2	4.81	23	<10	<10	<0.5	<2	6.72	<0.5	38	79	66	7.83
R711134		3.93	<0.01	<0.2	3.59	28	<10	30	<0.5	<2	6.64	<0.5	18	118	3	2.16
R711135		4.70	<0.01	<0.2	3.61	21	<10	40	<0.5	<2	7.04	<0.5	16	126	1	1.57
R711136		4.73	<0.01	<0.2	4.01	31	<10	30	<0.5	<2	7.8	<0.5	17	112	1	1.61
R711137		4.23	0.01	<0.2	4.06	38	<10	20	<0.5	<2	7.26	<0.5	17	101	5	1.88
R711138		3.34	0.07	<0.2	1.35	15	<10	20	<0.5	<2	2.85	<0.5	12	20	63	2.89
R711139		4.01	0.02	<0.2	5.17	42	<10	20	<0.5	<2	7.9	<0.5	29	120	7	3.44
R711140		4.19	0.01	<0.2	6.42	15	<10	20	<0.5	<2	7.5	<0.5	21	75	28	2.76
R711141		4.32	<0.01	<0.2	6.29	11	<10	10	<0.5	<2	8.1	<0.5	17	99	29	2.45
R711142		3.31	0.06	<0.2	5.36	20	<10	10	<0.5	<2	8.3	<0.5	41	164	87	5.38
R711143		3.46	0.01	<0.2	4.51	6	<10	<10	<0.5	<2	6.86	<0.5	39	36	148	8.53
R711144		5.24	<0.01	<0.2	4.59	10	<10	<10	<0.5	<2	5.81	<0.5	47	10	90	10.15
R711145		0.06	0.53	0.5	3.46	7	10	90	<0.5	<2	2.16	<0.5	14	54	97	3.08
R711146		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	3	0.43
R711147		3.43	0.01	<0.2	4.33	9	<10	<10	<0.5	<2	6.82	<0.5	47	3	193	9.29
R711148		4.69	0.01	<0.2	4.59	17	<10	<10	<0.5	<2	5.12	<0.5	44	15	122	11.10
R711149		4.57	0.01	<0.2	4.65	9	<10	<10	<0.5	<2	6.38	<0.5	43	20	123	9.57
R711150		4.81	0.04	<0.2	4.07	10	<10	10	<0.5	<2	8.2	<0.5	36	109	86	5.48
R711151		4.35	0.01	<0.2	4.33	5	<10	10	<0.5	<2	8.2	<0.5	36	97	131	6.04
R711152		4.36	0.01	<0.2	4.82	18	<10	<10	<0.5	<2	7.3	<0.5	48	114	108	7.73
R711153		4.99	0.03	0.2	5.52	13	<10	<10	<0.5	<2	5.17	0.5	60	15	258	12.35
R711154		4.59	<0.01	<0.2	4.82	11	<10	<10	<0.5	<2	5.16	<0.5	46	16	134	11.05
R711155		4.77	<0.01	<0.2	4.98	9	<10	<10	<0.5	<2	5.47	<0.5	46	16	128	11.10
R711156		4.95	<0.01	<0.2	4.89	11	<10	<10	<0.5	<2	5.72	<0.5	45	15	186	10.50
R711157		4.92	0.02	<0.2	4.91	9	<10	<10	<0.5	<2	6.08	<0.5	44	15	163	10.75
R711158		4.57	<0.01	<0.2	4.81	10	<10	<10	<0.5	<2	5.61	<0.5	46	15	184	10.80
R711159		4.75	0.01	0.2	4.45	11	<10	<10	<0.5	<2	6.02	<0.5	43	15	201	10.25
R711160		4.04	<0.01	<0.2	4.94	7	<10	<10	<0.5	<2	5.07	<0.5	46	13	192	11.60
R711161		4.63	0.02	0.2	5.05	12	<10	<10	<0.5	<2	6.95	<0.5	53	1	306	11.35
R711162		5.23	0.03	<0.2	5.40	21	<10	<10	<0.5	<2	8.0	0.5	68	1	279	11.45
R711163		3.94	0.01	<0.2	5.37	15	<10	<10	<0.5	<2	8.4	<0.5	64	3	237	11.15
R711164		4.76	<0.01	<0.2	5.15	7	<10	<10	<0.5	<2	6.13	<0.5	44	14	127	10.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179333

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R711125		10	1	0.02	20	5.63	791	<1	0.04	241	880	<2	0.02	2	18	37
R711126		10	1	0.08	<10	2.08	630	<1	0.26	78	80	<2	0.01	3	5	42
R711127		10	1	0.05	<10	2.39	810	<1	0.24	111	40	<2	0.01	2	7	27
R711128		10	1	0.04	<10	1.96	732	<1	0.30	85	30	<2	0.01	2	6	34
R711129		10	<1	0.03	<10	2.14	749	<1	0.30	89	50	<2	0.01	<2	6	35
R711130		10	1	0.04	<10	2.33	849	<1	0.34	106	50	<2	0.01	2	7	37
R711131		10	<1	<0.01	<10	3.04	1535	<1	0.03	76	470	<2	0.27	2	26	7
R711132		10	<1	0.01	<10	2.60	1765	<1	0.05	66	500	3	0.28	2	22	8
R711133		10	<1	0.01	<10	2.81	1340	<1	0.08	68	400	<2	0.11	2	10	12
R711134		<10	<1	0.06	<10	1.73	704	<1	0.26	93	20	<2	0.01	<2	3	30
R711135		<10	1	0.07	<10	1.31	583	<1	0.31	64	20	<2	0.01	2	2	39
R711136		<10	<1	0.06	<10	1.28	577	<1	0.32	70	30	<2	0.01	3	2	45
R711137		<10	<1	0.07	<10	1.42	562	<1	0.29	76	50	<2	0.04	<2	3	43
R711138		<10	<1	0.06	10	0.73	416	1	0.06	17	440	3	1.21	2	3	8
R711139		10	1	0.07	<10	2.19	861	<1	0.33	127	60	<2	0.01	<2	5	44
R711140		10	1	0.05	<10	2.00	608	<1	0.43	80	60	<2	0.01	2	5	55
R711141		10	1	0.04	<10	1.90	556	<1	0.46	69	50	<2	0.01	2	5	54
R711142		10	1	0.04	<10	3.12	1340	<1	0.20	178	100	<2	0.02	5	12	25
R711143		10	1	0.02	<10	2.29	1460	<1	0.06	54	360	<2	0.12	3	24	15
R711144		10	<1	<0.01	<10	2.63	1325	<1	0.02	54	290	<2	0.33	3	32	8
R711145		10	1	0.13	10	1.19	405	8	0.26	162	440	4	0.06	2	4	57
R711146		<10	<1	<0.01	<10	<0.01	46	<1	0.02	2	10	<2	0.03	<2	<1	1
R711147		10	1	<0.01	<10	2.75	1230	<1	0.03	80	90	<2	0.29	<2	28	19
R711148		20	<1	<0.01	<10	2.29	1505	<1	0.03	31	470	2	1.22	2	29	9
R711149		20	<1	0.01	<10	2.42	1735	<1	0.04	49	360	2	0.34	<2	28	9
R711150		10	1	0.06	<10	2.55	1360	<1	0.12	112	120	<2	0.02	<2	16	15
R711151		10	1	0.03	<10	3.14	1330	<1	0.07	101	150	<2	0.02	2	21	13
R711152		10	1	0.02	<10	3.45	1395	<1	0.05	164	460	<2	0.22	<2	20	12
R711153		20	1	<0.01	<10	2.87	1725	1	0.02	138	340	2	0.65	3	25	9
R711154		20	<1	<0.01	<10	2.36	1510	<1	0.03	31	480	<2	0.30	<2	32	11
R711155		20	<1	<0.01	<10	2.43	1520	<1	0.03	30	470	<2	0.43	3	31	11
R711156		20	<1	<0.01	<10	2.25	1440	<1	0.02	29	430	<2	0.37	4	28	9
R711157		20	1	<0.01	<10	2.27	1365	<1	0.02	31	430	<2	0.57	3	29	11
R711158		20	<1	<0.01	<10	2.35	1610	<1	0.03	33	480	2	0.36	3	31	11
R711159		10	1	<0.01	<10	2.28	1355	<1	0.03	31	470	<2	0.37	2	31	11
R711160		20	<1	<0.01	<10	2.35	1495	<1	0.02	31	470	<2	0.76	3	31	12
R711161		10	1	<0.01	<10	3.00	1975	<1	0.02	93	180	<2	0.45	2	37	16
R711162		10	<1	<0.01	<10	3.28	1775	<1	0.02	95	160	2	0.67	<2	42	17
R711163		20	<1	<0.01	<10	3.05	1750	<1	0.02	81	150	<2	0.35	<2	37	23
R711164		20	1	<0.01	<10	2.53	1580	<1	0.02	42	400	<2	0.36	3	29	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179333

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711125		<20	0.03	<10	<10	106	<10	45
R711126		<20	<0.01	<10	<10	40	<10	25
R711127		<20	0.01	<10	<10	60	<10	35
R711128		<20	<0.01	<10	<10	52	<10	32
R711129		<20	<0.01	<10	<10	59	<10	34
R711130		<20	0.01	<10	<10	61	<10	40
R711131		<20	0.10	<10	<10	274	<10	142
R711132		<20	0.13	<10	<10	233	<10	167
R711133		<20	0.14	<10	<10	162	<10	97
R711134		<20	0.01	<10	<10	27	<10	27
R711135		<20	0.01	<10	<10	18	<10	23
R711136		<20	0.01	<10	<10	19	<10	24
R711137		<20	<0.01	<10	<10	20	110	27
R711138		<20	0.01	<10	<10	21	<10	18
R711139		<20	0.01	<10	<10	41	<10	39
R711140		<20	<0.01	<10	<10	49	10	31
R711141		<20	<0.01	<10	<10	49	<10	29
R711142		<20	0.01	<10	<10	112	<10	66
R711143		<20	0.01	<10	<10	270	<10	85
R711144		<20	0.10	<10	<10	605	<10	88
R711145		<20	0.10	<10	<10	52	<10	39
R711146		<20	<0.01	<10	<10	<1	<10	<2
R711147		<20	0.16	<10	<10	825	<10	81
R711148		<20	0.05	<10	<10	329	<10	94
R711149		<20	0.04	<10	<10	289	<10	86
R711150		<20	0.01	<10	<10	129	<10	71
R711151		<20	0.01	<10	<10	154	<10	74
R711152		<20	0.02	<10	<10	209	<10	80
R711153		<20	0.05	<10	<10	307	<10	124
R711154		<20	0.10	<10	<10	347	<10	116
R711155		<20	0.10	<10	<10	339	<10	121
R711156		<20	0.15	<10	<10	327	<10	103
R711157		<20	0.19	<10	<10	359	<10	107
R711158		<20	0.07	<10	<10	329	<10	113
R711159		<20	0.09	<10	<10	351	<10	115
R711160		<20	0.05	<10	<10	349	<10	115
R711161		<20	0.09	<10	<10	686	<10	80
R711162		<20	0.08	<10	<10	846	<10	77
R711163		<20	0.06	<10	<10	941	<10	79
R711164		<20	0.11	<10	<10	369	<10	92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179333

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711165		0.05	3.26	1.3	0.50	8	<10	30	<0.5	2	0.66	<0.5	5	11	31	1.16
R711166		0.18	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.40
R711167		5.13	0.07	<0.2	5.16	11	<10	<10	<0.5	<2	5.41	<0.5	44	17	156	10.45
R711168		4.78	<0.01	<0.2	5.07	10	<10	<10	<0.5	<2	6.47	<0.5	41	17	166	9.97
R711169		4.72	<0.01	<0.2	4.87	10	<10	<10	<0.5	<2	6.54	<0.5	41	13	106	9.93
R711170		3.18	0.01	<0.2	4.91	13	<10	<10	<0.5	<2	6.93	<0.5	41	17	135	9.41
R711171		4.34	<0.01	<0.2	5.25	13	<10	10	<0.5	<2	6.02	0.5	38	74	97	7.63
R711172		4.08	<0.01	<0.2	3.03	4	<10	10	<0.5	<2	7.7	<0.5	18	81	11	3.72
R711173		3.27	0.01	<0.2	4.64	16	10	10	<0.5	<2	8.9	<0.5	36	102	73	6.52
R711174		5.15	<0.01	0.2	4.60	13	<10	10	<0.5	<2	9.8	<0.5	36	105	99	6.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179333

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R711165		<10	<1	0.05	<10	0.18	125	5	0.13	15	300	6	0.04	2	1	21
R711166		<10	<1	<0.01	<10	<0.01	43	<1	0.01	1	10	<2	0.03	<2	<1	1
R711167		20	<1	<0.01	<10	2.59	1455	<1	0.02	39	430	<2	0.33	4	28	7
R711168		20	<1	<0.01	<10	2.57	1560	<1	0.03	44	400	2	0.38	3	27	8
R711169		20	<1	<0.01	<10	2.37	1470	<1	0.02	28	430	<2	0.47	2	26	11
R711170		10	<1	0.01	<10	2.39	1685	<1	0.03	41	370	<2	0.38	<2	26	10
R711171		10	1	0.03	<10	3.18	1615	<1	0.08	110	140	<2	0.05	6	27	11
R711172		10	1	0.06	<10	1.67	1025	<1	0.13	63	50	<2	0.01	<2	9	13
R711173		10	1	0.03	<10	2.82	1530	<1	0.08	101	150	<2	0.13	2	25	13
R711174		10	1	0.02	<10	2.89	1620	<1	0.05	113	120	<2	0.09	<2	30	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179333

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711165		<20	0.19	<10	<10	30	<10	23
R711166		<20	<0.01	<10	<10	<1	<10	<2
R711167		<20	0.19	<10	<10	336	<10	94
R711168		<20	0.10	<10	<10	319	<10	87
R711169		<20	0.15	<10	<10	311	<10	86
R711170		<20	0.10	<10	<10	314	<10	76
R711171		<20	0.04	<10	<10	233	<10	160
R711172		<20	0.01	<10	<10	56	<10	31
R711173		<20	0.04	<10	<10	161	<10	55
R711174		<20	0.03	<10	<10	159	<10	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179333

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-23
PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	
Au-AA26	ME-ICP41