ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

CERTIFICATE TB16207466

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 28-NOV-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16207466

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R713951		4.06	<0.01	<0.2	1.96	14	<10	<10	<0.5	<2	2.90	<0.5	25	51	112	3.96
R713952		4.61	0.01	<0.2	1.58	6	<10	<10	<0.5	<2	2.57	<0.5	19	48	102	3.13
R713953		4.59	0.01	0.2	1.55	14	<10	<10	<0.5	<2	2.68	<0.5	26	78	112	3.13
R713954		4.56	<0.01	<0.2	1.90	38	<10	10	<0.5	<2	2.97	<0.5	30	70	97	3.62
R713955		4.48	<0.01	0.2	2.34	529	<10	90	<0.5	<2	5.25	<0.5	41	105	271	5.22
R713956		2.98	<0.01	<0.2	3.08	1145	<10	210	<0.5	<2	4.52	<0.5	41	116	55	5.95
R713957		4.48	0.01	<0.2	2.85	205	<10	10	<0.5	<2	3.57	<0.5	43	44	115	2.53
R713958		4.53	0.01	<0.2	3.19	84	<10	10	<0.5	<2	4.12	<0.5	34	43	125	2.60
R713959		4.29	0.01	<0.2	3.41	44	<10	10	<0.5	<2	4.18	<0.5	30	41	138	2.43
R713960		4.47	0.01	<0.2	2.92	53	<10	10	<0.5	<2	3.57	<0.5	27	29	124	1.34
R713961		4.58	0.01	<0.2	3.02	41	<10	<10	<0.5	<2	6.9	<0.5	27	42	151	2.22
R713962		3.34	0.02	<0.2	3.96	32	<10	10	<0.5	<2	4.98	<0.5	27	65	119	2.26
R713963		2.96	0.01	<0.2	3.10	41	<10	<10	<0.5	<2	3.58	<0.5	26	51	130	1.88
R713964		4.43	0.01	<0.2	1.06	51	<10	<10	<0.5	<2	2.80	<0.5	31	40	84	1.64
R713965		4.61	0.02	<0.2	1.86	226	<10	10	<0.5	<2	3.10	<0.5	34	62	138	2.90
R713966		4.62	0.01	<0.2	2.04	6	<10	10	<0.5	<2	3.80	<0.5	22	42	109	2.03
R713967		4.62	0.01	<0.2	2.37	2	<10	10	<0.5	<2	4.14	<0.5	20	39	181	2.25
R713968		4.46	<0.01	<0.2	2.37	4	<10	10	<0.5	<2	2.98	<0.5	18	37	155	1.94
R713969		5.30	<0.01	<0.2	1.89	2	<10	10	<0.5	<2	2.83	<0.5	19	44	140	2.15
R713970		4.39	<0.01	<0.2	1.04	<2	<10	<10	<0.5	<2	1.71	<0.5	19	40	132	1.79
R713971		0.05	2.93	0.3	0.77	1500	10	60	<0.5	<2	0.08	<0.5	107	80	169	7.90
R713972		0.21	<0.01	<0.2	0.01	3	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.23
R713973		4.63	0.01	<0.2	1.42	4	<10	<10	<0.5	<2	3.24	<0.5	21	47	117	3.14
R713974		4.46	0.01	<0.2	1.15	6	<10	<10	<0.5	<2	3.51	<0.5	24	43	147	2.94
R713975		4.60	<0.01	<0.2	1.31	6	<10	<10	<0.5	<2	3.45	<0.5	28	47	180	3.52
R713976		4.63	<0.01	<0.2	1.05	14	<10	<10	<0.5	<2	2.83	<0.5	23	38	153	2.68
R713977		4.55	<0.01	<0.2	1.02	9	<10	10	<0.5	<2	1.72	<0.5	23	39	150	2.26
R713978		4.62	<0.01	<0.2	2.15	<2	<10	150	<0.5	<2	1.73	<0.5	24	43	136	4.23
R713979		4.47	0.01	<0.2	1.68	7	<10	60	<0.5	<2	2.92	<0.5	22	62	143	3.14
R713980		4.43	0.01	<0.2	1.23	6	<10	10	<0.5	<2	1.38	<0.5	19	43	146	2.13
R713981		4.62	0.01	<0.2	1.82	12	<10	10	<0.5	<2	2.05	<0.5	21	52	156	2.53
R713982		4.43	0.01	<0.2	1.74	14	<10	10	<0.5	<2	2.32	<0.5	22	62	152	2.65
R713983		4.33	0.03	<0.2	1.72	18	<10	10	<0.5	<2	2.26	<0.5	23	52	184	2.42
R713984		4.69	0.01	<0.2	2.18	9	<10	10	<0.5	<2	3.44	<0.5	24	70	167	3.29
R713985		4.52	0.01	<0.2	1.20	27	<10	10	<0.5	<2	2.05	<0.5	23	43	46	2.03
R713986		4.44	0.01	<0.2	1.20	18	<10	10	<0.5	<2	2.00	<0.5	19	40	83	2.01
R713987		4.48	0.01	<0.2	1.22	19	<10	<10	<0.5	<2	1.93	<0.5	18	46	99	2.07
R713988		4.06	<0.01	<0.2	1.84	11	<10	10	<0.5	<2	2.11	<0.5	21	54	119	2.53
R713989		5.01	<0.01	<0.2	1.49	11	<10	<10	<0.5	<2	1.89	<0.5	18	43	128	2.09
R713990		4.56	<0.01	<0.2	1.58	4	<10	<10	<0.5	<2	2.29	<0.5	21	38	161	2.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16207466

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R713951		10	<1	0.03	<10	1.26	576	<1	0.11	39	460	7	0.19	<2	13	14
R713952		<10	<1	0.03	<10	1.06	563	<1	0.10	29	440	4	0.11	<2	11	13
R713953		<10	<1	0.03	<10	1.32	746	<1	0.07	56	400	3	0.22	<2	11	12
R713954		10	<1	0.02	<10	1.49	620	<1	0.07	59	430	2	0.25	<2	10	11
R713955		10	<1	0.09	<10	1.72	1045	<1	0.06	76	420	3	0.84	<2	12	20
R713956		10	<1	0.19	<10	2.17	1035	<1	0.05	76	410	4	0.17	<2	15	13
R713957		10	<1	0.02	<10	1.35	548	<1	0.24	93	210	2	0.05	<2	8	43
R713958		10	<1	0.02	<10	1.27	630	<1	0.27	73	210	2	0.09	2	9	53
R713959		10	<1	0.01	<10	1.09	562	<1	0.31	66	210	3	0.09	<2	9	50
R713960		10	<1	0.01	<10	0.60	417	<1	0.30	49	210	<2	0.07	<2	5	48
R713961		10	<1	0.01	<10	0.83	1120	<1	0.25	57	210	<2	0.22	<2	7	56
R713962		10	<1	0.01	<10	1.07	670	<1	0.34	61	210	3	0.11	<2	8	62
R713963		10	<1	0.01	<10	0.84	489	<1	0.30	48	210	3	0.08	<2	7	48
R713964		<10	<1	0.01	<10	0.64	612	<1	0.12	45	230	<2	0.08	<2	8	13
R713965		<10	<1	0.01	<10	1.15	835	<1	0.15	68	260	<2	0.39	<2	9	16
R713966		<10	<1	0.01	<10	0.85	594	<1	0.21	73	240	<2	0.22	<2	6	39
R713967		<10	<1	0.01	<10	0.80	525	<1	0.23	51	230	<2	0.30	<2	8	52
R713968		<10	<1	0.01	<10	0.72	405	<1	0.25	50	230	2	0.21	<2	7	46
R713969		<10	<1	0.01	<10	1.02	471	<1	0.19	51	220	<2	0.18	<2	8	27
R713970		<10	<1	0.01	<10	0.78	364	<1	0.10	51	230	<2	0.19	<2	8	10
R713971		<10	<1	0.09	10	0.18	2530	2	0.67	155	250	7	0.36	<2	9	18
R713972		<10	<1	<0.01	<10	<0.01	25	<1	<0.01	1	10	<2	0.03	<2	<1	1
R713973		<10	<1	0.02	<10	0.99	837	<1	0.10	42	370	<2	0.14	<2	11	13
R713974		<10	<1	0.02	<10	0.88	927	<1	0.09	48	290	<2	0.18	<2	13	12
R713975		10	<1	0.02	<10	0.98	1110	<1	0.09	50	290	<2	0.31	<2	15	9
R713976		<10	<1	0.03	<10	0.91	847	1	0.09	39	300	3	0.15	<2	11	7
R713977		<10	<1	0.03	<10	0.77	464	<1	0.10	48	440	<2	0.18	<2	8	6
R713978		10	<1	0.19	<10	1.96	759	<1	0.10	44	300	<2	0.23	<2	9	4
R713979		10	1	0.08	<10	1.51	660	<1	0.09	45	310	<2	0.07	<2	9	11
R713980		<10	<1	0.05	<10	0.91	317	<1	0.12	43	340	<2	0.14	<2	7	9
R713981		10	<1	0.03	<10	1.06	333	<1	0.17	55	320	<2	0.12	<2	9	23
R713982		<10	<1	0.03	<10	1.17	393	<1	0.13	53	310	<2	0.14	<2	8	16
R713983		10	1	0.02	<10	1.13	371	<1	0.14	54	250	<2	0.14	<2	8	16
R713984		10	<1	0.03	<10	1.50	488	<1	0.13	62	290	<2	0.23	<2	9	21
R713985		<10	<1	0.02	<10	0.94	339	<1	0.09	36	290	<2	0.05	<2	6	8
R713986		<10	1	0.02	<10	0.89	327	<1	0.09	39	300	<2	0.08	<2	6	8
R713987		<10	<1	0.02	<10	0.91	301	<1	0.09	35	320	<2	0.05	<2	7	6
R713988		10	<1	0.02	<10	1.06	318	<1	0.15	57	300	<2	0.12	<2	9	19
R713989		<10	<1	0.02	<10	0.83	323	1	0.15	51	300	<2	0.15	<2	7	15
R713990		10	1	0.02	<10	1.30	568	<1	0.08	43	310	<2	0.23	<2	9	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16207466

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R713951		<20	0.11	<10	<10	125	<10	53
R713952		<20	0.09	<10	<10	100	<10	38
R713953		<20	0.08	<10	<10	96	<10	42
R713954		<20	0.07	<10	<10	95	<10	59
R713955		<20	0.05	<10	<10	121	<10	103
R713956		<20	0.05	<10	<10	183	<10	79
R713957		<20	0.05	<10	<10	61	<10	30
R713958		<20	0.05	<10	<10	65	<10	36
R713959		<20	0.07	<10	<10	61	<10	27
R713960		<20	0.05	<10	<10	38	<10	16
R713961		<20	0.05	<10	<10	47	<10	22
R713962		<20	0.08	<10	<10	57	<10	27
R713963		<20	0.06	<10	<10	51	<10	22
R713964		<20	0.08	<10	<10	57	<10	25
R713965		<20	0.06	<10	<10	72	<10	67
R713966		<20	0.07	<10	<10	51	<10	24
R713967		<20	0.06	<10	<10	55	<10	22
R713968		<20	0.07	<10	<10	53	<10	21
R713969		<20	0.07	<10	<10	61	<10	25
R713970		<20	0.08	<10	<10	56	<10	17
R713971		<20	0.01	<10	<10	68	10	152
R713972		<20	<0.01	<10	<10	<1	<10	<2
R713973		<20	0.09	<10	<10	89	<10	38
R713974		<20	0.07	<10	<10	94	<10	33
R713975		<20	0.07	<10	<10	116	<10	46
R713976		<20	0.07	<10	<10	89	<10	35
R713977		<20	0.08	<10	<10	69	<10	36
R713978		<20	0.10	<10	<10	84	<10	45
R713979		<20	0.08	<10	<10	81	<10	39
R713980		<20	0.10	<10	<10	64	<10	26
R713981		<20	0.08	<10	<10	71	<10	28
R713982		<20	0.07	<10	<10	64	<10	33
R713983		<20	0.06	<10	<10	67	<10	28
R713984		<20	0.07	<10	<10	83	<10	39
R713985		<20	0.06	<10	<10	57	<10	26
R713986		<20	0.06	<10	<10	57	<10	29
R713987		<20	0.06	<10	<10	61	<10	26
R713988		<20	0.08	<10	<10	74	<10	30
R713989		<20	0.08	<10	<10	57	<10	29
R713990		<20	0.08	<10	<10	74	<10	37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16207466

Sample Description	Method	WEI-21	Au-AA26	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
R713991		0.06	0.46	0.4	3.62	9	10	90	<0.5	<2	2.21	<0.5	15	57	103	3.22
R713992		0.20	0.01	<0.2	0.01	2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	1	0.23
R713993		4.61	<0.01	<0.2	1.06	8	<10	<10	<0.5	<2	2.87	<0.5	16	29	87	2.05
R713994		4.48	<0.01	<0.2	1.16	6	<10	<10	<0.5	<2	2.89	<0.5	20	32	93	2.22
R713995		4.40	<0.01	<0.2	1.20	9	<10	<10	<0.5	<2	3.12	<0.5	18	37	106	2.21
R713996		3.80	<0.01	<0.2	1.08	2	<10	<10	<0.5	<2	1.98	<0.5	17	26	160	1.88
R713997		4.47	<0.01	<0.2	0.96	<2	<10	<10	<0.5	<2	2.29	<0.5	16	33	140	1.78
R713998		4.44	<0.01	<0.2	1.65	11	<10	<10	<0.5	<2	3.81	<0.5	23	76	111	2.46
R713999		4.45	0.01	<0.2	1.16	23	<10	10	<0.5	<2	3.22	<0.5	20	33	121	1.59
R714000		1.70	<0.01	<0.2	1.24	29	<10	10	<0.5	<2	3.73	<0.5	23	39	125	1.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16207466

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R713991		10	<1	0.14	10	1.24	426	8	0.26	174	460	4	0.06	<2	4	61
R713992		<10	<1	<0.01	<10	<0.01	24	<1	<0.01	<1	10	<2	0.03	<2	<1	1
R713993		<10	<1	0.02	<10	0.81	701	<1	0.09	26	310	<2	0.12	<2	8	7
R713994		<10	1	0.02	<10	0.78	642	<1	0.09	35	310	<2	0.14	<2	9	8
R713995		<10	1	0.02	<10	0.74	658	<1	0.09	32	360	<2	0.11	<2	10	10
R713996		<10	<1	0.02	<10	0.65	412	<1	0.11	36	310	<2	0.16	<2	8	11
R713997		<10	1	0.01	<10	0.73	405	<1	0.09	40	310	<2	0.14	<2	7	11
R713998		<10	<1	0.01	<10	1.12	655	<1	0.11	58	340	<2	0.26	<2	8	21
R713999		<10	1	0.02	<10	0.52	626	<1	0.15	25	320	<2	0.04	<2	7	17
R714000		<10	1	0.02	<10	0.57	744	<1	0.15	29	320	2	0.04	<2	9	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16207466

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R713991		<20	0.11	<10	<10	54	<10	41
R713992		<20	<0.01	<10	<10	<1	<10	<2
R713993		<20	0.07	<10	<10	62	<10	30
R713994		<20	0.07	<10	<10	72	<10	32
R713995		<20	0.07	<10	<10	73	<10	32
R713996		<20	0.09	<10	<10	64	<10	32
R713997		<20	0.08	<10	<10	58	<10	23
R713998		<20	0.05	<10	<10	61	<10	30
R713999		<20	0.07	<10	<10	55	<10	21
R714000		<20	0.07	<10	<10	62	<10	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16207466

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41