ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

CERTIFICATE TB16215013

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215013

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350568		5.00	<0.01	<0.2	6.28	<2	<10	10	<0.5	<2	7.6	<0.5	19	15	89	2.74
V350569		4.85	<0.01	<0.2	7.72	<2	<10	10	<0.5	<2	8.7	<0.5	19	57	46	2.61
V350570		4.98	<0.01	<0.2	8.89	3	<10	10	<0.5	<2	7.9	<0.5	23	169	31	2.94
V350571		4.84	<0.01	<0.2	7.93	<2	<10	10	<0.5	<2	7.48	<0.5	20	79	76	2.93
V350572		4.93	0.01	<0.2	9.25	<2	<10	10	<0.5	<2	8.2	<0.5	15	71	84	2.51
V350573		4.90	<0.01	<0.2	7.38	<2	<10	20	<0.5	<2	7.6	<0.5	23	60	60	2.86
V350574		4.75	<0.01	<0.2	7.07	<2	<10	40	<0.5	<2	6.91	<0.5	19	117	30	3.08
V350575		4.68	<0.01	<0.2	5.91	<2	<10	30	<0.5	<2	6.55	<0.5	18	109	72	2.91
V350576		4.77	<0.01	<0.2	6.84	<2	<10	10	<0.5	<2	6.59	<0.5	16	109	51	2.42
V350577		5.21	<0.01	<0.2	5.26	<2	<10	10	<0.5	<2	4.86	<0.5	17	53	47	2.33
V350578		4.81	0.01	<0.2	5.62	<2	<10	10	<0.5	<2	5.21	<0.5	14	67	51	2.67
V350579		5.15	<0.01	<0.2	4.92	<2	<10	10	<0.5	<2	4.50	<0.5	12	73	44	2.19
V350580		4.70	0.01	<0.2	5.40	<2	<10	10	<0.5	<2	5.25	<0.5	13	213	32	2.11
V350581		5.01	<0.01	<0.2	5.55	<2	<10	10	<0.5	<2	5.85	<0.5	15	215	14	2.20
V350582		4.89	<0.01	<0.2	5.98	<2	<10	10	<0.5	<2	4.30	<0.5	12	159	2	2.17
V350583		4.86	<0.01	<0.2	4.71	2	<10	10	<0.5	<2	4.26	<0.5	12	129	2	2.36
V350584		2.49	<0.01	<0.2	2.94	<2	<10	10	<0.5	<2	2.79	<0.5	23	75	60	5.25
V350585		5.05	<0.01	<0.2	2.62	<2	<10	<10	<0.5	<2	2.96	<0.5	26	9	87	5.15
V350586		5.64	0.03	<0.2	2.01	<2	<10	<10	<0.5	<2	3.18	<0.5	24	8	117	4.18
V350587		5.39	0.01	<0.2	2.02	<2	<10	<10	<0.5	<2	2.75	<0.5	25	7	148	4.20
V350588		0.06	0.46	0.4	3.57	6	<10	90	<0.5	<2	2.27	<0.5	15	58	103	3.23
V350589		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	6	1	0.49
V350590		5.32	0.02	<0.2	1.83	<2	<10	<10	<0.5	<2	2.85	<0.5	22	7	138	3.81
V350591		5.35	<0.01	<0.2	1.89	<2	<10	<10	<0.5	<2	2.99	<0.5	20	7	115	3.86
V350592		5.19	0.02	<0.2	1.90	<2	<10	<10	<0.5	<2	2.88	<0.5	20	7	199	3.93
V350593		5.33	0.01	<0.2	2.08	<2	<10	<10	<0.5	<2	3.21	<0.5	22	8	129	4.44
V350594		5.44	<0.01	<0.2	1.95	<2	<10	<10	<0.5	<2	3.09	<0.5	24	9	146	4.31
V350595		5.43	<0.01	<0.2	1.88	<2	<10	<10	<0.5	<2	2.37	<0.5	25	9	131	4.46
V350596		4.63	<0.01	<0.2	1.83	<2	<10	<10	<0.5	<2	2.72	<0.5	31	8	216	4.72
V350597		5.28	<0.01	<0.2	1.51	<2	<10	<10	<0.5	<2	1.98	<0.5	23	6	142	3.74
V350598		5.32	<0.01	<0.2	1.92	<2	<10	<10	<0.5	<2	2.64	<0.5	24	6	124	4.26
V350599		5.10	<0.01	<0.2	1.90	<2	<10	<10	<0.5	2	2.79	<0.5	21	6	123	3.85
V350600		5.55	<0.01	<0.2	2.54	<2	<10	<10	<0.5	<2	3.67	<0.5	28	7	125	5.15
V350601		5.02	<0.01	<0.2	3.20	<2	<10	<10	<0.5	<2	3.49	<0.5	32	9	128	6.24
V350602		3.51	<0.01	<0.2	4.52	<2	<10	10	<0.5	<2	3.27	<0.5	15	49	2	6.12
V350603		3.63	<0.01	<0.2	4.12	<2	<10	50	<0.5	2	4.97	<0.5	16	54	68	5.16
V350604		4.71	<0.01	<0.2	5.72	<2	<10	70	<0.5	<2	6.52	<0.5	12	34	20	3.23
V350605		2.89	<0.01	<0.2	5.85	<2	<10	70	<0.5	3	7.18	<0.5	14	73	25	2.93
V350606		2.65	<0.01	<0.2	4.35	<2	<10	60	<0.5	<2	8.8	6.6	12	52	38	4.24
V350607		4.64	0.01	<0.2	3.93	<2	<10	30	<0.5	<2	13.6	<0.5	7	101	17	1.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215013

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350568		10	1	0.07	<10	1.24	576	<1	0.42	50	80	<2	0.13	<2	2	49
V350569		10	<1	0.04	<10	1.32	611	<1	0.50	62	70	<2	0.05	2	2	62
V350570		10	<1	0.01	<10	1.60	638	<1	0.56	80	40	<2	0.05	3	2	71
V350571		10	<1	0.01	<10	1.67	674	<1	0.54	62	50	<2	0.06	<2	2	64
V350572		10	<1	0.02	<10	1.38	489	<1	0.62	41	90	<2	0.06	<2	2	77
V350573		10	<1	0.04	<10	1.57	576	<1	0.49	75	70	<2	0.05	3	2	57
V350574		10	<1	0.05	<10	1.86	684	<1	0.50	59	80	<2	0.03	<2	3	51
V350575		10	<1	0.06	<10	1.56	629	<1	0.43	55	100	<2	0.06	2	3	49
V350576		10	<1	0.01	<10	1.55	593	<1	0.53	43	50	<2	0.02	<2	3	69
V350577		<10	<1	0.01	<10	1.30	570	<1	0.38	41	80	<2	0.04	<2	2	57
V350578		10	<1	0.03	<10	1.43	596	<1	0.39	43	90	2	0.03	<2	2	51
V350579		<10	<1	0.03	<10	1.29	459	<1	0.37	33	120	<2	0.02	<2	2	45
V350580		10	<1	0.03	<10	1.66	477	<1	0.40	37	70	<2	0.01	<2	5	46
V350581		10	<1	0.02	<10	1.82	566	<1	0.38	47	50	<2	0.01	<2	4	46
V350582		10	<1	0.02	<10	1.79	449	<1	0.44	34	100	<2	0.01	<2	4	52
V350583		10	<1	0.02	<10	1.64	488	<1	0.33	37	80	<2	0.01	<2	5	46
V350584		10	<1	0.02	<10	1.80	763	<1	0.08	33	270	<2	0.22	<2	9	14
V350585		10	<1	0.03	<10	1.54	751	<1	0.09	20	510	<2	0.13	<2	10	10
V350586		10	<1	0.03	<10	1.02	608	<1	0.12	19	520	<2	0.21	<2	10	16
V350587		10	<1	0.03	<10	1.00	565	<1	0.13	20	530	<2	0.25	<2	10	13
V350588		10	<1	0.14	10	1.26	430	8	0.27	170	450	4	0.07	<2	4	61
V350589		<10	<1	<0.01	<10	<0.01	51	<1	0.01	<1	10	<2	0.03	<2	<1	1
V350590		10	<1	0.03	<10	0.89	576	<1	0.13	18	540	<2	0.22	<2	10	15
V350591		10	<1	0.03	<10	0.90	551	<1	0.13	17	550	<2	0.14	2	10	14
V350592		10	<1	0.04	<10	0.87	579	<1	0.15	15	550	<2	0.13	<2	11	14
V350593		10	<1	0.03	10	1.02	559	<1	0.13	16	550	<2	0.16	<2	12	11
V350594		10	<1	0.03	<10	0.97	532	<1	0.14	28	540	<2	0.22	<2	11	9
V350595		10	<1	0.03	<10	1.01	501	<1	0.12	20	550	<2	0.26	<2	11	7
V350596		10	<1	0.02	<10	1.02	503	<1	0.13	21	540	<2	0.52	<2	10	7
V350597		10	<1	0.03	<10	0.83	458	<1	0.13	16	540	<2	0.30	<2	9	5
V350598		10	<1	0.03	<10	1.03	566	<1	0.14	17	510	<2	0.19	<2	11	7
V350599		10	<1	0.03	<10	0.91	546	<1	0.13	16	560	<2	0.16	<2	9	18
V350600		10	<1	0.02	<10	1.34	689	<1	0.10	19	530	<2	0.21	<2	10	16
V350601		10	<1	0.02	<10	1.89	854	<1	0.06	22	540	<2	0.17	<2	9	10
V350602		10	<1	0.03	<10	4.14	1560	<1	0.02	68	70	<2	0.02	<2	14	4
V350603		10	<1	0.13	<10	4.11	2040	<1	0.02	93	90	<2	0.09	<2	14	5
V350604		10	<1	0.11	<10	2.28	1695	<1	0.39	46	60	2	0.05	<2	7	37
V350605		10	<1	0.12	<10	1.84	1730	<1	0.42	49	40	<2	0.08	<2	6	38
V350606		10	<1	0.15	<10	2.01	1950	<1	0.24	74	40	<2	0.20	<2	3	21
V350607		<10	<1	0.11	<10	0.77	2420	<1	0.28	29	40	<2	0.04	<2	2	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215013

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350568		<20	0.02	<10	<10	31	<10	19
V350569		<20	0.02	<10	<10	29	<10	20
V350570		<20	0.03	<10	<10	37	<10	24
V350571		<20	0.04	<10	<10	37	<10	23
V350572		<20	0.05	<10	<10	43	<10	18
V350573		<20	0.03	<10	<10	32	<10	21
V350574		<20	0.05	<10	<10	55	<10	23
V350575		<20	0.04	<10	<10	41	<10	25
V350576		<20	0.04	<10	<10	35	<10	20
V350577		<20	0.04	<10	<10	32	<10	20
V350578		<20	0.04	<10	<10	35	<10	32
V350579		<20	0.04	<10	<10	33	<10	24
V350580		<20	0.02	<10	<10	43	<10	20
V350581		<20	0.02	<10	<10	42	<10	25
V350582		<20	0.04	<10	<10	61	<10	25
V350583		<20	0.03	<10	<10	50	<10	35
V350584		<20	0.07	<10	<10	121	<10	96
V350585		<20	0.12	<10	<10	119	<10	74
V350586		<20	0.13	<10	<10	107	<10	53
V350587		<20	0.12	<10	<10	112	<10	56
V350588		<20	0.11	<10	<10	55	<10	42
V350589		<20	<0.01	<10	<10	<1	<10	<2
V350590		<20	0.12	<10	<10	103	<10	50
V350591		<20	0.11	<10	<10	109	<10	51
V350592		<20	0.13	<10	<10	118	<10	55
V350593		<20	0.12	<10	<10	128	<10	63
V350594		<20	0.12	<10	<10	120	<10	56
V350595		<20	0.11	<10	<10	125	<10	66
V350596		<20	0.11	<10	<10	113	<10	59
V350597		<20	0.10	<10	<10	99	<10	48
V350598		<20	0.13	<10	<10	127	<10	54
V350599		<20	0.11	<10	<10	101	<10	52
V350600		<20	0.11	<10	<10	120	<10	65
V350601		<20	0.10	<10	<10	130	<10	105
V350602		<20	0.03	<10	<10	88	<10	525
V350603		<20	0.04	<10	<10	88	<10	312
V350604		<20	0.06	<10	<10	74	<10	60
V350605		<20	0.05	<10	<10	57	<10	57
V350606		<20	0.05	<10	<10	64	<10	676
V350607		<20	0.02	<10	<10	24	<10	67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215013

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350608		0.06	6.06	22.2	0.28	243	<10	10	<0.5	<2	0.50	<0.5	10	24	77	1.74
V350609		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	7	2	0.52
V350610		4.68	<0.01	<0.2	7.52	<2	<10	10	<0.5	<2	11.7	<0.5	15	63	19	2.38
V350611		4.99	0.01	<0.2	7.87	3	<10	10	<0.5	2	8.9	<0.5	18	171	56	2.59
V350612		4.98	0.01	<0.2	6.80	<2	<10	10	<0.5	<2	13.1	<0.5	12	29	12	1.92
V350613		4.48	0.12	<0.2	4.60	<2	<10	30	<0.5	<2	14.4	<0.5	8	37	20	2.92
V350614		5.07	0.21	<0.2	5.38	<2	<10	20	<0.5	<2	9.0	<0.5	11	87	26	3.15
V350615		4.90	<0.01	<0.2	8.95	2	<10	10	<0.5	2	7.4	<0.5	16	51	8	2.68
V350616		5.04	<0.01	<0.2	8.68	15	<10	<10	<0.5	2	7.6	<0.5	29	65	51	2.74
V350617		4.87	<0.01	<0.2	8.05	<2	<10	10	<0.5	<2	7.2	<0.5	24	19	65	3.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215013

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350608		<10	<1	0.05	<10	0.20	187	34	0.06	108	230	11	0.40	5	1	13
V350609		<10	<1	<0.01	<10	<0.01	53	<1	0.01	1	10	<2	0.03	<2	<1	<1
V350610		10	<1	0.04	<10	1.19	1670	<1	0.50	50	40	<2	<0.01	<2	2	54
V350611		10	<1	0.04	<10	1.29	1210	<1	0.49	62	50	<2	0.01	<2	2	54
V350612		10	<1	0.05	<10	0.82	1720	<1	0.51	40	90	<2	0.01	<2	2	53
V350613		10	<1	0.19	<10	1.24	2820	<1	0.29	33	40	<2	0.01	2	4	32
V350614		10	<1	0.10	<10	1.32	1560	<1	0.39	46	30	<2	0.03	<2	3	33
V350615		10	<1	0.03	<10	1.33	630	<1	0.58	51	70	<2	0.01	<2	2	64
V350616		10	<1	0.02	<10	1.27	627	<1	0.51	82	50	<2	0.05	<2	1	61
V350617		10	<1	0.03	<10	1.31	678	<1	0.59	71	60	<2	0.13	<2	1	58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215013

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350608		<20	0.12	<10	<10	22	<10	73
V350609		<20	<0.01	<10	<10	<1	<10	<2
V350610		<20	0.03	<10	<10	33	<10	27
V350611		<20	0.03	<10	<10	29	<10	26
V350612		<20	0.04	<10	<10	39	<10	18
V350613		<20	0.03	<10	<10	32	<10	41
V350614		<20	0.04	<10	<10	39	<10	39
V350615		<20	0.05	<10	<10	49	<10	26
V350616		<20	0.04	<10	<10	25	<10	24
V350617		<20	0.04	<10	<10	36	<10	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 18-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16215013

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41