ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

CERTIFICATE TB16179328

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-OCT-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179328

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709951		4.79	0.26	0.2	2.49	<2	<10	10	<0.5	<2	4.88	<0.5	15	11	32	3.05
R709952		4.24	0.29	<0.2	2.94	<2	<10	20	<0.5	<2	11.7	<0.5	11	27	19	2.76
R709953		4.35	<0.01	<0.2	7.49	<2	<10	10	<0.5	<2	5.87	<0.5	13	58	9	2.59
R709954		4.54	<0.01	<0.2	9.22	3	<10	10	<0.5	<2	8.2	<0.5	21	80	15	2.44
R709955		4.32	<0.01	<0.2	9.52	3	<10	10	<0.5	<2	9.1	<0.5	24	58	52	2.49
R709956		4.30	0.03	<0.2	8.65	<2	<10	10	<0.5	<2	9.0	<0.5	24	38	78	3.30
R709957		4.79	<0.01	<0.2	8.46	<2	<10	10	<0.5	<2	8.0	<0.5	14	51	32	2.60
R709958		4.15	<0.01	<0.2	9.99	<2	<10	10	<0.5	<2	9.8	<0.5	17	126	30	3.01
R709959		2.33	<0.01	<0.2	9.16	<2	<10	10	<0.5	<2	9.9	<0.5	12	112	3	2.32
R709960		2.76	0.32	<0.2	4.89	<2	<10	20	<0.5	<2	11.1	<0.5	17	69	85	5.03
R709961		2.33	<0.01	<0.2	4.68	<2	<10	10	<0.5	<2	8.5	<0.5	24	44	70	6.38
R709962		4.32	<0.01	<0.2	4.67	<2	<10	20	<0.5	<2	8.7	<0.5	15	58	42	2.47
R709963		4.28	0.03	<0.2	4.80	<2	<10	20	<0.5	<2	9.8	<0.5	12	69	6	2.40
R709964		4.38	0.06	<0.2	6.73	<2	<10	10	<0.5	<2	10.9	<0.5	16	67	37	2.66
R709965		3.31	0.02	<0.2	4.71	<2	<10	10	<0.5	<2	11.4	<0.5	15	103	28	2.42
R709966		4.21	0.03	<0.2	7.59	4	<10	10	<0.5	<2	10.9	<0.5	17	176	43	2.32
R709967		4.33	0.03	0.2	9.84	4	<10	10	<0.5	<2	11.4	<0.5	29	79	124	3.25
R709968		4.17	1.06	0.3	7.14	<2	<10	10	<0.5	<2	9.0	<0.5	22	85	170	4.28
R709969		4.41	0.54	<0.2	7.44	<2	<10	10	<0.5	<2	9.5	<0.5	15	73	15	3.09
R709970		4.31	0.28	<0.2	6.64	<2	<10	10	<0.5	2	10.2	<0.5	11	23	20	3.56
R709971		0.05	1.40	<0.2	0.40	117	<10	10	<0.5	2	0.16	<0.5	3	127	28	2.08
R709972		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.37
R709973		4.06	0.16	<0.2	8.08	<2	<10	10	<0.5	<2	9.1	<0.5	15	31	11	3.24
R709974		4.25	0.20	<0.2	8.40	<2	<10	10	<0.5	<2	9.6	<0.5	14	28	14	3.77
R709975		4.21	0.69	0.3	6.29	3	<10	10	<0.5	<2	10.0	<0.5	13	53	62	4.53
R709976		4.10	0.36	<0.2	7.70	2	<10	10	<0.5	<2	10.7	<0.5	13	125	19	2.52
R709977		4.17	0.21	<0.2	8.26	<2	<10	10	<0.5	<2	10.5	<0.5	13	132	14	2.75
R709978		4.35	0.25	<0.2	6.87	<2	<10	10	<0.5	<2	11.0	<0.5	12	91	26	2.73
R709979		4.12	0.03	<0.2	5.75	<2	<10	10	<0.5	<2	9.2	<0.5	17	66	33	3.12
R709980		4.14	<0.01	<0.2	6.89	<2	<10	10	<0.5	<2	9.6	<0.5	17	73	14	3.16
R709981		4.20	0.01	<0.2	4.71	<2	<10	10	<0.5	<2	8.9	<0.5	16	83	53	3.24
R709982		4.11	0.01	<0.2	8.97	<2	<10	10	<0.5	<2	7.7	<0.5	17	68	56	3.08
R709983		4.26	<0.01	<0.2	8.38	<2	<10	10	<0.5	<2	7.33	<0.5	17	92	6	3.31
R709984		4.27	0.09	<0.2	7.40	2	<10	10	<0.5	<2	7.3	<0.5	19	99	21	4.03
R709985		4.37	0.01	<0.2	8.88	5	<10	10	<0.5	<2	7.7	<0.5	18	115	46	3.39
R709986		4.34	<0.01	<0.2	8.44	<2	<10	10	<0.5	<2	6.70	<0.5	15	89	5	2.98
R709987		4.47	0.01	<0.2	8.70	13	<10	10	<0.5	<2	8.7	<0.5	19	108	44	3.31
R709988		4.52	0.09	<0.2	9.64	5	<10	10	<0.5	<2	8.3	<0.5	16	77	50	3.09
R709989		4.50	0.02	<0.2	10.30	40	<10	10	<0.5	<2	8.8	<0.5	26	80	56	3.04
R709990		4.59	0.01	0.2	9.91	36	<10	10	<0.5	<2	9.6	<0.5	32	43	103	4.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179328

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709951		<10	<1	0.02	<10	0.91	1180	<1	0.14	55	60	<2	0.41	<2	3	29
R709952		<10	<1	0.03	<10	1.01	2330	<1	0.20	43	40	<2	0.20	<2	2	32
R709953		10	1	0.02	<10	1.41	738	<1	0.59	45	60	<2	0.01	<2	3	62
R709954		10	1	0.01	<10	1.47	584	<1	0.65	74	40	<2	0.03	<2	3	73
R709955		10	1	0.01	<10	1.45	599	<1	0.67	84	50	<2	0.08	<2	3	77
R709956		10	<1	0.02	<10	1.58	889	<1	0.62	72	70	<2	0.16	<2	4	87
R709957		10	1	0.02	<10	1.39	664	<1	0.63	41	100	<2	0.02	<2	6	226
R709958		10	1	0.02	<10	1.59	776	<1	0.70	48	60	<2	0.01	<2	6	119
R709959		10	1	0.04	<10	1.23	873	<1	0.69	36	80	<2	<0.01	<2	6	81
R709960		10	<1	0.10	<10	1.11	2120	<1	0.36	62	50	<2	0.82	<2	6	42
R709961		10	<1	0.03	<10	1.97	1710	<1	0.19	39	210	<2	0.12	<2	17	24
R709962		10	<1	0.04	<10	1.61	850	<1	0.37	44	50	<2	0.01	<2	5	39
R709963		10	<1	0.05	<10	1.22	962	<1	0.40	42	50	<2	0.01	<2	6	38
R709964		10	<1	0.04	<10	1.17	1095	<1	0.49	50	60	<2	0.04	<2	4	52
R709965		10	1	0.04	<10	1.22	1120	<1	0.31	46	40	<2	0.01	<2	6	33
R709966		10	1	0.04	<10	1.36	896	<1	0.45	53	50	<2	0.01	<2	8	54
R709967		10	1	0.04	<10	1.48	1195	<1	0.65	98	40	<2	0.06	<2	6	69
R709968		10	1	0.05	<10	1.70	1515	<1	0.52	61	70	<2	0.13	<2	7	46
R709969		10	1	0.06	<10	1.22	1240	<1	0.58	40	80	<2	0.02	<2	6	54
R709970		10	<1	0.06	<10	1.30	1445	<1	0.49	34	60	<2	0.12	<2	5	47
R709971		<10	<1	0.04	<10	0.07	53	1	0.02	18	60	2	0.03	<2	4	5
R709972		<10	<1	<0.01	<10	<0.01	39	<1	0.01	1	10	<2	0.03	<2	<1	2
R709973		10	<1	0.06	<10	1.12	1310	<1	0.60	39	60	<2	0.06	<2	5	66
R709974		10	1	0.05	<10	1.30	1280	<1	0.63	35	50	<2	0.07	<2	6	66
R709975		10	1	0.05	<10	1.41	1750	<1	0.45	40	60	<2	0.37	<2	6	47
R709976		10	<1	0.06	<10	0.83	1340	<1	0.64	32	90	<2	0.09	<2	5	73
R709977		10	1	0.06	<10	0.93	1280	<1	0.61	42	90	<2	0.04	<2	6	75
R709978		10	1	0.06	<10	1.03	1465	<1	0.49	41	80	<2	0.04	4	6	55
R709979		10	1	0.05	<10	1.60	1055	<1	0.36	52	80	<2	<0.01	2	7	37
R709980		10	<1	0.03	<10	1.38	1060	<1	0.44	53	90	<2	0.01	3	5	49
R709981		10	<1	0.04	<10	1.64	1120	<1	0.26	50	80	<2	0.01	2	6	27
R709982		10	2	0.03	<10	1.73	738	<1	0.62	51	90	<2	0.01	4	3	63
R709983		10	1	0.05	<10	1.85	783	<1	0.54	52	70	<2	0.01	4	5	56
R709984		10	2	0.05	<10	2.02	1135	<1	0.48	73	50	<2	0.03	3	4	50
R709985		10	2	0.04	<10	1.91	925	<1	0.60	62	60	<2	0.01	3	4	61
R709986		10	1	0.04	<10	1.88	754	<1	0.60	60	60	2	<0.01	3	5	58
R709987		10	2	0.03	<10	2.06	1090	<1	0.57	69	50	<2	0.01	3	5	62
R709988		10	1	0.05	<10	1.70	914	<1	0.69	50	80	<2	0.01	5	4	72
R709989		10	<1	0.05	<10	1.68	869	<1	0.69	74	70	3	0.01	3	5	76
R709990		10	1	0.05	<10	2.02	1145	<1	0.65	86	60	<2	0.11	4	6	74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179328

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709951		<20	0.04	<10	<10	29	<10	26
R709952		<20	0.03	<10	<10	21	<10	24
R709953		<20	0.05	<10	<10	43	<10	23
R709954		<20	0.03	<10	<10	35	<10	17
R709955		<20	0.02	<10	<10	30	<10	16
R709956		<20	0.02	<10	<10	46	<10	27
R709957		<20	0.03	<10	<10	62	<10	23
R709958		<20	0.03	<10	<10	60	<10	21
R709959		<20	0.04	<10	<10	66	<10	20
R709960		<20	0.02	<10	<10	57	<10	81
R709961		<20	0.01	<10	<10	151	<10	62
R709962		<20	<0.01	<10	<10	46	<10	21
R709963		<20	<0.01	<10	<10	48	<10	19
R709964		<20	0.01	<10	<10	44	10	22
R709965		<20	<0.01	<10	<10	42	<10	18
R709966		<20	0.01	<10	<10	49	<10	18
R709967		<20	0.01	<10	<10	41	<10	25
R709968		<20	0.01	<10	<10	58	<10	41
R709969		<20	0.01	<10	<10	58	<10	23
R709970		<20	0.02	<10	<10	51	<10	24
R709971		<20	0.02	<10	<10	62	<10	13
R709972		<20	<0.01	<10	<10	<1	<10	<2
R709973		<20	0.03	<10	<10	57	<10	24
R709974		<20	0.02	<10	<10	64	<10	24
R709975		<20	0.02	<10	<10	63	<10	28
R709976		<20	0.03	<10	<10	61	<10	16
R709977		<20	0.03	<10	<10	73	<10	18
R709978		<20	0.03	<10	<10	61	<10	20
R709979		<20	0.01	<10	<10	61	<10	23
R709980		<20	0.01	<10	<10	55	<10	21
R709981		<20	0.01	<10	<10	62	<10	23
R709982		<20	0.03	<10	<10	59	<10	23
R709983		<20	0.02	<10	<10	70	<10	25
R709984		<20	0.03	<10	<10	59	<10	29
R709985		<20	0.04	<10	<10	70	<10	24
R709986		<20	0.05	<10	<10	70	<10	23
R709987		<20	0.04	<10	<10	63	<10	27
R709988		<20	0.04	<10	<10	65	<10	25
R709989		<20	0.04	<10	<10	69	<10	23
R709990		<20	0.03	<10	<10	76	<10	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179328

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R709991		0.05	2.65	1.5	0.70	55	10	70	0.5	3	0.95	<0.5	23	55	80	4.37
R709992		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	2	0.35
R709993		4.46	0.01	<0.2	9.37	28	<10	20	<0.5	<2	8.6	<0.5	21	187	17	3.63
R709994		4.59	0.11	<0.2	10.05	35	<10	10	<0.5	<2	9.3	<0.5	22	96	53	3.27
R709995		4.63	0.01	<0.2	10.35	22	<10	10	<0.5	<2	8.8	<0.5	18	120	20	3.10
R709996		4.46	<0.01	<0.2	7.61	18	<10	10	<0.5	<2	6.10	<0.5	21	95	31	4.84
R709997		4.59	0.01	<0.2	9.26	21	<10	10	<0.5	<2	8.3	<0.5	26	78	50	3.84
R709998		4.32	0.01	<0.2	9.34	6	<10	10	<0.5	<2	8.2	<0.5	20	108	49	3.13
R709999		4.31	<0.01	<0.2	9.06	8	<10	10	<0.5	<2	8.9	<0.5	26	59	7	4.01
R710000		3.94	0.27	<0.2	5.76	4	<10	20	<0.5	<2	2.98	<0.5	19	102	2	4.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179328

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R709991		<10	1	0.26	20	0.53	642	13	0.11	67	530	19	1.26	3	6	125
R709992		<10	<1	<0.01	<10	<0.01	38	<1	0.01	2	10	<2	0.03	<2	<1	1
R709993		10	1	0.10	<10	2.32	1030	<1	0.60	74	70	<2	0.01	<2	11	68
R709994		10	1	0.02	<10	2.03	895	<1	0.59	75	70	<2	0.01	4	10	74
R709995		10	1	0.03	<10	2.03	858	<1	0.64	62	80	<2	<0.01	5	11	76
R709996		10	1	0.04	<10	3.14	1280	<1	0.41	81	50	2	0.10	<2	10	42
R709997		10	<1	0.03	<10	2.69	740	<1	0.55	99	70	<2	0.01	2	9	67
R709998		10	1	0.03	<10	2.24	617	<1	0.57	63	110	<2	0.01	2	9	72
R709999		10	2	0.05	<10	2.52	920	<1	0.51	100	50	<2	<0.01	4	12	63
R710000		10	1	0.15	<10	2.59	1025	<1	0.37	56	30	2	0.01	<2	8	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179328

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R709991		<20	0.02	<10	<10	26	<10	117
R709992		<20	<0.01	<10	<10	<1	<10	<2
R709993		<20	0.05	<10	<10	92	<10	27
R709994		<20	0.03	<10	<10	86	<10	23
R709995		<20	0.04	<10	<10	87	<10	24
R709996		<20	0.01	<10	<10	69	<10	35
R709997		<20	0.03	<10	<10	87	<10	24
R709998		<20	0.04	<10	<10	84	<10	20
R709999		<20	0.04	<10	<10	83	<10	25
R710000		<20	0.06	<10	<10	44	<10	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16179328

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41