ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

CERTIFICATE TB16185339

Project: 180.04E.84A12A

This report is for 41 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 27-OCT-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16185339

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711587		4.84	0.21	1.3	5.35	49	<10	10	<0.5	6	0.08	11.7	80	184	578	6.35
R711588		4.93	0.50	0.4	5.49	8	<10	10	<0.5	7	0.22	8.5	49	191	189	5.88
R711589		4.20	0.14	0.5	5.58	2	<10	20	<0.5	3	3.07	<0.5	51	194	352	7.83
R711590		2.51	0.01	0.2	4.07	5	<10	60	<0.5	6	5.03	<0.5	46	131	168	8.33
R711591		4.35	0.01	<0.2	3.61	2	<10	10	<0.5	4	5.24	<0.5	41	153	118	6.45
R711592		4.94	0.02	<0.2	3.33	3	<10	<10	<0.5	3	4.88	<0.5	34	114	128	5.37
R711593		4.82	0.03	<0.2	2.71	6	<10	<10	<0.5	3	4.15	<0.5	34	107	118	5.25
R711594		5.69	0.02	<0.2	2.62	3	<10	<10	<0.5	<2	4.16	<0.5	33	98	136	5.06
R711595		5.28	0.02	<0.2	2.90	4	<10	<10	<0.5	4	4.30	<0.5	34	104	132	5.81
R711596		4.83	<0.01	<0.2	3.40	<2	<10	<10	<0.5	3	4.67	<0.5	40	113	156	6.89
R711597		3.95	0.01	<0.2	4.37	<2	<10	10	<0.5	5	5.17	<0.5	41	128	101	7.96
R711598		4.80	0.10	<0.2	5.76	5	<10	20	<0.5	6	1.95	<0.5	36	193	111	8.60
R711599		4.28	0.01	<0.2	5.68	<2	<10	20	<0.5	7	4.31	<0.5	39	250	131	7.58
R711600		4.30	<0.01	<0.2	4.57	<2	<10	20	<0.5	8	5.62	<0.5	41	187	136	6.97
R711601		4.56	<0.01	<0.2	4.91	2	<10	80	<0.5	5	4.84	<0.5	41	247	126	7.62
R711602		4.60	0.02	0.4	4.79	3	<10	60	<0.5	10	4.55	<0.5	72	206	381	11.85
R711603		4.58	0.01	<0.2	4.41	4	<10	140	<0.5	5	4.13	<0.5	35	305	87	5.69
R711604		3.08	0.18	<0.2	5.57	12	<10	150	<0.5	5	4.53	<0.5	41	165	9	3.03
R711605		2.26	<0.01	<0.2	3.74	2	<10	10	<0.5	<2	9.3	<0.5	23	106	15	4.04
R711606		5.66	0.02	<0.2	4.23	7	<10	20	<0.5	4	5.67	<0.5	20	187	3	2.69
R711607		0.05	3.27	1.3	0.59	8	<10	30	<0.5	2	0.72	<0.5	4	12	32	1.26
R711608		0.17	<0.01	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	3	0.43
R711609		4.61	<0.01	<0.2	4.24	<2	<10	20	<0.5	6	4.70	<0.5	36	169	115	5.98
R711610		4.71	<0.01	<0.2	3.23	2	<10	30	<0.5	<2	4.29	<0.5	35	189	141	4.71
R711611		4.75	0.01	<0.2	3.36	2	<10	<10	<0.5	<2	4.47	<0.5	35	130	152	4.91
R711612		5.03	0.02	<0.2	3.49	<2	<10	<10	<0.5	2	4.41	<0.5	31	103	154	4.37
R711613		4.67	0.03	<0.2	3.17	<2	<10	<10	<0.5	2	4.09	<0.5	26	68	174	3.57
R711614		4.57	0.01	<0.2	3.22	2	<10	<10	<0.5	<2	3.55	<0.5	28	60	156	3.55
R711615		4.78	0.01	<0.2	3.69	<2	<10	<10	<0.5	<2	4.74	<0.5	35	133	149	5.03
R711616		4.52	<0.01	<0.2	4.15	<2	<10	10	<0.5	3	5.27	<0.5	41	177	145	6.24
R711617		4.67	0.01	0.2	3.89	<2	<10	<10	<0.5	<2	5.36	<0.5	37	136	147	5.68
R711618		0.05	2.92	0.5	0.82	1580	10	60	<0.5	2	0.09	<0.5	111	83	181	8.59
R711619		0.18	<0.01	<0.2	0.02	3	<10	<10	<0.5	<2	0.01	<0.5	<1	3	3	0.45
R711620		4.62	<0.01	<0.2	4.41	<2	<10	10	<0.5	3	5.73	<0.5	42	186	145	6.86
R711621		4.57	0.03	<0.2	4.57	2	<10	60	<0.5	2	5.61	<0.5	43	192	138	7.23
R711622		2.86	<0.01	<0.2	4.86	2	<10	70	<0.5	2	5.72	<0.5	44	194	136	7.47
R711623		4.39	<0.01	<0.2	5.64	3	<10	50	<0.5	3	3.21	<0.5	23	208	237	6.29
R711624		3.21	0.01	1.2	3.45	2	<10	90	<0.5	18	1.76	<0.5	27	200	1515	26.7
R711625		4.57	0.05	<0.2	4.16	4	<10	30	<0.5	3	4.82	<0.5	31	153	87	6.34
R711626		4.38	0.01	<0.2	4.32	<2	<10	20	<0.5	4	6.46	<0.5	42	220	90	6.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16185339

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R711587		10	1	0.05	<10	5.17	364	<1	<0.01	121	270	<2	0.39	<2	16	2
R711588		10	1	0.06	<10	5.52	548	<1	0.01	123	190	2	0.15	<2	16	2
R711589		20	1	0.10	<10	5.29	1100	<1	0.01	110	280	<2	0.44	<2	21	10
R711590		10	<1	0.17	<10	3.53	1250	<1	0.02	85	350	3	1.27	<2	14	19
R711591		10	1	0.02	<10	3.33	1080	<1	0.03	95	260	<2	0.44	<2	12	17
R711592		10	<1	0.02	<10	2.89	894	<1	0.05	81	290	2	0.14	<2	12	32
R711593		10	<1	0.03	<10	2.81	1010	<1	0.07	79	300	<2	0.24	<2	13	30
R711594		10	1	0.02	<10	2.63	1015	<1	0.07	72	310	<2	0.17	<2	13	25
R711595		10	1	0.02	<10	2.88	1090	<1	0.06	76	320	<2	0.15	<2	12	16
R711596		10	<1	0.02	<10	3.17	1185	<1	0.04	83	310	<2	0.52	<2	14	17
R711597		10	1	0.06	<10	3.70	1290	<1	0.02	82	300	2	0.59	<2	18	25
R711598		10	<1	0.19	<10	5.42	1105	<1	0.02	103	210	<2	0.70	<2	24	13
R711599		10	<1	0.17	<10	5.57	1075	<1	0.01	139	290	<2	0.59	<2	24	23
R711600		10	<1	0.12	<10	4.01	961	<1	0.02	124	220	<2	0.23	<2	15	28
R711601		10	1	0.38	<10	4.57	1050	<1	0.02	127	350	<2	0.62	<2	18	32
R711602		10	<1	0.31	<10	4.69	1205	<1	0.01	108	260	<2	3.34	<2	22	36
R711603		10	<1	0.69	10	4.88	930	<1	0.04	134	610	<2	0.36	<2	17	56
R711604		10	1	0.77	<10	2.68	931	<1	0.49	171	30	2	0.03	<2	25	79
R711605		10	<1	0.07	<10	6.56	1665	<1	0.01	131	10	<2	<0.01	<2	20	35
R711606		10	<1	0.12	<10	4.36	891	<1	0.12	93	80	<2	<0.01	<2	21	26
R711607		<10	1	0.06	<10	0.19	136	5	0.14	17	310	6	0.06	3	1	23
R711608		<10	1	<0.01	<10	<0.01	45	<1	<0.01	2	10	<2	0.04	<2	<1	1
R711609		10	<1	0.05	<10	4.07	962	<1	0.03	112	210	<2	0.49	<2	17	23
R711610		10	<1	0.12	10	3.18	734	<1	0.07	129	370	<2	0.34	<2	8	28
R711611		10	<1	0.01	<10	3.09	774	<1	0.07	112	230	<2	0.21	<2	9	20
R711612		10	<1	0.02	<10	2.78	713	<1	0.14	93	230	<2	0.12	<2	8	35
R711613		10	<1	0.02	<10	2.16	593	<1	0.20	85	230	<2	0.10	2	7	42
R711614		10	<1	0.02	<10	2.16	548	<1	0.21	93	240	<2	0.13	<2	6	41
R711615		10	<1	0.01	<10	3.24	814	<1	0.10	114	230	<2	0.14	<2	9	21
R711616		10	<1	0.03	<10	3.77	992	<1	0.05	135	240	<2	0.32	<2	12	19
R711617		10	<1	0.02	<10	3.38	942	<1	0.07	114	220	<2	0.24	<2	10	23
R711618		<10	<1	0.09	10	0.20	2660	2	0.75	169	270	7	0.38	<2	10	18
R711619		<10	<1	<0.01	<10	<0.01	48	<1	0.02	2	10	<2	0.03	<2	<1	1
R711620		10	<1	0.06	<10	3.84	1075	<1	0.03	124	220	<2	0.36	<2	12	23
R711621		10	<1	0.21	<10	3.98	1105	<1	0.03	126	220	<2	0.58	<2	15	24
R711622		10	<1	0.25	<10	4.08	1030	<1	0.03	128	220	<2	0.48	<2	14	31
R711623		10	<1	0.14	<10	6.04	973	<1	0.02	117	200	<2	0.49	<2	26	16
R711624		10	<1	0.34	<10	3.35	531	1	0.02	132	120	5	7.10	<2	11	11
R711625		10	1	0.14	<10	3.75	1200	<1	0.03	97	260	<2	0.78	<2	12	22
R711626		10	<1	0.08	<10	3.76	1295	<1	0.03	115	250	<2	0.25	<2	18	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16185339

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711587		<20	0.01	<10	<10	134	<10	4470
R711588		<20	0.01	<10	<10	135	<10	2310
R711589		<20	0.04	<10	<10	191	10	531
R711590		<20	0.08	<10	<10	196	10	125
R711591		<20	0.06	<10	<10	128	<10	78
R711592		<20	0.07	<10	<10	100	<10	68
R711593		<20	0.07	<10	<10	106	<10	62
R711594		<20	0.07	<10	<10	103	<10	61
R711595		<20	0.07	<10	<10	129	<10	69
R711596		<20	0.06	<10	<10	148	10	84
R711597		<20	0.06	<10	<10	197	20	104
R711598		<20	0.07	<10	<10	195	10	156
R711599		<20	0.06	<10	<10	203	<10	126
R711600		<20	0.08	<10	<10	172	<10	81
R711601		<20	0.10	<10	<10	194	<10	91
R711602		<20	0.08	<10	<10	178	10	91
R711603		<20	0.11	<10	<10	151	<10	75
R711604		<20	0.07	<10	<10	97	<10	57
R711605		<20	0.02	<10	<10	44	<10	50
R711606		<20	0.02	<10	<10	95	10	48
R711607		<20	0.21	<10	<10	32	<10	25
R711608		<20	<0.01	<10	<10	<1	<10	<2
R711609		<20	0.06	<10	<10	148	<10	79
R711610		<20	0.07	<10	<10	80	<10	55
R711611		<20	0.07	<10	<10	80	<10	56
R711612		<20	0.07	<10	<10	76	<10	52
R711613		<20	0.08	<10	<10	65	<10	43
R711614		<20	0.08	<10	<10	65	<10	42
R711615		<20	0.07	<10	<10	87	<10	58
R711616		<20	0.06	<10	<10	122	<10	69
R711617		<20	0.06	<10	<10	114	<10	64
R711618		<20	0.01	<10	<10	72	10	164
R711619		<20	<0.01	<10	<10	<1	<10	<2
R711620		<20	0.06	<10	<10	168	<10	73
R711621		<20	0.07	<10	<10	198	<10	86
R711622		<20	0.08	<10	<10	199	<10	80
R711623		<20	0.04	<10	<10	186	<10	141
R711624		<20	0.06	<10	<10	108	<10	129
R711625		<20	0.06	<10	<10	142	10	92
R711626		<20	0.08	<10	<10	194	<10	73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16185339

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
R711627		2.37	<0.01	<0.2	3.55	<2	<10	<10	<0.5	3	6.19	<0.5	34	188	88	4.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16185339

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
R711627		10	<1	0.02	<10	3.32	1350	<1	0.05	101	250	<2	0.13	<2	13	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16185339

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
R711627		<20	0.07	<10	<10	127	<10	55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 11-NOV-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16185339

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41