ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

QC CERTIFICATE TB16179327

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-OCT-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BP-13		0.35														
BP-13		0.36														
Target Range - Lower Bound		0.33														
Upper Bound		0.39														
MRGeo08			4.6	2.59	32	10	450	0.7	2	1.09	2.1	19	92	628	3.60	10
MRGeo08			4.3	2.51	30	<10	430	0.7	2	1.03	2.0	18	90	616	3.60	10
Target Range - Lower Bound			3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22	<10
Upper Bound			5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96	30
OGGeo08			19.3	2.12	114	<10	130	0.6	10	0.88	17.9	95	76	8150	4.94	10
Target Range - Lower Bound			18.0	2.05	105	<10	60	<0.5	6	0.82	16.2	86	75	7800	4.51	<10
Upper Bound			22.4	2.53	133	30	110	1.8	15	1.02	21.0	108	93	8980	5.53	30
OREAS 216		6.69														
Target Range - Lower Bound		6.25														
Upper Bound		7.07														
OREAS 602			>100	0.64	680	<10	30	<0.5	62	0.55	25.5	10	30	5230	2.08	<10
OREAS 602			>100	0.64	645	<10	30	<0.5	58	0.52	24.2	10	32	5230	2.07	<10
Target Range - Lower Bound			106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94	<10
Upper Bound			100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40	30
OREAS-45b			0.2	4.14	2	10	150	0.6	4	0.30	<0.5	75	645	439	14.75	20
Target Range - Lower Bound			<0.2	3.73	<2	<10	120	<0.5	<2	0.25	<0.5	65	599	417	13.35	<10
Upper Bound			0.6	4.58	7	20	190	1.8	4	0.33	1.1	82	735	481	16.35	40
OxJ111		2.16														
Target Range - Lower Bound		2.03														
Upper Bound		2.31														
OxP91		14.60														
OxP91		15.20														
Target Range - Lower Bound		13.90														
Upper Bound		15.70														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
STANDARDS																
BP-13																
BP-13																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		<1	1.27	30	1.16	423	14	0.32	700	1030	1070	0.31	3	7	77	20
MRGeo08		<1	1.24	30	1.10	396	13	0.32	664	950	1015	0.31	4	7	76	20
Target Range - Lower Bound		<1	1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71	<20
Upper Bound		2	1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89	60
OGGeo08		<1	1.05	30	0.93	375	854	0.30	8510	760	6980	2.77	21	6	64	20
Target Range - Lower Bound		<1	0.94	<10	0.84	350	810	0.26	7760	700	6510	2.51	15	4	59	<20
Upper Bound		3	1.18	50	1.05	438	992	0.34	9480	880	7970	3.09	27	9	74	60
OREAS 216																
Target Range - Lower Bound																
Upper Bound																
OREAS 602		1	0.09	10	0.11	221	4	0.03	61	230	861	2.08	63	1	51	<20
OREAS 602		<1	0.09	10	0.10	207	4	0.03	60	220	822	2.01	65	1	51	<20
Target Range - Lower Bound		<1	0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44	<20
Upper Bound		3	0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56	40
OREAS-45b		<1	0.07	20	0.12	768	1	0.03	213	440	22	0.04	<2	41	17	<20
Target Range - Lower Bound		<1	0.05	<10	0.09	727	<1	<0.01	176		16	<0.01	<2	41	14	<20
Upper Bound		2	0.09	40	0.15	899	3	0.04	218		26	0.06	4	52	20	50
OxJ111																
Target Range - Lower Bound																
Upper Bound																
OxP91																
OxP91																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS					
BP-13							
BP-13							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		0.40	<10	<10	101	<10	794
MRGeo08		0.37	<10	<10	96	<10	736
Target Range - Lower Bound		0.33	<10	<10	90	<10	708
Upper Bound		0.43	20	30	112	20	870
OGGeo08		0.30	<10	<10	77	<10	6820
Target Range - Lower Bound		0.27	<10	<10	70	<10	6500
Upper Bound		0.36	20	30	88	20	7950
OREAS 216							
Target Range - Lower Bound							
Upper Bound							
OREAS 602		0.01	<10	<10	10	<10	4220
OREAS 602		0.01	<10	<10	10	<10	3890
Target Range - Lower Bound		<0.01	<10	<10	8	<10	3680
Upper Bound		0.03	20	20	14	20	4500
OREAS-45b		0.22	<10	<10	208	<10	168
Target Range - Lower Bound		0.19	<10	<10	198	<10	154
Upper Bound		0.25	20	20	244	20	192
OxJ111							
Target Range - Lower Bound							
Upper Bound							
OxP91							
OxP91							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK		<0.01														
BLANK		<0.01														
BLANK		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Target Range - Lower Bound			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound			0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			0.2	4.20	2	10	120	0.6	<2	2.79	<0.5	29	92	32	6.73	10
DUP			0.2	4.36	3	<10	130	0.6	<2	2.81	<0.5	30	95	32	6.75	10
Target Range - Lower Bound			<0.2	4.06	<2	<10	110	<0.5	<2	2.65	<0.5	27	88	30	6.39	<10
Upper Bound			0.4	4.50	4	20	140	1.0	4	2.95	1.0	32	99	34	7.09	20
R709880		0.09														
DUP		0.20														
Target Range - Lower Bound		0.13														
Upper Bound		0.16														
R709901			<0.2	10.75	19	<10	20	<0.5	<2	9.7	<0.5	22	107	35	1.74	10
DUP			<0.2	11.20	27	<10	20	<0.5	<2	10.00	<0.5	25	111	35	1.79	10
Target Range - Lower Bound			<0.2	10.40	20	<10	<10	<0.5	<2	9.35	<0.5	21	103	33	1.67	<10
Upper Bound			0.4	11.55	26	20	30	1.0	4	10.35	1.0	26	115	37	1.86	20
R709914		0.17														
DUP		0.15														
Target Range - Lower Bound		0.14														
Upper Bound		0.18														
R709934		0.01														
DUP		0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
BLANKS																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<20
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20
BLANK		<1	<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	0.01	<2	<1	<1	<20
Target Range - Lower Bound		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20
Upper Bound		2	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	40
DUPLICATES																
ORIGINAL		1	0.08	10	3.27	709	<1	0.51	29	1240	4	2.31	<2	22	242	<20
DUP		1	0.08	10	3.33	715	1	0.52	29	1210	4	2.29	2	23	245	<20
Target Range - Lower Bound		<1	0.07	<10	3.13	671	<1	0.48	27	1150	<2	2.18	<2	20	230	<20
Upper Bound		2	0.09	20	3.48	753	2	0.55	31	1300	6	2.43	4	25	257	40
R709880																
DUP																
Target Range - Lower Bound																
Upper Bound																
R709901		<1	0.02	<10	2.17	411	<1	0.61	180	30	2	0.01	<2	4	96	<20
DUP		2	0.02	<10	2.25	418	<1	0.64	174	30	2	0.01	<2	4	100	<20
Target Range - Lower Bound		<1	<0.01	<10	2.09	389	<1	0.58	167	20	<2	<0.01	<2	3	92	<20
Upper Bound		2	0.03	20	2.33	440	2	0.67	187	40	4	0.02	4	5	104	40
R709914																
DUP																
Target Range - Lower Bound																
Upper Bound																
R709934																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		BLANKS					
BLANK							
BLANK							
BLANK							
Target Range - Lower Bound							
Upper Bound							
BLANK		<0.01	<10	<10	<1	<10	<2
BLANK		<0.01	<10	<10	<1	<10	<2
BLANK		<0.01	<10	<10	<1	<10	<2
Target Range - Lower Bound		<0.01	<10	<10	<1	<10	<2
Upper Bound		0.02	20	20	2	20	4
		DUPLICATES					
ORIGINAL		0.07	<10	<10	143	<10	89
DUP		0.08	<10	<10	147	<10	89
Target Range - Lower Bound		0.06	<10	<10	137	<10	83
Upper Bound		0.09	20	20	153	20	95
R709880							
DUP							
Target Range - Lower Bound							
Upper Bound							
R709901		<0.01	<10	<10	21	<10	18
DUP		<0.01	<10	<10	22	<10	18
Target Range - Lower Bound		<0.01	<10	<10	19	<10	15
Upper Bound		0.02	20	20	24	20	21
R709914							
DUP							
Target Range - Lower Bound							
Upper Bound							
R709934							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
R709951			0.2	2.49	<2	<10	10	<0.5	<2	4.88	<0.5	15	11	32	3.05	<10
DUP			<0.2	2.65	<2	<10	10	<0.5	<2	5.10	<0.5	17	12	33	3.18	<10
Target Range - Lower Bound			<0.2	2.43	<2	<10	<10	<0.5	<2	4.73	<0.5	14	10	30	2.95	<10
Upper Bound			0.4	2.71	4	20	20	1.0	4	5.25	1.0	18	13	35	3.28	20
R709954		<0.01														
DUP		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
R711069		<0.01														
DUP		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
R711089		<0.01														
DUP		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
ORIGINAL		0.36														
DUP		0.41														
Target Range - Lower Bound		0.36														
Upper Bound		0.41														
ORIGINAL		0.49														
DUP		0.53														
Target Range - Lower Bound		0.47														
Upper Bound		0.55														
ORIGINAL		0.14														
DUP		0.13														
Target Range - Lower Bound		0.12														
Upper Bound		0.15														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
DUPLICATES																
R709951		<1	0.02	<10	0.91	1180	<1	0.14	55	60	<2	0.41	<2	3	29	<20
DUP		<1	0.02	<10	0.95	1215	1	0.15	56	60	<2	0.42	<2	3	31	<20
Target Range -	Lower Bound	<1	<0.01	<10	0.87	1135	<1	0.13	52	50	<2	0.38	<2	2	28	<20
	Upper Bound	2	0.03	20	0.99	1260	2	0.16	59	70	4	0.45	4	4	33	40
R709954																
DUP																
Target Range -	Lower Bound															
	Upper Bound															
R711069																
DUP																
Target Range -	Lower Bound															
	Upper Bound															
R711089																
DUP																
Target Range -	Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
Target Range -	Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
Target Range -	Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
Target Range -	Lower Bound															
	Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES					
R709951		0.04	<10	<10	29	<10	26
DUP		0.04	<10	<10	31	<10	27
Target Range - Lower Bound		0.03	<10	<10	28	<10	23
Upper Bound		0.05	20	20	33	20	30
R709954							
DUP							
Target Range - Lower Bound							
Upper Bound							
R711069							
DUP							
Target Range - Lower Bound							
Upper Bound							
R711089							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 2-NOV-2016
Account: SXY

Project: 180.04E.84A12A

QC CERTIFICATE OF ANALYSIS TB16179327

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41