ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

CERTIFICATE TB16217398

Project: 180.04E.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-DEC-2016.

The following have access to data associated with this certificate:

BILL HUMPHRIES	BREANNA PARKKARI	MICHELE TUOMI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **LANDORE RESOURCES CANADA INC.**
ATTN: MICHELE TUOMI
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217398

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V350986		2.44	0.01	<0.2	4.37	20	<10	<10	<0.5	<2	5.34	<0.5	40	145	34	6.08
V350987		2.36	0.01	<0.2	5.02	24	<10	20	<0.5	<2	9.6	<0.5	30	125	79	4.66
V350988		2.49	0.04	<0.2	5.45	21	<10	30	<0.5	<2	6.20	<0.5	32	185	46	4.86
V350989		2.27	0.25	<0.2	5.30	10	<10	40	<0.5	<2	5.16	<0.5	27	92	11	4.30
V350990		1.85	0.29	<0.2	4.87	2	<10	70	<0.5	<2	5.28	<0.5	27	165	39	4.53
V350991		1.89	0.13	<0.2	3.41	12	<10	70	<0.5	<2	5.84	<0.5	32	427	41	4.51
V350992		2.39	0.08	<0.2	4.45	4	<10	80	<0.5	<2	6.73	<0.5	33	281	19	5.17
V350993		1.70	0.55	<0.2	5.85	4	<10	10	<0.5	<2	1.53	<0.5	29	302	16	5.23
V350994		2.06	1.25	0.2	5.55	12	<10	30	<0.5	<2	0.83	<0.5	31	185	21	5.32
V350995		2.40	0.52	<0.2	1.01	22	<10	60	<0.5	3	1.31	<0.5	9	9	47	2.76
V350996		3.32	2.86	<0.2	1.11	20	<10	80	<0.5	<2	1.30	<0.5	10	11	50	2.89
V350997		2.39	0.71	<0.2	1.54	12	<10	100	<0.5	2	1.86	<0.5	13	114	42	2.79
V350998		2.23	0.09	<0.2	2.12	5	<10	80	<0.5	<2	1.63	<0.5	19	111	45	3.94
V350999		2.48	0.06	<0.2	4.00	13	<10	30	<0.5	4	4.64	<0.5	44	232	101	9.04
V351000		2.44	0.01	<0.2	4.01	3	<10	50	<0.5	<2	5.92	<0.5	49	235	142	7.21
V351001		2.47	0.01	<0.2	4.08	8	<10	70	<0.5	<2	6.33	<0.5	45	215	118	7.66
V351002		2.47	<0.01	<0.2	4.42	7	<10	50	<0.5	<2	6.41	<0.5	44	220	114	7.18
V351003		2.41	0.01	<0.2	4.25	5	<10	60	<0.5	<2	6.9	<0.5	45	234	109	6.94
V351004		2.52	<0.01	<0.2	4.22	4	<10	20	<0.5	<2	7.1	<0.5	42	227	117	7.11
V351005		2.42	0.01	<0.2	3.52	3	<10	70	<0.5	<2	7.8	<0.5	38	155	102	6.62
V351006		0.05	3.30	1.3	0.56	8	<10	30	<0.5	<2	0.69	<0.5	4	12	31	1.19
V351007		0.17	0.01	<0.2	0.04	<2	<10	<10	<0.5	2	0.02	<0.5	<1	3	2	0.40
V351008		2.44	<0.01	<0.2	3.45	4	<10	20	<0.5	<2	6.29	<0.5	38	178	115	6.05
V351009		2.48	0.01	<0.2	3.91	<2	<10	50	<0.5	<2	5.53	<0.5	40	181	110	6.52
V351010		2.56	<0.01	<0.2	4.10	<2	<10	30	<0.5	<2	6.33	<0.5	41	210	139	6.43
V351011		2.57	<0.01	<0.2	3.69	6	<10	20	<0.5	<2	6.11	<0.5	36	171	142	6.00
V351012		3.51	<0.01	<0.2	4.08	9	<10	60	<0.5	<2	6.08	<0.5	40	228	104	6.49
V351013		3.65	<0.01	<0.2	4.27	9	<10	120	<0.5	<2	6.06	<0.5	45	223	106	7.04
V351014		3.77	<0.01	<0.2	4.12	7	<10	230	<0.5	2	5.78	<0.5	43	221	102	7.00
V351015		3.08	<0.01	<0.2	3.30	4	<10	220	<0.5	2	6.23	<0.5	30	376	34	4.77
V351016		2.10	<0.01	<0.2	4.86	6	<10	180	<0.5	<2	4.62	<0.5	46	242	87	7.56
V351017		3.90	<0.01	<0.2	2.24	7	<10	<10	<0.5	2	3.45	<0.5	23	111	45	3.38
V351018		3.55	<0.01	<0.2	2.98	3	<10	20	<0.5	<2	3.97	<0.5	34	152	141	5.01
V351019		3.79	<0.01	<0.2	3.54	6	<10	90	<0.5	<2	5.16	<0.5	38	269	95	5.31
V351020		3.72	<0.01	<0.2	3.48	7	<10	<10	<0.5	<2	5.07	<0.5	35	182	118	5.13
V351021		3.61	<0.01	<0.2	2.67	5	<10	<10	<0.5	<2	4.38	<0.5	30	142	67	4.17
V351022		3.90	<0.01	<0.2	4.09	4	<10	10	<0.5	<2	5.87	<0.5	41	205	104	6.64
V351023		3.60	0.01	<0.2	4.49	6	<10	170	<0.5	<2	5.32	<0.5	45	232	98	7.34
V351024		3.17	<0.01	<0.2	3.97	11	<10	230	<0.5	<2	6.87	<0.5	44	217	83	5.87
V351025		3.61	0.01	<0.2	4.20	6	<10	40	<0.5	<2	6.33	<0.5	42	217	100	6.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217398

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V350986		10	<1	0.02	<10	3.65	749	<1	0.05	97	190	<2	0.11	<2	13	18
V350987		10	<1	0.08	<10	3.33	1110	<1	0.20	93	100	<2	0.12	<2	12	39
V350988		10	1	0.14	<10	3.35	1005	<1	0.24	92	70	<2	0.07	<2	20	36
V350989		10	<1	0.27	<10	2.89	1030	<1	0.30	77	120	<2	0.04	<2	18	44
V350990		10	1	0.33	<10	2.99	900	<1	0.24	64	110	2	0.06	<2	16	51
V350991		10	1	0.36	10	3.84	955	<1	0.04	174	540	<2	0.34	<2	15	37
V350992		10	<1	0.48	<10	3.40	1140	<1	0.12	126	260	<2	0.17	<2	18	51
V350993		10	1	0.09	10	6.56	692	<1	0.01	144	290	<2	0.15	<2	24	8
V350994		20	1	0.22	10	6.27	662	2	0.01	122	310	9	0.11	<2	24	4
V350995		<10	1	0.53	20	0.60	324	1	0.04	8	480	3	1.03	<2	2	9
V350996		10	<1	0.60	20	0.65	352	1	0.05	8	490	4	1.00	<2	3	11
V350997		10	<1	0.57	10	1.56	423	1	0.03	40	510	3	0.55	<2	7	27
V350998		10	<1	0.44	10	1.87	496	1	0.04	46	370	<2	0.77	<2	9	20
V350999		10	<1	0.18	10	3.83	1485	<1	0.02	105	400	5	1.83	2	19	53
V351000		10	<1	0.27	<10	2.58	2110	<1	0.08	136	200	<2	0.50	<2	16	19
V351001		10	2	0.44	<10	3.02	1875	<1	0.06	119	220	<2	0.96	<2	9	21
V351002		10	<1	0.16	<10	3.72	1430	<1	0.02	112	240	<2	0.38	<2	18	21
V351003		10	<1	0.27	<10	3.15	1690	1	0.07	116	280	<2	0.48	<2	12	27
V351004		10	<1	0.10	<10	3.16	1830	<1	0.05	101	250	<2	0.37	<2	11	23
V351005		10	<1	0.31	<10	2.61	1950	<1	0.03	77	260	<2	0.78	<2	9	26
V351006		<10	<1	0.06	<10	0.18	132	5	0.13	14	310	4	0.02	<2	1	21
V351007		<10	1	0.01	<10	0.01	42	1	0.02	2	10	<2	0.03	<2	<1	1
V351008		10	<1	0.06	10	2.74	1490	<1	0.03	81	510	2	0.36	<2	13	32
V351009		10	<1	0.18	<10	3.20	1155	<1	0.03	94	270	<2	0.28	<2	13	24
V351010		10	<1	0.10	<10	3.66	1480	1	0.02	107	240	<2	0.23	2	12	23
V351011		10	<1	0.09	<10	3.22	1560	1	0.03	93	250	3	0.36	<2	11	25
V351012		10	<1	0.15	<10	3.65	1520	<1	0.02	113	330	<2	0.25	<2	14	27
V351013		10	<1	0.26	<10	3.66	1750	1	0.02	124	250	<2	0.31	<2	13	23
V351014		10	<1	0.50	<10	3.48	1680	1	0.02	109	260	<2	0.41	<2	11	33
V351015		10	<1	0.60	20	3.70	1345	<1	0.02	150	730	2	0.23	<2	12	49
V351016		10	<1	0.31	<10	4.50	1370	<1	0.02	121	280	2	0.27	4	12	27
V351017		10	<1	0.02	<10	1.98	844	<1	0.07	61	260	<2	0.10	<2	9	18
V351018		10	<1	0.04	<10	2.69	843	<1	0.05	89	250	<2	0.52	<2	10	18
V351019		10	<1	0.15	10	3.39	1155	1	0.03	141	520	<2	0.35	<2	11	34
V351020		10	<1	0.02	<10	3.10	1150	<1	0.04	97	260	<2	0.19	2	11	24
V351021		10	<1	0.03	<10	2.28	1040	1	0.05	82	310	<2	0.16	<2	10	21
V351022		10	<1	0.04	<10	3.54	1490	1	0.02	108	230	<2	0.28	2	11	21
V351023		10	1	0.52	<10	3.20	1630	<1	0.10	126	250	<2	0.72	<2	11	19
V351024		10	<1	0.87	<10	2.63	1930	1	0.14	107	200	<2	0.63	<2	15	22
V351025		10	2	0.19	<10	3.69	1385	1	0.03	109	240	<2	0.19	2	13	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217398

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V350986		<20	0.06	<10	<10	182	<10	30
V350987		<20	0.04	<10	<10	106	<10	34
V350988		<20	0.04	<10	<10	121	<10	50
V350989		<20	0.06	<10	<10	120	<10	57
V350990		<20	0.08	<10	<10	131	<10	54
V350991		<20	0.06	<10	<10	113	<10	42
V350992		<20	0.07	<10	<10	111	<10	44
V350993		<20	0.01	<10	<10	164	<10	60
V350994		<20	0.04	<10	<10	168	<10	82
V350995		<20	0.09	<10	<10	24	<10	24
V350996		<20	0.11	<10	<10	32	<10	22
V350997		<20	0.08	<10	<10	53	<10	32
V350998		<20	0.08	<10	<10	79	<10	49
V350999		<20	0.03	10	<10	147	10	83
V351000		<20	0.08	<10	<10	178	<10	90
V351001		<20	0.10	<10	<10	170	<10	90
V351002		<20	0.07	10	<10	208	<10	89
V351003		<20	0.09	<10	<10	190	<10	89
V351004		<20	0.08	10	<10	196	<10	85
V351005		<20	0.09	<10	<10	167	<10	82
V351006		<20	0.20	<10	<10	32	<10	24
V351007		<20	<0.01	<10	<10	<1	<10	<2
V351008		<20	0.09	<10	<10	160	<10	75
V351009		<20	0.09	<10	<10	165	<10	75
V351010		<20	0.07	10	<10	177	<10	74
V351011		<20	0.07	10	<10	121	<10	70
V351012		<20	0.07	<10	<10	161	<10	71
V351013		<20	0.11	<10	<10	181	<10	83
V351014		<20	0.12	10	<10	179	<10	86
V351015		<20	0.10	<10	<10	126	<10	68
V351016		<20	0.10	10	<10	195	<10	105
V351017		<20	0.08	<10	<10	73	<10	40
V351018		<20	0.08	<10	<10	101	<10	57
V351019		<20	0.08	<10	<10	137	<10	71
V351020		<20	0.06	<10	<10	116	<10	60
V351021		<20	0.06	<10	<10	90	<10	51
V351022		<20	0.07	10	<10	160	<10	79
V351023		<20	0.14	<10	<10	185	<10	98
V351024		<20	0.17	<10	<10	208	<10	82
V351025		<20	0.08	<10	<10	182	<10	81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217398

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
V351026		0.06	0.50	0.5	3.69	8	<10	90	<0.5	<2	2.25	<0.5	14	60	102	3.29
V351027		0.18	0.01	<0.2	0.02	<2	<10	<10	<0.5	4	0.01	<0.5	<1	2	2	0.28
V351028		3.71	0.01	<0.2	4.21	4	<10	120	<0.5	<2	6.53	<0.5	45	253	106	6.35
V351029		1.85	0.02	<0.2	2.97	11	<10	130	<0.5	3	3.73	<0.5	24	390	18	3.97
V351030		3.24	0.24	<0.2	3.64	3	<10	330	<0.5	<2	7.5	<0.5	47	231	127	6.71
V351031		3.26	0.08	<0.2	3.60	7	<10	130	<0.5	<2	6.9	<0.5	43	175	113	7.19
V351032		2.76	0.21	<0.2	1.10	43	<10	60	<0.5	4	2.27	<0.5	11	13	42	3.00
V351033		2.70	0.06	<0.2	0.87	67	<10	40	<0.5	3	1.98	<0.5	11	5	40	2.69
V351034		2.78	0.08	<0.2	1.59	20	<10	80	<0.5	<2	1.91	<0.5	12	28	38	3.22
V351035		3.99	0.01	<0.2	3.72	2	<10	30	<0.5	<2	5.76	<0.5	41	135	125	6.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217398

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
V351026		10	<1	0.14	10	1.26	442	8	0.26	172	460	5	0.05	<2	4	60
V351027		<10	<1	<0.01	<10	<0.01	29	1	<0.01	1	10	<2	0.02	<2	<1	1
V351028		10	<1	0.53	<10	3.31	1780	<1	0.07	127	270	<2	0.35	<2	14	30
V351029		10	<1	0.76	20	2.97	795	1	0.03	149	650	<2	0.23	<2	11	24
V351030		10	1	1.08	<10	2.20	2040	1	0.12	135	200	9	0.94	<2	14	33
V351031		10	<1	0.96	<10	2.48	2120	<1	0.07	119	240	4	1.36	<2	11	36
V351032		<10	2	0.40	20	0.71	577	1	0.04	13	470	3	0.90	<2	2	16
V351033		<10	<1	0.28	20	0.49	453	1	0.04	7	470	5	1.09	<2	1	15
V351034		<10	<1	0.56	10	1.06	519	1	0.04	21	400	<2	0.59	<2	4	14
V351035		10	<1	0.10	<10	2.99	1425	<1	0.03	82	310	<2	0.16	<2	16	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217398

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
V351026		<20	0.12	<10	<10	56	<10	41
V351027		<20	<0.01	<10	<10	<1	<10	<2
V351028		<20	0.12	<10	<10	190	<10	91
V351029		<20	0.10	<10	<10	79	<10	59
V351030		<20	0.19	<10	<10	193	<10	87
V351031		<20	0.16	<10	<10	148	<10	98
V351032		<20	0.07	<10	<10	24	<10	40
V351033		<20	0.04	<10	<10	11	<10	24
V351034		<20	0.09	<10	<10	50	<10	49
V351035		<20	0.07	<10	<10	179	<10	82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 29-DEC-2016
Account: SXY

Project: 180.04E.84A12A

CERTIFICATE OF ANALYSIS TB16217398

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41